| AREA 4 | | | | | | |
|---------|--------|--------------|-----------|--------------|-----------------|----------|
| Station | Sample | Class | Sub Class | Order | Family | Quantity |
| D-1 | R-1 | - | | | | - |
| | | | | | | |
| | R-2 | Anthozoa | | Cerlantharia | | 1 |
| | | Insecta | | Diptera | Tabanidae | 1 |
| | | | | | | |
| | R-3 | - | | | | - |
| | | | | | | |
| D-2 | R-1 | - | | | K | - |
| | | | | | | |
| | R-2 | Crustacea | Ostracoda | | | 5 |
| | | Oligochaeta | | | Naididae | 3 |
| | | Insecta | | Diptera | Ceratopogonidae | 6 |
| | | | | | | |
| | R-3 | Oligonchaeta | | | Naididae | 1 |
| | | Crustacea | Ostracoda | | | 1 |
| | | Insecta | | Diptera | Ceratopogonidae | 13 |
| | | | | | | |
| D-3 | R-1 | Polychaeta | | | Ampharetidae | 11 |
| | | Polychaeta | | | Nephthydae | 2 |
| | | Oligochaeta | | | Naididae | 6 |
| | | Crustacea | | Isopoda | Anthuridae | 1 |
| | Do | Olizaahaata | | | Naididaa | 4 |
| | R-2 | Oligochaeta | | Tanaidaasa | Tanaidaa | 4 |
| | | Grusiacea | | Tanaidacea | Tanaidae | 1 |
| | P_3 | Crustacaa | | Tanaidacoa | Tanaidao | 6 |
| | IX-5 | Ciustacea | | | Tanaiuae | 0 |
| D-4 | R-1 | Polychaeta | | | Ampharetidae | 1 |
| | | Insecta | | Diptera | Ceratopogonidae | 1 |
| | | | | Diptora | Conatopogonidad | • |
| | R-2 | Crustacea | Ostracoda | | | 2 |
| | | Polychaeta | | | Ampharetidae | 7 |
| | | Oligochaeta | | | Megascolecidae | 2 |
| | | Insecta | | Diptera | Ceratopogonidae | 1 |
| | | | | | | |
| | R-3 | - | | | | - |
| | | | | | | |
| D-6 | R-1 | Polychaeta | | | Ampharetidae | 5 |
| | | Insecta | | Diptera | Ceratopogonidae | 2 |
| | | | | | | |
| | R-2 | Polychaeta | | | Ampharetidae | 15 |
| | | Insecta | | Diptera | Ceratopogonidae | 2 |
| | | | | | | |
| | R-3 | Polychaeta | | | Ampharetidae | 64 |
| | | Oligonchaeta | | | Naididae | 16 |
| | | Oligonchaeta | | | Megascolecidae | 2 |
| | | Insecta | | Diptera | | 3 |
| | | Amphipoda | | | Gammaridae | 1 |
| D 7 | D 4 | Oliveet | | | Neidider | A |
| D-1 | K-1 | Oligochaeta | | | inaldidaé | 1 |

| | | Decapoda | Palaemonidae | 1 |
|-----|-----|--------------|----------------|---|
| | | | | |
| | R-2 | Polychaeta | Ampharetidae | 1 |
| | | Oligonchaeta | Megascolecidae | 6 |
| | | Decapoda | Palaemonidae | 1 |
| | | | | |
| | R-3 | - | | - |
| | | | | |
| D-8 | R-1 | - | | - |
| | | | | |
| | R-2 | - | | - |
| | | | | |
| | R-3 | - | | - |

2.7 <u>Vegetation Biomass</u>

As an extension of the vegetation speciation effort described above, vegetation biomass sampling was also conducted. Half of the stations were sampled for above-ground vegetation mass, and a quarter were sampled for above-ground and root mass. The samples were selected randomly (stratified by area).

A 10 cm ring was placed at each above-ground biomass station to determine the vegetation plot to be sampled. The vegetation within the plot was clipped at ground level and bagged separate from dead vegetation. The samples were weighed and dried in an oven at 105 degrees Celsius. The samples were removed after a period of 12 hours and re-weighed. The sample weight after drying was subtracted from the initial weight to obtain the biomass of the vegetation.

Soil biomass samples were collected using a 5 cm core sampler. Prior to obtaining a soil core, the live vegetation above the plot to be sampled was clipped at ground level and stored in individual bags. These samples were analyzed as above. The core sampler was driven into the marsh surface to a depth of 30 cm below ground surface (method adopted from Allison 1996). The soil was extracted from the core and placed in individual labeled bags. The soil core samples were weighed and dried in an oven at 105 degrees Celsius. After 24 hours, the samples were removed and re-weighed to obtain the biomass of the soil core.

TABLE 2-8 VEGETATION BIOMASS - LIVE VEGETATION CLIPPINGS

| | Station | Sample Weight (g) | Vegetation Description |
|--------|---------|-------------------|--|
| | 2-00 | 40.4 | Phragmites, Pluchea purpurascens, Scirpus americanus, Iva frutescens |
| | 2-40 | 47.3 | S. patens |
| | 2-80 | 43.4 | S. patens |
| | 2-120 | 14.8 | Phragmites, Scirpus americanus, Solidago sempervirens, S. patens |
| | 3-00 | 28.4 | Scirpus americanus, S. patens, Distichlis D. spicata |
| Area 1 | 3-80 | 54.6 | S. patens |
| Alcui | 3-120 | 14.9 | S. patens |
| | 3-160 | 44.9 | S. patens |
| | 4-80 | 43.6 | Spartina, Scirpus americanus |
| | 4-120 | 24.0 | Iva frutescens, S. patens, Scirpus americanus, Distichlis D. spicata |
| | 4-160 | 38.4 | Scirpus americanus, Pluchea purpurascens, S. patens |
| | 5-00 | 56.3 | Phragmites, Scirpus americanus, S. patens |
| | 1-40 | 21.2 | S. patens, S. alterniflora |
| | 1-120 | 38.7 | S. patens, S. alterniflora, Iva frutescens |
| | 1-160 | 29.0 | S. patens |
| | 2-40 | 40.9 | S. patens |
| | 2-80 | 67.5 | S. patens |
| | 3-40 | 32.1 | S. patens, S. alterniflora |
| Area 2 | 3-80 | 26.1 | S. patens, S. alterniflora |
| | 3-120 | 41.4 | S. patens |
| | 4-40 | 28.3 | S. patens, S. alterniflora, Pluchea purpurascens |
| | 4-80 | 42.9 | S. patens |
| | 5-00 | 73.5 | S. patens, Iva frutescens |
| | 5-40 | 53.3 | S. patens, Iva frutescens |
| | 5-80 | 36.0 | S. patens, S. alterniflora |
| | 1-00 | 18.2 | S. patens, Scirpus americanus, Phragmites |
| | 1-80 | 12.0 | Phragmites, Scirpus americanus, S. patens |
| | 1-200 | 30.2 | S. patens |
| | 2-80 | 24.6 | S. patens |
| Area 3 | 2-120 | 35.5 | S. patens, S. alterniflora |
| | 2-160 | 32.5 | S. patens, S. alterniflora |
| | 2-200 | 20.5 | S. alterniflora, S. patens, Pluchea purpurascens |
| | 3-40 | 27.4 | S. patens |
| | 3-120 | 9.0 | Phragmites |
| | 4-80 | 46.1 | S. alterniflora |
| | 1-40 | 28.6 | S. patens |
| | 1-60 | 68.0 | S. patens |
| | 1-100 | 33.7 | S. patens, S. alterniflora |
| | 2-00 | 19.6 | S. patens |
| Area 4 | 2-40 | 36.1 | S. patens |
| | 3-00 | 36.9 | S. patens |
| | 3-80 | 41.0 | S. patens |
| | 3-120 | 48.8 | S. patens, Phragmites |
| - | 4-00 | 2.0 | Phragmites |
| | 4-80 | 67.8 | S. patens, Scirpus americanus |

TABLE 2-9 VEGETATION BIOMASS SOIL CORE SAMPLES

| | | Station | Sample Weight (g) |
|--|--------|---------|-------------------|
| | | 3-200 | 33.1 |
| | Area 1 | 4-80 | 14.1 |
| | | 4-160 | 16.2 |
| | | 4-200 | 22.6 |
| | | 4-240 | 26.4 |
| | | 5-00 | 11.0 |
| | | 1-00 | 26.4 |
| | | 1-40 | 30.6 |
| | | 1-80 | 37.2 |
| | Area 2 | 2-00 | 26.4 |
| | | 2-40 | 20.2 |
| | | 2-80 | 31.6 |
| | | 5-40 | 31.5 |
| | Area 3 | 1-00 | 15.1 |
| | | 1-80 | 9.6 |
| | | 1-120 | 43.7 |
| | | 1-160 | 19.6 |
| | | 1-200 | 18.8 |
| | | 1-40 | 20.7 |
| | | 2-80 | 15.9 |
| | Area 4 | 3-00 | 8.1 |
| | | 3-40 | 9.2 |
| | - | 4-80 | 19.8 |
| | | 4-120 | 16.3 |

TABLE 2-10 VEGETATION BIOMASS SOIL CORE CLIPPINGS

| | Station | Sample Weight (g) | Vegetation Description |
|--------|---------|-------------------|---|
| | 3-200 | 2.7 | Phragmites |
| Area 1 | 4-80 | 1.3 | S. patens, Scirpus americanus |
| | 4-160 | 1.2 | Scirpus americanus, S. patens |
| | 4-200 | - | No vegetation apparent |
| | 4-240 | 0.3 | Scirpus americanus, S. patens |
| | 5-00 | - | No vegetation apparent |
| | 1-00 | 3.4 | Phragmites |
| | 1-40 | 1.1 | S. patens, S. alterniflora |
| | 1-80 | 1.0 | S. patens |
| Area 2 | 2-00 | 5.8 | S. patens |
| | 2-40 | 10.7 | S. patens |
| | 2-80 | 11.3 | S. patens |
| | 5-40 | 6.4 | S. patens |
| | 1-00 | 1.9 | S. patens, Scirpus americanus |
| | 1-80 | 0.9 | S. patens, Scirpus americanus, Phragmites |
| Area 3 | 1-120 | 2.5 | S. patens |
| | 1-160 | 5.4 | S. patens, S. alterniflora |
| | 1-200 | 0.7 | S. patens |
| | 1-40 | 4.8 | S. patens |
| | 2-80 | 5.7 | S. patens |
| Area 4 | 3-00 | - | No vegetation apparent |
| | 3-40 | - | No vegetation apparent |
| | 4-80 | 0.4 | S. patens, Scirpus americanus |
| | 4-120 | 7.1 | Phragmites, S. patens |

2.8 Bird Observations

The bird fauna within the refuge have been continuously observed and documented. The marsh lies along migration corridors used by shorebirds, raptors and songbirds. In addition, the refuge supports nine federal and/or New York State designated endangered/threatened avian species. Through anecdotal observations, approximately 22 species of birds have been observed in the marsh. The most abundant species observed include black duck, Northern harrier, and a variety of wading birds. Tree and barn swallows are very common during migrating season. During September and October, swallows were observed in swarms of hundreds. An immature bald eagle has wintered at the Refuge the past several years.

Anecdotal observations in all four marsh areas have shown the following list of positive identified bird species.

Black-Crowned Night Heron Mallard Black Ducks Northern Harrier Bufflehead Osprey Canada Geese Red-Wing Blackbird Great Blue Heron Seaside Sparrow Great Egret Sedge Wren Great Heron Sharp-tailed Sparrow Gulls – Heron Snipe Black-back Snowy Egret Hooded Mergansers Swallow – Barn Kingfisher – Tree

III. Physical Parameters

3.1 Ditch Qualities

There are 43 delineated mosquito ditches within the four Areas. The ditches vary in width, but are constructed uniformly parallel east to west in all areas, except in Area 4 which contains a grid ditch network. A visual inspection of all the mosquito ditches was performed in January, and general characteristics of the ditches were documented. These included accounts of the plugs, which were classified as "working" (retaining water), "moderate," or "failed." A photo-log of the ditches was also compiled. Major features were recorded by GPS coordinates. It should be noted that most of the plugs in Area 4 were determined to have failed; most of the plugs in Area 1 were characterized as moderate; and most of the plugs in Area 3 were listed as working. Of other interest, Ditches 4 and 5 in Area 2 contain an additional plug in the mid-portion of the ditch, and Ditch 6 contains two additional mid-section plugs.

| Area | # of Plugs Installed | # of Plugs Working | # of Plugs Moderately Working | # of Plugs Failed | # of Plugs Missing |
|------|-------------------------|-----------------------|-------------------------------------|----------------------|-----------------------|
| 1 | 14 | 2 | | 3 | 2 |
| 2 | 24 | 20 | 4 | - | - |
| 3 | 10 | 8 | 1 | 1 | - |
| 4 | 17 | 3 | 2 | 9 | 3 |

| AREA 1 | |
|----------|--|
| Ditch 1A | Starting at the easternmost end: |
| | Plug 5 feet wide, heavy <i>Phragmites</i> Ditch difficult to follow; wanders, shallow through thick <i>Phragmites</i>; no |
| | distinct ditch |
| Ditch 1 | Starting at the westernmost end: |
| | |
| | • Distinct end to ditch; 50 feet from tree line; approximately 2.5 ft in width |
| | <i>Phragmites</i> on edges of ditch; 75 ft west of terminus |
| | Ditch is straight and shallow at high tide |
| | • Width varies from 1.5 ft -2.5 ft |
| | <i>Phragmites</i> become heavy west of intersecting of Ditch 1 and ditch running south to Ditch 2 |
| | • Plug 80 ft from mouth, in good condition, overgrown with <i>Phragmites</i> ; water level at high tide was 10 ft below top of plug. |
| | |
| Ditch 2 | Starting at the easternmost end: |
| | |
| | • Muskrat mound in small differes between Difference 2 and Difference 3 |
| | Duch of twide at moun, neavy <i>Phragmnes</i> on edges |
| | • Second plug in poor condition |
| | • Looking east from second plug, the ditch is straight and edges are dominated by heavy <i>Phragmites</i> ; no berm |
| | • Ditch is 4 ft wide at point of intersection with north-south ditch from Ditch 1 |
| | • Ditch ends 100 ft east of intersection; no distinct end, it trails off into <i>Phragmites</i> , approximately 300 ft from the tree line |
| | |
| Ditch 3 | Starting at the westernmost end: |
| | |
| | • Terminus in heavy <i>Phragmites</i> |
| | • Ditch is straight; no berm, filled with dead <i>Phragmites</i> |
| | Water flow heading east; visible from 50 ft from the eastern terminus |
| | Ditch widens 10 ft at fish station D-2 with no distinct bank; <i>Phragmites</i> on the western portion |
| | • Ditch then narrows to 3 ft with <i>Phragmites</i> on both sides |
| | ◆ Plug 20 ft east of D-2 |
| | • Area beyond (east) plug is totally overgrown & ditch is choked off |
| | |

TABLE 3-1 DITCH QUALITIES

| Ditch 4 | Starting at the easternmost end: |
|---------|--|
| | ▲ Soil plug 30 ft from mouth |
| | No herm low hanks |
| | Water flowing towards the west during falling tide |
| | Water howing towards the west during failing fide Ditab branches out over low group 60 ft east of plug: light <i>Phragmitas</i> |
| | Distichlis spicata and Sparting patens |
| | Terminus in <i>Phragmites</i>, approximately 70 ft from tree line |
| | V Terminus in <i>Thrughnies</i> , upproximately to tempin ade inte |
| Ditch 5 | Starting at the westernmost end: |
| | • Terminus distinct, trails off into heavy <i>Phragmites</i> and <i>Iva frutescens</i> 300 ft west of the tree line |
| | Tide visibly running west |
| | Mid section of ditch contains light <i>Phragmites</i> and <i>Iva frutescens</i> on banks Ditch is approximately 4 ft wide |
| | Mouth is approximately 12-15 ft wide with <i>Phragmites</i> and <i>Iva frutescens</i> on banks |
| | • No plug visible at mouth, but shrub and <i>Phragmites</i> are growing in the center of the ditch 60 ft from the mouth. |
| Ditch 6 | Starting at the easternmost end: |
| | Mouth is 6-7 ft in width, in heavy <i>Phragmites</i> Plug in good condition located 30 ft from mouth with <i>Phragmites</i> and <i>Iva frutescens</i> growing behind it 120 ft east of mouth has low banks, light <i>Phragmites</i>, <i>S. patens</i> and <i>Iva</i> |
| | <i>frutescens</i>; ditch is 2-3 ft in width Water flowing west |
| | • <i>Phragmites</i> , <i>S. patens</i> and <i>Iva frutescens</i> near fish station D-6; ditch is 2-3 ft wide |
| | • Terminus of ditch at fish station D-7; trails off into <i>Phragmites</i> and <i>Scirpus americanus</i> |
| Ditch 7 | Starting at the westernmost end: |
| | Terminus of ditch in <i>Phragmites</i> , <i>S. patens</i> and <i>S. americanus</i> |
| | Water flowing west, visible 20 ft from terminus at fish station D-9 |
| | Moderate <i>Phragmites</i> cover on banks 100 ft from terminus; ditch is approximately 3 ft wide |
| | • No Phragmites from D-8 to 70 ft west; S. patens, S. americanus, D. spicata and S. alterniflora |
| | • Heavy <i>Phragmites</i> 7- ft west of D-8; ditch is straight and approximately 4-5 ft in width |
| | • Ditch varies in width heading west as <i>Phragmites</i> density changes |
| | • Plug in moderate condition 60 ft east of mouth, approximately 3.5 ft wide, |

| covered with <i>Phragmites</i> |
|---|
| • Mouth of ditch is 4-5 ft wide, banks are lined with heavy <i>Phragmites</i> |



| Ditch 8 | Starting at the easternmost end: | | |
|----------|--|--|--|
| | Ditch is 10 ft wide at mouth, surrounded by heavy <i>Phragmites</i> Plug located 50 ft east of mouth; poor condition, <i>Phragmites</i> growing behind plug; evidence of muskrats Ditch choked with <i>Phragmites</i> 100 ft southeast of T4-200; ditch is approximately 1 foot wide Mid length of ditch there is a heavy area of <i>S. americanus</i> on north side, water flowing west Moderate <i>Phragmites</i> on banks near mid-length of ditch; banks low Heavy <i>Phragmites</i> near terminus; ditch is approximately 3-4 ft wide; merges with ditch running NW/SE | | |
| Ditch 9 | Starting at the westernmost end: | | |
| | Terminus is approximately 500 ft from the tree line, choked with <i>Phragmites</i> Water flow visible; flowing west with tide Light <i>Phragmites</i> and <i>S. patens</i> at fish station D-10 for 80 ft on each side; no berm; ditch 1-3 ft wide Ditch surrounded and choked by <i>Phragmites</i> from mouth to approximately 400-500 ft inland Very narrow at points; less than 1 ft wide Plug with board and soil 100 ft west from river; very little water (1 ½ hours before low tide) Mouth is 2 ft wide at mouth with very low water | | |
| Ditch 10 | Starting from the easternmost end: | | |
| | Eastern plug in poor shape; moderately holding water 60 ft from junction with small poor 10 ft in diameter Ditch turns south towards D-10; surrounded by dense <i>Phragmites</i> Light <i>Phragmites</i> with <i>S. patens</i> and <i>S. alterniflora</i> from plug to 300 ft east; ditch narrows to 2-3 ft wide Ditch becomes choked with <i>Phragmites</i> D-10 exits <i>Phragmites</i> to east out of Area 1 | | |
| Ditch 11 | Starting at the easternmost end: | | |
| | Mouth to plug is 25 yards; ditch is approximately 3 ft wide Approximately 75 yards west <i>Iva frutescens</i> and <i>Phragmites</i> dominate both sides of the ditch Small ditch connects Ditch 11 to southern portion of tidal creek 100 yards west | | |
| | Short <i>Phragmites</i> and <i>S. americanus</i> between D-11 and tidal creek | | |

| | 200 yards off from Carmans a berm begins on the northern side of the ditch 300 yards west <i>Phragmites</i> is on the both sides; large strand of <i>Phragmites</i> on south side with small berm East plug is approximately 25 yards from east tidal creek; about 8 ft in length |
|----------|---|
| Ditch 12 | Starting from the westernmost end: |
| | Ditch is 2-3 ft wide Areas of <i>S. alterniflora</i> and <i>S. americanus</i> vegetation community surrounded by Phragmites Ditch trails off into heavy Phragmites; 120 ft west of tree line |



Photographs of various ditches in Area 1

AREA 2

| Ditch 1 | Starting at easternmost end: |
|---------|---|
| | Terminus at tidal creek; 50 ft in diameter Large plug approximately 100 ft from terminus; 25 ft long; good condition Ditch width is 18-24 in, with clumps of <i>S. patens</i> vegetation Berm on north side of ditch from tidal creek heading west Ditch opens up to a 10 ft wide, 30 ft long pool with vegetation clumps; 40 yd from D-1, 100 yd from tidal creek <i>Phragmites</i> on east end of ditch for 30 yd <i>Phragmites</i> on south side of ditch for 40 yd; berm on south side Vegetation turns to <i>S. patens</i> on north side, 35 yd from <i>S. americanus</i> edge; <i>Phragmites</i> thinning out on south side Light <i>Phragmites</i> on both sides; ditch width is 2-3 ft wide Berm on south side; <i>Iva fratescens</i> present Edges become more winding <i>Phragmites</i> ends on both sides; 40 yd west of mouth on south side becomes mostly <i>S. patens</i>; 20 yd west of mouth on north side mostly <i>S. patens</i>; 20 yd west of mouth Small <i>Phragmites</i> community on north side 10-15 yd east of mouth; intermix vegetative community on south side |
| Ditch 2 | Starting at the westernmost end: Very wide mouth <i>Phragmites</i> on south side of mouth; north side is tall-form <i>S. alterniflora</i>, leading into <i>Phragmites</i> <i>Phragmites</i> ends 30 yd west of mouth <i>S. patens</i>, <i>S. alterniflora</i> and <i>Pluchea purpurascens</i> on both sides; ditch width is 2-3 ft wide Ditch curves toward north Berm on north side Plug 30 yd from mouth near D-2; good condition Ditch curving towards the south Ditch width increases after plug to 35 in for approximately 50 yd (hourglass shape) <i>Phragmites</i> choked off ditch west of eastern plug Plug 30 yd from tidal creek; <i>S. alterniflora</i>, <i>S. americanus</i> and <i>Iva frutescens</i> |

| Ditch 3 | Starting at the easternmost end: |
|---------|--|
| | Western plug 5 ft long 20 yd from tidal creek; <i>S. patens</i> and <i>S. alterniflora</i> from plug to tidal creek; no linear ditch <i>Phragmites</i> on both sides 30 yd west of tidal creek for 20 yd Water flowing from east to west Berms on south side 100 yd from <i>Phragmites</i> heading west Western plug 30 yd from Carmans River; moderately workin g; ditch width at 48 in east of plug Ditch opens up to a pool on the north and south side surrounded by <i>Phragmites</i> 10 yd west of the plug |
| Ditch 4 | Starting at the westernmost end: |
| | Mouth 10 yd wide; cone shaped, narrowing down to 36 in ditch Western plug 30 yd from mouth; moderately working 10 in diameter pool 5 yd west of plug 2 small pools 50 yd east of mouth; 5 ft in diameter Ditch opens up to 5 ft diameter pool 75 yd east of mouth Monotypic <i>Phragmites</i> stand on both sides of ditch; 175 yd east of mouth <i>S. patens</i> and <i>S. alterniflora</i> on both sides of ditch for a distance of 165 yd heading east Plug 50 yd from end of <i>Phragmites</i> stand Ditch width east of plug is 36 in for 15 yd, then tapering off to 24 in wide East plug 15 yd west of tidal creek in <i>Phragmites</i>; 10 yd long; working; small pool on east end Berm on south side |
| Ditch 5 | Starting at the easternmost end: |
| | • Eastern plug 18 yd from tidal creek; 4 ft x 4 ft; failed |
| | • Mouth opens up and branches out naturally; short form <i>S. alterniflora</i> vegetation |
| | Water flow from west to east |
| | Ditch width is 48 in |
| | Monoculture of short form <i>S. alterniflora</i> on both sides of ditch, 50 yd west of plug |
| | • Ditch tapers off from 36 in to 48 in |
| | • <i>S. alterniflora</i> and <i>S. patens</i> mix 150 yd west of plug; <i>S. patens</i> dominating south side; <i>S. alterniflora</i> on north side of ditch |
| | Middle plug 200 yd from previous plug; 6 ft long; working |
| | • Ditch 18 in wide |

| | 100 yd west of plug water flow is from east to west |
|---------|---|
| | • North edge of ditch becomes <i>S. americanus</i> and <i>S. alterniflora</i> mix into <i>Phragmites</i> |
| | • 135 yd from middle plug, <i>Phragmites</i> dominates both sides of ditch |
| | • Ditch linear; width from 18 in to 5 ft |
| | ♦ Western plug; failed |
| | • Water flow near plug is from east to west |
| | ♦ Mouth is 25 vd wide |
| | |
| Ditch 6 | Starting at the westernmost end: |
| | |
| | • Mouth 15 yd wide; tapers off to a 20 in ditch 25 yd east of mouth |
| | • S. alterniflora on the north and south sides of ditch |
| | Tall and short form S. alterniflora with Iva frutescens on the north side of ditch, approximately 25 yd east of mouth; south side is short form S. alterniflora |
| | • Western plug is 45 yd east of mouth; 6 ft long, 30 in wide; working |
| | • Second plug 125 yd east of mouth, 5 ft long, 30 in wide |
| | • S. patens on north side for 30 yd |
| | • Small <i>Phragmites</i> stand with <i>S. americanus</i> , <i>S. patens</i> and short form <i>S.</i> |
| | alterniflora 220 yd east of mouth |
| | Plug 240 yd east of mouth; 10 ft long; working |
| | • Eastern plug 270 yd from western plug; working; evidence of muskrats |
| | • Ditch width 4-5 ft; water flow from west to east |
| | Tidal creek 20 yd from eastern plug |
| Ditch 7 | Starting at the contemporat and |
| Ditch / | Starting at the easternmost end: |
| | • 10 yd west of tidal creek <i>Iva frutescens</i> on north side, <i>Phragmites</i> on south side |
| | • Fastern plug 6 ft wide 10 ft long covered with <i>lvg frutescens</i> |
| | Short form S alterniflora and S patens mix on both sides 40 vd west of |
| | plug |
| | • Ditch width is 30 in wide; water flowing from west to east |
| | • 15 yd stand of <i>Phragmites</i> on both sides 80 yd west of tidal creek |
| | ◆ 20 yd of <i>S. patens</i> west of <i>Phragmites</i> stand |
| | ◆ 20 yd of <i>Phragmites</i> west of <i>S. patens</i> |
| | • Ditch linear; 24 in wide for most of ditch length |
| | • Western plug 190 yd west from tidal creek |
| | • Mouth 10 ft wide; 15 yd from western plug |
| | |

| Ditch 8 | Starting at the westernmost end: | | | | | | | | | |
|---------|--|--|--|--|--|--|--|--|--|--|
| | Mouth of ditch is 7 yd wide, tapering off to a 3 ft ditch Western plug is 20 yd east of mouth; 4 ft long x 30 in wide; working <i>S. patens</i> and <i>S. alterniflora</i> mix on both sides of ditch 50 yd east of plug Eastern plug is 3 yd west of tidal creek; 8 ft long x 24 in wide | | | | | | | | | |
| | | | | | | | | | | |

| Ditch 9 | Starting at the easternmost end: | | | | | | | | | |
|----------|---|--|--|--|--|--|--|--|--|--|
| | Eastern plug is 5 yd from tidal creek; 8 ft long, blends into marsh surface Ditch width is 30 in Short form <i>S. alterniflora</i> and <i>S. patens</i> mix on both sides of ditch Western plug is 6 ft long x 30 in wide; 15 yd from mouth Mouth is 12 ft wide | | | | | | | | | |
| Ditch 10 | Starting at the westernmost end: | | | | | | | | | |
| | Mouth is 8 ft wide Western plug is 10 yd east of mouth <i>S. patens</i> and <i>S. alterniflora</i> on north and south sides of ditch Western plug is 4 ft long x 5 ft wide; 25 yd west of tidal creek | | | | | | | | | |
| Ditch 11 | Starting at the easternmost end: | | | | | | | | | |
| | Eastern plug is 5 yd west of tidal creek; 5 ft long x 30 in wide Ditch width is 30 in Western plug is 20 yd west of eastern plug, 5 ft long x 30 in wide Short form <i>S. alterniflora</i> and <i>S. patens</i> mix on north and south sides of ditch Mouth is 11 ft wide | | | | | | | | | |
| | | | | | | | | | | |



Photographs of various ditches in Area 2

Cashin Associates, P.C.

|--|

| Ditch 1 | Starting at easternmost end: |
|---------|--|
| | Terminus of ditch is 70 ft east of fish station D-1; heavy <i>Phragmites</i> on south side; <i>Iva frutescens</i>, <i>S. alterniflora</i> and <i>S. americanus</i> on north side Ditch 2.5 ft wide |
| | ♦ Phragmites on both sides west of D-1 |
| | • Ditch narrows to less than 1 ft wide 60 ft west of D-1; <i>Phragmites</i> choking off ditch |
| | • S. alterniflora and S. americanus for 180 ft |
| | • Ditch curves slightly and varies between 2-4 ft wide with <i>Phragmites</i> on the north side and <i>S. patens</i> , <i>S. alterniflora</i> and <i>Iva frutescens</i> on the south side for 60 ft |
| | • Vegetation changes to <i>Phragmites</i> on both sides of ditch; ditch curves slightly south |
| | Plug 30 ft east of mouth; 4 ft wide; moderately working |
| | Mouth in heavy <i>Phragmites</i>; 60 ft west of fish station D-2; ditch width is 1 ft wide |
| Ditch 2 | Starting at the westernmost end: |
| | Mouth of ditch is 4-5 ft wide; <i>S. alterniflora</i> and <i>S. patens</i> mix on both sides with some light <i>Phragmites</i> and <i>P. purpurascens</i> for a length of 150 ft Plug 50 ft east of mouth Water flowing from east to west Vegetation changes to <i>Phragmites</i> on both sides with <i>Iva frutescens</i>; ditch narrows to 3 ft wide for a distance of 45 ft to D-3, <i>Phragmites</i> choking ditch Ditch is 2.5 ft wide at D-3 with <i>S. patens</i>, <i>S. americanus</i> and <i>Phragmites</i> on both sides for 180 ft (between D-3 and D-4) <i>Phragmites</i> choking ditch east of D-3 for 300 ft Ditch opens up to a small panne (dry at low tide) with vegetation clumps of <i>S. patens</i>, <i>Phragmites</i>, <i>Iva frutescens</i> and <i>P. purpurascens</i>; 30 ft wide Terminus of ditch is 10 ft wide ending at eastern tidal creek; <i>Phragmites</i> on both sides |
| Ditch 3 | Starting at the easternmost end: |
| | Mouth of ditch is 15 ft wide |
| | Ditch branches off to the south 50 ft west of mouth |
| | Plug 30 ft west of mouth; 5 ft wide, covered with <i>Iva frutescens</i> and <i>Phragmites</i> |
| | Iva frutescens, Phragmites, S. patens on north side of ditch; S. patens, Iva frutescens and P. purpurascens on south side; east of fish station D-5 Ditch width is 3 ft |
| | Between D-5 and D-6 S. patens, S. americanus, P. purpurascens and tall- |

| | form <i>S</i> alterniflora on both sides of ditch: berm on south side |
|---------|---|
| | Berm on porth side of ditch west of T2 00: ditch width is 1 ft |
| | Define on north sides of 12-00, duch width is 1 it Iva frutascans on both sides west of D 6: ditch width is 3 ft |
| | Iva fruescens on bour sides west of D-0, and width is 5 it Diva 60 ft wast of D 6: Aft x 10 ft; working |
| | Plug ou it west of D-0; 4lt x 10 it; working Ditab soidth is 5 ft sast of also |
| | • Ditch width is 5 it east of plug |
| Ditch 4 | Starting at the westernmost end: |
| | A Mouth of ditch is 5 ft wide |
| | Mouth of ditch is 5 ft wide Dive 20 ft west of mouth: 4 ft x 10 ft westers |
| | • Plug 50 ft west of mouth; 4 ft x 10 ft; working |
| | • Ditch width east of plug is 3 ft wide |
| | Ditch intersects small ditch on north side, 360 ft east of plug (between D-7 and D-8) |
| | • S. patens, P. purpurascens, and S. americanus on both sides of ditch; berm on south side |
| | • <i>Phragmites</i> 480 ft east of plug on south side |
| | ◆ <i>Phragmites</i> on both sides east of D-8 |
| | Changing to <i>Phragmites</i> and <i>Iva frutescens</i> community on the south side: |
| | ditch becoming choked off by <i>Phragmites</i> |
| | Water flowing from west to east |
| | Ditch opens up to 20 ft wide towards the south side for 15 ft long, narrowing back down to 2 ft wide |
| | Heavy Phragmites 100 ft west of mouth |
| | • Plug 40 ft west of mouth; 4 ft x 10 ft; widening to 6 ft; evidence of muskrats |
| | • Mouth of ditch is 6 ft wide |
| | |
| Ditch 5 | Starting at the easternmost end: |
| | Eastern terminus of ditch is 5 ft wide |
| | Eastern terminus of ditch is 5 it wide |
| | • Plug 40 ft west of mouth; 4 ft x 10 ft; working |
| | • <i>Iva frutescens</i> and <i>Phragmites</i> on both sides for 150 ft west of mouth |
| | • Vegetation changes to <i>S. patens</i> , <i>P. purpurascens</i> , <i>S. alterniflora</i> and <i>S. americanus</i> 200 ft west of mouth; berm on south side; ditch width is 3 ft |
| | • Ditch widens to 4 ft wide 300 ft west of <i>Iva frutescens</i> and <i>Phragmites</i> stand |
| | • Plug 50 ft east of mouth; 5 ft x 10 ft |
| | Ditch widens to 5-10 ft wide east of plug |
| | • <i>Iva frutescens</i> and tall-form <i>S. alterniflora</i> west of plug |
| | ♦ Mouth of ditch is 4 ft wide |

| Ditch 6 | Starting at the westernmost end: | | | | | | | | | |
|---------|---|--|--|--|--|--|--|--|--|--|
| | Mouth of ditch is 6 ft wide | | | | | | | | | |
| | • Plug 40 ft east of mouth; 10 ft x 2 ft; covered with tall-form <i>S. alterniflora</i> , <i>Phragmites</i> and <i>Iva frutescens</i> | | | | | | | | | |
| | • Ditch width is 2.5 ft east of plug | | | | | | | | | |
| | • Short-form <i>S. alterniflora</i> vegetation for the length of the ditch; berm on south side; ditch width is 5 ft | | | | | | | | | |
| | • Plug 40 ft west of terminus; 3 ft x 4 ft; covered with <i>Iva frutescens</i> | | | | | | | | | |
| | • Eastern terminus is 5 ft wide | | | | | | | | | |



Photographs of various ditches in Area 3

3.2 <u>Sedimentation</u>

To quantify surface deposition on the marsh surface, marker horizons were established. Feldspar clay was chosen for the marker in this project because it is easily distinguishable from the surrounding sediment and forms a cohesive layer once wetted.

In October, marker horizons were placed at the 88 stations on the marsh surface. The marker horizons were positioned 2 m southeast from the monitoring well at each station. This location relative to the wells was chosen because it was generally away from station-to-station pathways, and yet close enough to a defined point that the horizon should be locatable in the future. Each marker horizon plot was arranged using a 30 cm circular frame. Feldspar was sprinkled directly on the marsh surface until the area within the frame was completely covered, approximately 2 cm in depth. All marker horizon locations were documented and flagged. Assistance with the marker horizons was provided by Steve Goodbred's Laboratory, MSRC.

3.3 <u>Water Table Height</u>

Water table measurements have been collected using the 88 temporary groundwater monitoring wells in all four marsh areas, following USFWS/USGS protocols (James-Pirri et al., 2002). The monitoring wells are constructed of 4 cm PVC pipes, 70 cm in length. 60 cm of the wells are installed below the marsh surface. Holes were drilled into the pipe to allow water to percolate into the well. The top 10 cm of the pipe was left intact to prevent surface water from entering the well. The wells were capped with PVC caps.

When measuring the height of the water table, a meter stick was inserted into the well until the stick came into contact with the water in the well. The measurement from the top of the meter stick was recorded. The height of the well from the marsh surface was also recorded to determine if the well had moved from the previous sampling period. The height of the well from the marsh surface was subtracted from the total distance of the top of the well casing to the water level and recorded (Water Table Depth). These measurements are recorded in the Salinity & Water Table Measurements table on page 84.

IV. Chemical Parameters

4.1 <u>Water Quality Monitoring in Ditches</u>

At each of the fish stations, beginning in October, hand-held YSI multi-parameter and pH meters were used to collect salinity, temperature, conductivity, pH, and dissolved oxygen concentrations measurements using the USFWS/USGS protocols (James-Pirri et al., 2002).

4.2 Ditch Salinity Surveys

Salinity was measured along the mosquito ditches in November using a YSI meter in accordance with USFWS/USGS protocols (James-Pirri et al., 2002). Measurements were taken every 30 to 50 m, depending on the length of the ditch. They will be repeated at intervals throughout the winter. These measurements may also help identify fresh water influxes. Ditch salinity measurements were completed for Areas 1, 2, and 3.



| Parameter | Responsible Party | Assisting Parties | Locations | Frequency | Technique | Actions to Date |
|---|----------------------|----------------------|--|---|---|---|
| Carmans River WQ | SCDHS | | 4 stations | Quarterly (not before Oct) | Std.; full SCDHS parameter list | 3 rounds completed |
| Salinity, T, Cond., pH, DO | SCDHS | DU | Deep portions of ditches | Rotate on bi-weekly basis | YSI continuous sondes (may deploy several) | Not competed; discussed moving to river edge |
| Ditch salinity surveys | DU | SCDHS | All ditches | At least once, more is better | Every 50 m or so, measure salinity in ditch | Areas 1 ,2, 3 completed |
| Water table/pore water salinity | DU | | All transect stations (88) | every 10-14 days | YSI meter | 6 rounds completed in Areas 1 & 4; 5 rounds completed in Areas 2 & 3 |
| WQ parameters (Sal, T, Cond, pH, DO) | SCDHS | DU | All fish stations (40) | ~ Bi-weekly but rotate through tidal cycles | YSI meter plus pH meter | 5 rounds completed |
| Larvicide presence/time series | DU | SCDHS | 1 puddle per area, 1 close ditch point | Once | SCDHS SVOCs; take one sample before application, 1 sample w/i 1-2 hrs, 1 sample 2 days later | Not achieved |
| | | | | | | |

TABLE 4.1 CHEMICAL PARAMETERS

| | | | | | | | | TIDAL |
|--------|------------|------|---------|----------|--------|----------------|----------|-------------------------|
| AREA | DATE | TIME | STATION | рΗ | TEMP C | DO | SALINITY | STAGE/REMARKS |
| | 10/16/2003 | 1155 | D-1 | 6.5 | 15.6 | 2.6 | 14.8 | Low, Beginning of flood |
| | 10/16/2003 | 1150 | D-2 | 6.6 | 14.6 | 0.5 | 14.0 | |
| | 10/16/2003 | 1145 | D-3 | 6.4 | 13.9 | 0.2 | 12.4 | |
| | 10/16/2003 | 1140 | D-4 | 6.7 | 15.4 | 7.4 | 16.0 | |
| AREA 1 | 10/16/2003 | 1130 | D-5 | 6.5 | 14.7 | 1.3 | 4.9 | |
| | 10/16/2003 | 1143 | D-6 | 6.4 | 15.8 | 1.1 | 15.9 | |
| | 10/16/2003 | 1150 | D-7 | 6.0 | 16.1 | 7 | 17.6 | |
| | 10/16/2003 | 1137 | D-8 | 6.4 | 14.3 | 2.2 | 16.6 | |
| | 10/16/2003 | 1155 | D-9 | 6.1 | 15.4 | 5.2 | 16.9 | |
| | 10/16/2003 | 1130 | D-10 | 6.4 | 13.9 | 4.7 | 18.7 | |
| | 10/16/2003 | 1235 | D-1 | 6.1 | 13.6 | 3.8 | 19.6 | |
| | 10/16/2003 | 1240 | D-2 | 6.6 | 13.3 | 4.5 | 20.2 | |
| | 10/16/2003 | 1230 | D-3 | 6.6 | 14 | 3.9 | 18.6 | |
| | 10/16/2003 | 1250 | D-4 | 6.0 | 14.5 | 5.2 | 19.9 | |
| 4554.0 | 10/16/2003 | 1252 | D-5 | 5.9 | 16.4 | 3.2 | 20.5 | |
| AREA 2 | 10/16/2002 | 1055 | De | 6.0 | 115 | too chollow | 22.6 | |
| | 10/16/2003 | 1200 | D-0 | 5.0 | 14.0 | | 22.0 | |
| | 10/16/2003 | 1300 | D-7 | 5.9 | 16.6 | 0.9 | 25.0 | |
| | 10/16/2003 | 1305 | D-0 | 5.0 | 13.0 | 4.0 | 25.6 | |
| | 10/16/2003 | 1300 | D-9 | 5.9 | 14.0 | 4.9 | 25.0 | |
| | 10/16/2003 | 1220 | D-10 | <u> </u> | 13.6 | 53 | 14.6 | |
| | 10/16/2003 | 1225 | D-2 | 6.3 | 13.6 | 5.5 | 9.1 | |
| | 10/16/2003 | 1225 | D-3 | 6.5 | 14.3 | 4 1 | 15.9 | |
| | 10/16/2003 | 1240 | D-4 | 6.4 | 14.6 | 4.6 | 16.2 | |
| | 10/16/2003 | 1245 | D-5 | 6.4 | 14.5 | 1.9 | 17.5 | |
| AREA 3 | 10/16/2003 | 1230 | D-6 | 6.5 | 15.5 | 37 | 19.9 | |
| | 10/16/2003 | 1253 | D-7 | 6.5 | 14.4 | 2.5 | 22.4 | |
| | 10/16/2003 | 1250 | D-8 | 6.5 | 15.3 | 5 | 19.9 | |
| | 10/16/2003 | 1255 | D-9 | 6.6 | 15.6 | 0.2 | 18.2 | |
| | 10/16/2003 | 1300 | D-10 | 6.9 | 12.8 | 4.5 | 26.4 | |
| | 10/16/2003 | 1040 | D-1 | 6.6 | 12.0 | 4.0 | 25.8 | |
| | 10/16/2003 | 1030 | D-2 | 6.9 | 14.1 | 3.8 | 21.5 | |
| | 10/16/2003 | 1047 | D-3 | 6.5 | 13.1 | 4.9 | 20.4 | |
| | 10/16/2003 | 1020 | D-4 | 6.4 | 12.5 | 5.3 | 19.0 | |
| 4054 (| 10/16/2003 | 1025 | D-5 | 6.0 | 12.6 | 1.1 | 14.7 | |
| AREA 4 | 10/16/2003 | 1015 | D-6 | 5.9 | 12.9 | 2.3 | 14.2 | |
| | 10/16/2003 | 1040 | D-7 | 5.5 | 13.0 | 1.3 | 11.1 | |
| | 10/16/2003 | 1035 | D-8 | 6.3 | 12.7 | 3.8 | 10.6 | |
| | 10/16/2003 | 1015 | D-9 | 6.8 | 13.3 | 7.7 | 20.3 | |
| | 10/16/2003 | 1100 | D-10 | 6.4 | 13.8 | 5.6 | 22.9 | |

TABLE 4-3 WATER QUALITY MONITORING IN DITCHES

| | | | | | | | | TIDAL |
|--------|------------|------|---------|-----|--------|-------------|----------|------------------------|
| AREA | DATE | TIME | STATION | рΗ | TEMP C | DO | SALINITY | STAGE/REMARKS |
| - | 10/27/2003 | 1445 | D-1 | 6.8 | 15.5 | 5.7 | 6.5 | High, Beginning of ebb |
| | 10/27/2003 | 1440 | D-2 | 7.0 | 14.7 | 6.9 | 8.0 | |
| | 10/27/2003 | 1435 | D-3 | 7.0 | 14.6 | 6.9 | 9.6 | |
| | 10/27/2003 | 1430 | D-4 | 6.9 | 15.5 | 6.7 | 8.5 | |
| AREA 1 | 10/27/2003 | 1425 | D-5 | 6.9 | 14.9 | 6.7 | 10.0 | |
| | 10/27/2003 | 1430 | D-6 | 7.1 | 15.2 | 6.6 | 11.0 | |
| | 10/27/2003 | 1424 | D-7 | 7.2 | 15.5 | 4.9 | 7.0 | |
| | 10/27/2003 | 1432 | D-8 | 7.1 | 14.6 | 7.2 | 11.4 | |
| | 10/27/2003 | 1420 | D-9 | 6.9 | 14.8 | 6.9 | 11.6 | |
| | 10/27/2003 | 1436 | D-10 | 6.9 | 15.2 | 3.3 | 7.3 | |
| | 40/07/0000 | 1010 | | 0.0 | 44.0 | 4.5 | | water flowing up-ditch |
| | 10/27/2003 | 1240 | D-1 | 6.9 | 14.8 | 4.5 | 9.9 | (away from river) |
| | 10/27/2003 | 1230 | D-2 | 7.3 | 14.8 | 7.5 | 9.2 | |
| | 10/27/2003 | 1242 | D-3 | 6.9 | 13.0 | 2.6 | 14.9 | |
| | 10/27/2003 | 1220 | D-4 | 7.0 | 14.9 | 8.2 | 10.3 | |
| AREA 2 | 10/27/2003 | 1216 | D-5 | 7.1 | 14.8 | 9.5 | 9.7 | |
| | 10/27/2003 | 1215 | D-6 | 7.2 | 14.9 | 8.7 | 11.0 | |
| | 10/27/2003 | 1210 | D-7 | 7.4 | 14.8 | 9.4 | 11.4 | |
| - | 10/27/2003 | 1205 | D-8 | 7.1 | 14.6 | 5.5 | 15.8 | |
| | 10/27/2003 | 1200 | D-9 | 7.0 | 14.3 | 4.7 | 17.5 | |
| | 10/27/2003 | 1155 | D-10 | 7.1 | 14.8 | 7.7 | 16.5 | |
| | 10/27/2003 | 1140 | D-1 | 6.6 | 15.3 | 2.0 | 7.6 | |
| | 10/27/2003 | 1145 | D-2 | 7.1 | 14.4 | 8.4 | 10.1 | |
| | 10/27/2003 | 1150 | D-3 | 7.1 | 14.7 | 8 .3 | 9.3 | |
| | 10/27/2003 | 1225 | D-4 | 7.0 | 15.0 | 7.1 | 5.6 | |
| AREA 3 | 10/27/2003 | 1220 | D-5 | 7.4 | 14.8 | 9.1 | 10.5 | |
| | 10/27/2003 | 1155 | D-6 | 6.7 | 14.9 | 7.4 | 10.7 | |
| | 10/27/2003 | 1200 | D-7 | 6.7 | 14.6 | 3.8 | 11.5 | |
| | 10/27/2003 | 1215 | D-8 | 7.2 | 14.8 | 7.7 | 9.6 | |
| | 10/27/2003 | 1205 | D-9 | 6.8 | 15.0 | 6.5 | 10.3 | |
| | 10/27/2003 | 1210 | D-10 | 6.9 | 14.7 | 4.4 | 17.4 | |
| | 10/27/2003 | 1335 | D-1 | 6.8 | 15.3 | 1.9 | 17.7 | |
| | 10/27/2003 | 1331 | D-2 | 6.9 | 15.0 | 3.3 | 17.8 | |
| | 10/27/2003 | 1326 | D-3 | 7.5 | 14.0 | 7.4 | 23.4 | |
| | 10/27/2003 | 1325 | D-4 | 7.2 | 14.4 | 6.6 | 19.8 | |
| AREA 4 | 10/27/2003 | 1330 | D-5 | 7.1 | 14.0 | 6.5 | 19.7 | |
| ANCA 4 | 10/27/2003 | 1320 | D-6 | 6.8 | 14.4 | 6.2 | 18.3 | |
| | 10/27/2003 | 1340 | D-7 | 5.9 | 14.8 | 0.6 | 2.5 | |
| | 10/27/2003 | 1335 | D-8 | 7.1 | 14.2 | 5.7 | 16.5 | |
| | 10/27/2003 | 1325 | D-9 | 7.1 | 15.0 | 6.4 | 21.6 | |
| | 10/27/2003 | 1341 | D-10 | 7.0 | 15.0 | 4.5 | 17.5 | |

| | DATE | TIME | | | TEMPO | DO | | TIDAL |
|--------|------------|------|-------------|-----|-------|-----|----------|---------------|
| AREA | | | STATION | рн | | DO | SALINITY | STAGE/REMARKS |
| - | 11/24/2003 | 1220 | D-1 | 7.4 | 8.6 | 8.9 | 14.5 | End of flood |
| | 11/24/2003 | 1215 | D-2 | 7.5 | 9.7 | 8.5 | 20.3 | |
| | 11/24/2003 | 1210 | D-3 | 7.6 | 10.0 | 8.4 | 24.0 | |
| | 11/24/2003 | 1205 | D-4 | 7.5 | 10.1 | 9.6 | 20.4 | |
| AREA 1 | 11/24/2003 | 1200 | D-5 | 7.7 | 10.0 | 8.9 | 24.2 | |
| | 11/24/2003 | 1152 | D-6 | 6.3 | 9.9 | 8.9 | 26.3 | |
| | 11/24/2003 | 1154 | D-7 | 6.2 | 8.4 | 8.2 | 18.0 | |
| | 11/24/2003 | 1156 | D-8 | 7.0 | 9.8 | 8.8 | Ž3.5 | |
| | 11/24/2003 | 1210 | D-9 | 6.2 | 10.0 | 8.6 | 24.1 | |
| | 11/24/2003 | 1150 | D-10 | 7.2 | 8.3 | 8.4 | 17.8 | |
| | 11/24/2003 | 1115 | D-1 | 6.8 | 8.9 | 8.8 | 24.1 | |
| | 11/24/2003 | 1118 | D-2 | 6.9 | 9.5 | 8.5 | 23.5 | |
| | 11/24/2003 | 1120 | D-3 | 6.7 | 9.6 | 5.8 | 23.4 | |
| | 11/24/2003 | 1108 | D-4 | 6.4 | 9.8 | 8.8 | 25.5 | |
| | 11/24/2003 | 1058 | D-5 | 6.5 | 9.4 | 8.8 | 24.8 | |
| | 11/24/2003 | 1056 | D-6 | 6.3 | 8.5 | 9.1 | 25.7 | |
| - | 11/24/2003 | 1051 | D-7 | 6.5 | 10.2 | 9.1 | 26.6 | |
| | 11/24/2003 | 1046 | D-8 | 8.6 | 10.2 | 8.7 | 26.6 | |
| | 11/24/2003 | 1041 | D-9 | 8.7 | 10.0 | 9.0 | 26.6 | |
| | 11/24/2003 | 1035 | D-10 | 8.9 | 10.1 | 8.9 | 26.6 | |
| | 11/24/2003 | 1105 | D-1 | 7 | 6.6 | 4.3 | 11.0 | |
| | 11/24/2003 | 1100 | D-2 | 7.5 | 9.7 | 8.7 | 24.3 | |
| | 11/24/2003 | 1035 | D-3 | 7.4 | 9.3 | 8.0 | 22.8 | |
| | 11/24/2003 | 1015 | D-4 | 6.7 | 8.6 | 5.4 | 14.2 | |
| | 11/24/2003 | 1020 | D- 5 | 7.3 | 9.3 | 8.0 | 21.7 | |
| AREA 3 | 11/24/2003 | 1050 | D-6 | 7.7 | 9.9 | 8.8 | 24.6 | |
| | 11/24/2003 | 1045 | D-7 | 7.6 | 9.7 | 8.7 | 24.4 | |
| | 11/24/2003 | 1025 | D-8 | 7.3 | 7.9 | 7.4 | 18.0 | |
| | 11/24/2003 | 1030 | D-9 | 7.3 | 9.2 | 8.4 | 23.3 | |
| | 11/24/2003 | 1035 | D-10 | 7.7 | 9.4 | 9.1 | 24.2 | |
| | 11/24/2003 | 0936 | D-1 | 7.7 | 6.0 | 7.1 | 20.1 | |
| | 11/24/2003 | 0943 | D-2 | 7.9 | 8.7 | 7.6 | 23.9 | |
| | 11/24/2003 | 0950 | D-3 | 8.3 | 9.8 | 8.3 | 26.3 | |
| | 11/24/2003 | 0950 | D-4 | 7.3 | 9.5 | 8.2 | 24.0 | |
| | 11/24/2003 | 0955 | D-5 | 7.3 | 8.6 | 7.6 | 21.7 | |
| AREA 4 | 11/24/2003 | 0930 | D-6 | 6.5 | 6.3 | 6.4 | 3.3 | |
| | 11/24/2003 | 0940 | D-7 | 6.7 | 6.1 | 4.2 | 9.5 | |
| | 11/24/2003 | 0955 | D-8 | 6.6 | 7.6 | 1.4 | 1.9 | |
| | 11/24/2003 | 0930 | D-9 | 7.6 | 6.8 | 1.6 | 23.2 | |
| | 11/24/2003 | 0955 | D-10 | 7.8 | 8.0 | 8.0 | 21.8 | |

| | | | | | | | | TIDAL |
|--------|------------|------|-------------|-----|--------|-------------|----------|-----------------|
| AREA | DATE | TIME | STATION | рН | TEMP C | DO | SALINITY | STAGE/REMARKS |
| | 12/12/2003 | 1135 | D-1 | 6.6 | 4.4 | 3.9 | 14.6 | Middle of flood |
| | 12/12/2003 | 1140 | D-2 | 6.7 | 4.7 | 5.2 | 10.9 | |
| | 12/12/2003 | 1145 | D-3 | 7.0 | 4.5 | 10.3 | 4.1 | |
| | 12/12/2003 | 1150 | D-4 | 6.8 | 4.8 | 8.7 | 12.3 | |
| AREA 1 | 12/12/2003 | 1155 | D-5 | 6.8 | 4.8 | 6.2 | 14.5 | |
| | 12/12/2003 | 1140 | D-6 | 6.8 | 4.0 | 5.3 | 16.5 | |
| | 12/12/2003 | 1143 | D-7 | 6.8 | 5.0 | 4.2 | 15.6 | |
| | 12/12/2003 | 1148 | D-8 | 6.9 | 4.3 | 8.0 | 12.1 | |
| | 12/12/2003 | 1150 | D-9 | 6.9 | 5.6 | 7.8 | 11.7 | |
| | 12/12/2003 | 1135 | D-10 | 6.9 | 4.1 | 7.8 | 13.0 | |
| | 12/12/2003 | 1055 | D-1 | 7.0 | 3.4 | 5.2 | 18.9 | |
| | 12/12/2003 | 1050 | D-2 | 6.9 | 3.5 | 6.7 | 17.3 | |
| | 12/12/2003 | 1100 | D-3 | 6.9 | 3.9 | 4.4 | 15.3 | |
| | 12/12/2003 | 1045 | D-4 | 7.0 | 3.6 | 7.5 | 17.8 | |
| | 12/12/2003 | 1040 | D-5 | 7.0 | 3.4 | 8.4 | 23.6 | |
| AREA Z | 12/12/2003 | 1035 | D-6 | 6.7 | 3.0 | 5.0 | 23.7 | |
| | 12/12/2003 | 1030 | D-7 | 6.8 | 3.0 | too shallow | 24.9 | |
| | 12/12/2003 | 1025 | D-8 | 7.3 | 2.3 | 8.3 | 24.2 | |
| | 12/12/2003 | 1020 | D-9 | 7.8 | 2.5 | 9.8 | 24.3 | |
| | 12/12/2003 | 1015 | D-10 | 7.3 | 3.8 | 9.9 | 23.8 | |
| | 12/12/2003 | 1045 | D-1 | 6.9 | 3.7 | 5.5 | 10.1 | |
| | 12/12/2003 | 1040 | D-2 | 7.1 | 3.7 | 8.0 | 10.3 | |
| | 12/12/2003 | 1035 | D-3 | 7.0 | 3.7 | 6.9 | 14.7 | |
| | 12/12/2003 | 1000 | D-4 | 6.9 | 3.2 | 7.6 | 14.8 | |
| | 12/12/2003 | 1005 | D- 5 | 7.0 | 3.4 | 7.6 | 17.8 | |
| AREA 3 | 12/12/2003 | 1030 | D-6 | 7.1 | 3.6 | 6.0 | 17.4 | |
| | 12/12/2003 | 1025 | D-7 | 7.2 | 3.1 | 9.1 | 23.3 | |
| | 12/12/2003 | 1010 | D-8 | 7.0 | 2.9 | 9.1 | 22.9 | |
| | 12/12/2003 | 1015 | D -9 | 6.8 | 2.8 | 3.9 | 21.2 | |
| | 12/12/2003 | 1020 | D-10 | 7.1 | 2.8 | 8.9 | 24.3 | |
| | 12/12/2003 | 0925 | D-1 | 7.0 | 3.4 | 6.0 | 26.4 | |
| | 12/12/2003 | 0930 | D-2 | 7.3 | 3.3 | 9.4 | 24.5 | |
| | 12/12/2003 | 0938 | D-3 | 7.2 | 3.4 | 7.4 | 16.7 | |
| | 12/12/2003 | 0935 | D-4 | 6.9 | 2.9 | 7.6 | 13.8 | |
| | 12/12/2003 | 0940 | D-5 | 6.9 | 3.2 | 6.9 | 12.2 | |
| AREA 4 | 12/12/2003 | 0925 | D-6 | 6.6 | 3.2 | 6.5 | 10.8 | |
| | 12/12/2003 | 0930 | D-7 | 6.8 | 2.8 | 7.6 | 10.3 | |
| | 12/12/2003 | 0945 | D-8 | 6.7 | 4.0 | 4.6 | 7.0 | |
| | 12/12/2003 | 0920 | D-9 | 7.7 | 3.3 | 8.5 | 15.0 | |
| | 12/12/2003 | 0945 | D-10 | 6.9 | 3.7 | 7.5 | 24.2 | |

| | | | | | | | | TIDAL |
|--------|------------|------|---------|-----|--------|-------------|----------|------------------------|
| AREA | DATE | TIME | STATION | рΗ | TEMP C | DO | SALINITY | STAGE/REMARKS |
| | 12/29/2003 | 1122 | D-1 | 7.2 | 1.5 | 6.2 | 11.7 | End of ebb |
| | 12/29/2003 | 1115 | D-2 | 7.1 | 5.5 | 0.4 | 6.8 | |
| | 12/29/2003 | 1110 | D-3 | 7.0 | 6.3 | 1.0 | 7.3 | |
| | 12/29/2003 | 1105 | D-4 | 7.3 | 3.3 | 0.4 | 11.3 | |
| AREA 1 | 12/29/2003 | 1101 | D-5 | 7.1 | 6.5 | 1.7 | 6.0 | |
| | 12/29/2003 | 1058 | D-6 | | 4.6 | 3.0 | 11.5 | skim layer of ice atop |
| | 12/29/2003 | 1054 | D-7 | | 1.5 | too shallow | 15.5 | skim layer of ice atop |
| | 12/29/2003 | 1050 | D-8 | | 3.9 | too shallow | 10.7 | |
| | 12/29/2003 | 1100 | D-9 | | 5.1 | 5.2 | 10.1 | |
| | 12/29/2003 | 1045 | D-10 | | 3.8 | 1.2 | 12.5 | skim layer of ice atop |
| | 12/29/2003 | 1010 | D-1 | | 3.6 | 1.1 | 12.6 | |
| | 12/29/2003 | 1015 | D-2 | | 0.9 | 1.8 | 14.2 | skim layer of ice atop |
| | 12/29/2003 | 1020 | D-3 | | 1.9 | 7.3 | 15.3 | skim layer of ice atop |
| | 12/29/2003 | 1005 | D-4 | | 2.8 | too shallow | 15.8 | |
| | 12/29/2003 | 1000 | D-5 | | 1.6 | 1.8 | 14.4 | |
| AREA Z | 12/29/2003 | 0955 | D-6 | | 1.7 | 0.6 | 17.2 | skim layer of ice atop |
| | 12/29/2003 | 0950 | D-7 | | 1.4 | 1.7 | 17.1 | skim layer of ice atop |
| | 12/29/2003 | 0945 | D-8 | | 0.8 | >12 | 11.7 | |
| | 12/29/2003 | 0940 | D-9 | | 1.9 | 11.4 | 15.3 | skim layer of ice atop |
| | 12/29/2003 | 0935 | D-10 | | 1.8 | 6.2 | 16.7 | skim layer of ice atop |
| | 12/29/2003 | 1011 | D-1 | 7.1 | 0.9 | 1.3 | 11.2 | |
| | 12/29/2003 | 1008 | D-2 | 7.1 | 4.8 | 5.1 | 7.3 | |
| | 12/29/2003 | 1004 | D-3 | 7.1 | 2.2 | 2.0 | 10.5 | |
| | 12/29/2003 | 0928 | D-4 | 7.2 | 0.7 | 3.8 | 11.6 | |
| | 12/29/2003 | 0935 | D-5 | 7.2 | 3.4 | 0.5 | 9.1 | |
| AREA J | 12/29/2003 | 1000 | D-6 | 7.2 | 4.3 | 1.2 | 12.7 | |
| | 12/29/2003 | 0955 | D-7 | 7.1 | 2.7 | 0.4 | 14.1 | |
| | 12/29/2003 | 0940 | D-8 | 7.3 | 1.1 | 0.4 | 12.3 | |
| | 12/29/2003 | 0945 | D-9 | 7.2 | 1.0 | 0.8 | 14.3 | |
| | 12/29/2003 | 0950 | D-10 | 7.6 | 2.2 | 14.1 | 14.4 | |
| | 12/29/2003 | 0852 | D-1 | | 1.0 | 0.3 | 20.6 | sheet of ice atop |
| | 12/29/2003 | 0847 | D-2 | | 1.1 | 0.8 | 15.4 | sheet of ice atop |
| | 12/29/2003 | 0840 | D-3 | | 1.8 | 3.8 | 6.4 | |
| | 12/29/2003 | 0855 | D-4 | 7.0 | 4.9 | 2.2 | 8.1 | |
| | 12/29/2003 | 0908 | D-5 | 6.7 | 5.8 | 1.3 | 2.7 | |
| AREA 4 | 12/29/2003 | 0835 | D-6 | 6.1 | 3.8 | 3.0 | 2.6 | |
| | 12/29/2003 | 0842 | D-7 | 7.1 | 1.4 | 8.9 | 2.1 | |
| | 12/29/2003 | 0830 | D-8 | 5.6 | 5.1 | 2.0 | 2.3 | |
| | 12/29/2003 | 0830 | D-9 | | 1.0 | 1.0 | 20.5 | sheet of ice atop |
| | 12/29/2003 | 0900 | D-10 | | 2.7 | 1.6 | 12.3 | skim layer of ice atop |

| | | | Salinity | |
|--------|------------|---------|-------------|--|
| AREA 1 | Date | Station | (ppt) | |
| | 11/10/2003 | 1-E-0 | 1.4 | |
| | 11/10/2003 | 1-30 | 3.1 | |
| | 11/10/2003 | 1-60 | 4.2 | |
| | 11/10/2003 | 1-90 | 3.1 | |
| | 11/10/2003 | 1-120 | 3 | |
| | 11/10/2003 | 1-150 | 2.6 | |
| | 11/10/2003 | 2-W-0 | 1.2 | |
| | 11/10/2003 | 2-30 | 0 | |
| | 11/10/2003 | 2-60 | 2.4 | |
| | 11/10/2003 | 2-90 | 1.9 | |
| | 11/10/2003 | 3-E-0 | 0 | |
| | 11/10/2003 | 3-30 | 4.3 | |
| | 11/10/2003 | 3-60 | 6.5 | |
| | 11/10/2003 | 3-90 | 8.5 | |
| | 11/10/2003 | 3-120 | 7.2 | |
| | 11/10/2003 | 3-150 | 1.8 | |
| | 11/10/2003 | 4-E-0 | 3.2 | |
| | 11/10/2003 | 4-30 | 6.5 | |
| | 11/10/2003 | 4-60 | 7.3 | |
| | 11/10/2003 | 4-90 | 9.6 | |
| | 11/10/2003 | 4-120 | 10.1 | |
| | 11/10/2003 | 4-150 | 0.4* 4 7 | |
| | 11/10/2003 | J-L-0 | 4.7 | |
| | 11/10/2003 | 5-60 | 83 | |
| | 11/10/2003 | 5-90 | 53 | |
| | 11/10/2003 | 6-E-0 | 6.2 | |
| | 11/10/2003 | 6-50 | 9.4 | |
| | 11/10/2003 | 6-100 | 7.8 | |
| | 11/10/2003 | 6-150 | 8.2 | |
| | 11/10/2003 | 6-200 | 5.6 | |
| | 11/10/2003 | 7-E-0 | 2.2 | |
| | 11/10/2003 | 7-50 | 6.7 | |
| | 11/10/2003 | 7-100 | 8.3 | |
| | 11/10/2003 | 7-150 | 8 | |
| | 11/10/2003 | 7-200 | 6.2 | |
| | 11/10/2003 | 7-250 | 4.2 | |
| | 11/10/2003 | 8-W-0 | 16 | |
| | 11/10/2003 | 8-50 | 5.4 | |
| | 11/10/2003 | 8-100 | 7 | |
| | 11/10/2003 | 8-150 | 8.3 | |
| | 11/10/2003 | 8-200 | 10.3 | |
| | 11/10/2003 | 8-250 | 7.3 | |
| | 11/10/2003 | 8-300 | 6.4 | |
| | 11/10/2003 | 8-350 | 5.8 | |

TABLE 4-3 DITCH SALINITIES

| | | | Salinity | |
|----------|------------|-----------------|----------|--|
| AREA 1 | Date | Station | (ppt) | |
| (cont'd) | 11/10/2003 | 9-W-0 | 4.7 | |
| | 11/10/2003 | 9-50 | 10.6 | |
| | 11/10/2003 | 9-100 | 8.1 | |
| | 11/10/2003 | 9-150 | 8.6 | |
| | 11/10/2003 | 9-200 | 8 | |
| | 11/10/2003 | 9-250 | 9.6 | |
| | 11/10/2003 | 9-300 | 10.2 | |
| | 11/10/2003 | 9-350 | 6.6 | |
| | 11/10/2003 | 9-365 | 4.9 | |
| | 11/10/2003 | 10-E <i>-</i> 0 | 6.2 | |
| | 11/10/2003 | 10-15 | 6.9 | |
| | 11/10/2003 | 10-65 | 7.7 | |
| | 11/10/2003 | 10-110 | 9.5 | |
| | 11/10/2003 | 10-160 | 10.7 | |
| | 11/10/2003 | 10-210 | 8.8 | |
| | 11/10/2003 | 10-260 | 11.3 | |
| | 11/10/2003 | 10-310 | 5.4 | |
| | 11/10/2003 | 10-350 | 5.4 | |
| | 11/10/2003 | 11-W-0 | 13.5 | |
| | 11/10/2003 | 11-30 | 14.9 | |
| | 11/10/2003 | 11-80 | 11.3 | |
| | 11/10/2003 | 11-130 | 12.1 | |
| | 11/10/2003 | 11-180 | 12.6 | |
| | 11/10/2003 | 11-230 | 8 | |
| | 11/10/2003 | 11-280 | 5.1 | |
| | | | | |

| | | | Salinity | |
|--------|------------|---------|----------|--|
| AREA 2 | Date | Station | (ppt) | |
| | 11/17/2003 | 1-E-0 | 11.3 | |
| | 11/17/2003 | 1-50 | 11.8 | |
| | 11/17/2003 | 1-100 | 11.9 | |
| | 11/17/2003 | 1-150 | 12.2 | |
| | 11/17/2003 | 1-200 | 12 | |
| | 11/17/2003 | 1-250 | 12.5 | |
| | 11/17/2003 | 1-300 | 12.6 | |
| | 11/17/2003 | 1-350 | 12.8 | |
| | 11/17/2003 | 3-375 | 7.7 | |
| | 11/17/2003 | 2-W-0 | 7.3 | |
| | 11/17/2003 | 2-50 | 15.2 | |
| | 11/17/2003 | 2-70 | 14.3 | |
| | 11/17/2003 | 2-120 | 14.9 | |
| | 11/17/2003 | 2-170 | 13.6 | |
| | 11/17/2003 | 2-220 | 12.9 | |
| | 11/17/2003 | 2-270 | 12.2 | |
| | 11/17/2003 | 2-330 | 13.5 | |
| | 11/17/2003 | 3-E-0 | 13.2 | |
| | 11/17/2003 | 3-10 | 11.9 | |
| | 11/17/2003 | 3-60 | 8.4 | |
| | 11/17/2003 | 3-110 | 9.4 | |
| | 11/17/2003 | 3-160 | 9.5 | |
| | 11/17/2003 | 3-210 | 9.9 | |
| | 11/17/2003 | 3-260 | 10.5 | |
| | 11/17/2003 | 3-310 | 10.9 | |
| | 11/17/2003 | 3-370 | 6.6 | |
| | 11/17/2003 | 4-W-30 | 14.1 | |
| | 11/17/2003 | 4-80 | 14.1 | |
| | 11/17/2003 | 4-130 | 13.9 | |
| | 11/17/2003 | 4-180 | 14.2 | |
| | 11/17/2003 | 4-230 | 14.8 | |
| | 11/17/2003 | 4-280 | 15.1 | |
| | 11/17/2003 | 4-330 | 14.9 | |
| | 11/17/2003 | 4-380 | 14.9 | |
| | 11/17/2003 | 4-430 | 12.7 | |
| | 11/17/2003 | 5-E-0 | 13.9 | |
| | 11/17/2003 | 5-50 | 13.8 | |
| | 11/17/2003 | 5-100 | 13.7 | |
| | 11/17/2003 | 5-160 | 14 | |
| | 11/17/2003 | 5-220 | 15.6 | |
| | 11/17/2003 | 5-280 | 14.5 | |
| | 11/17/2003 | 5-340 | 14.5 | |
| | 11/17/2003 | 5-400 | 14 | |
| | 11/17/2003 | 5-460 | 13.5 | |
| | 11/17/2003 | 6-W-0 | 15.5 | |
| | 11/17/2003 | 6-60 | 15.3 | |

| | | | Salinity | |
|---------|------------|-----------------|----------|--|
| AREA 2 | Date | Station | (ppt) | |
| (conťd) | 11/17/2003 | 6-130 | 18.6 | |
| | 11/17/2003 | 6-200 | 22 | |
| | 11/17/2003 | 6-270 | 21.1 | |
| | 11/17/2003 | 6-340 | 19.1 | |
| | 11/17/2003 | 6-410 | 17.6 | |
| | 11/17/2003 | 6-480 | 15.4 | |
| | 11/17/2003 | 6-550 | 15.1 | |
| | 11/17/2003 | 7-W-0 | 17.9 | |
| | 11/17/2003 | 7-30 | 16 | |
| | 11/17/2003 | 7-60 | 16.4 | |
| | 11/17/2003 | 7-90 | 19.1 | |
| | 11/17/2003 | 7-120 | 19.9 | |
| | 11/17/2003 | 7-150 | 19.1 | |
| | 11/17/2003 | 7-190 | 21.3 | |
| | 11/17/2003 | 8-W-0 | 23.4 | |
| | 11/17/2003 | 8-15 | 20.4 | |
| | 11/17/2003 | 8-25 | 20.4 | |
| | 11/17/2003 | 8-35 | 20.2 | |
| | 11/17/2003 | 8-45 | 19.2 | |
| | 11/17/2003 | 8-55 | 18.9 | |
| | 11/17/2003 | 8-65 | 18.9 | |
| | 11/17/2003 | 9-E-0 | 22.3 | |
| | 11/17/2003 | 9-10 | 22.4 | |
| | 11/17/2003 | 9-20 | 22.3 | |
| | 11/17/2003 | 9-30 | 22.3 | |
| | 11/17/2003 | 9-40 | 22.5 | |
| | 11/17/2003 | 9-50 | 24 | |
| | 11/17/2003 | 10-W-0 | 25.9 | |
| | 11/17/2003 | 10-10 | 22.2 | |
| | 11/17/2003 | 10-20 | 22 | |
| | 11/17/2003 | 10-30 | 22 | |
| | 11/17/2003 | 10-40 | 22 | |
| | 11/17/2003 | 11-E <i>-</i> 0 | 19.1 | |
| | 11/17/2003 | 11-10 | 19.2 | |
| | 11/17/2003 | 11-20 | 19.3 | |
| | 11/17/2003 | 11-30 | 24.2 | |

| | | | Salinity | 1 |
|------|------------|---------|----------|---|
| AREA | 3 Date | Station | (ppt) | |
| | 11/10/2003 | 1-E-0 | 4.4 |] |
| | 11/10/2003 | 1-50 | 5.2 | |
| | 11/10/2003 | 1-100 | 6.1 | |
| | 11/10/2003 | 1-150 | 3.9 |] |
| | 11/10/2003 | 1-180 | 2.9 | 1 |
| | 11/10/2003 | 2-E-0 | 6 | |
| | 11/10/2003 | 2-50 | 6.1 | |
| | 11/10/2003 | 2-100 | 6.9 | |
| | 11/10/2003 | 2-150 | 3.1 | |
| | 11/10/2003 | 3-E-0 | 6.1 | |
| | 11/10/2003 | 3-30 | 4.9 | |
| | 11/10/2003 | 3-60 | 5.4 | |
| | 11/10/2003 | 3-90 | 5.6 | 1 |
| | 11/10/2003 | 3-120 | 6.8 | 1 |
| | 11/10/2003 | 3-150 | 7.3 |] |
| | 11/10/2003 | 3-180 | 6.4 | |
| | 11/10/2003 | 3-200 | 8 | 1 |
| | 11/10/2003 | 4-W-0 | 14.3 | 1 |
| | 11/10/2003 | 4-30 | 8.5 | |
| | 11/10/2003 | 4-60 | 8.2 | |
| | 11/10/2003 | 4-90 | 4.7 | |
| | 11/10/2003 | 4-120 | 6.6 | 1 |
| | 11/10/2003 | 4-150 | 5.7 | 1 |
| | 11/10/2003 | 4-180 | 6.7 | 1 |
| | 11/10/2003 | 5-W-0 | 9.6 | 1 |
| | 11/10/2003 | 5-25 | 16.7 | 1 |
| | 11/10/2003 | 5-50 | 15.4 | 1 |
| | 11/10/2003 | 5-75 | 14.5 | 1 |
| | 11/10/2003 | 5-105 | 12 | 1 |
| | 11/10/2003 | 5-135 | 13.5 | 1 |
| | 11/10/2003 | 5-165 | 14.3 | 1 |
| | 11/10/2003 | 5-200 | 15 | 1 |
| | 11/10/2003 | 5-230 | 14.4 | 1 |
| | 11/10/2003 | 5-250 | 9.9 | 1 |
| | 11/10/2003 | 6-W-0 | 9.9 | 1 |
| | 11/10/2003 | 6-15 | 15.8 | 1 |
| | 11/10/2003 | 6-55 | 16.3 | 1 |
| | 11/10/2003 | 6-85 | 17.8 | 1 |
| | 11/10/2003 | 6-105 | 17.4 | 1 |
| | 11/10/2003 | 6-120 | 16 | 1 |
| | 11/10/2003 | 6-130 | 10.7 | 1 |

4.3 <u>Water Table/Pore Water Salinity</u>

Soil water salinity was measured at all 88 stations every 10-14 days in September, October and November 2003, following the USFWS/USGS protocol (James-Pirri et al., 2002). A soil probe was used to extract water from 15 cm below the marsh surface. The soil probe is constructed of a stainless steel tubing (0.065 in inner diameter), 70 cm in length, with one end crimped and slotted to allow the entry of water. A short length of plastic tubing was attached to the opposite end of the probe. Water was drawn up through the probe by a syringe attached to the plastic tubing. Once several millimeters of water had been extracted with the probe, the depth of which the water was collected was recorded. Salinity readings were recorded by passing the extracted water through a piece of filter paper placed over the syringe nozzle onto the glass plate of a refractometer.

TABLE 4-4 SALINITY & WATER TABLE MEASUREMENTS

AREA 1

| Date | Station # | Water Table Depth (cm) | Soil Salinity (ppt) | Depth of Soil Salinity (cm) |
|------------|-----------|------------------------|---------------------|-----------------------------|
| 10/3/2003 | 1-00 | 1.5 | 14 | 15 |
| 10/3/2003 | 1-40 | 5.8 | 11 | 15 |
| 10/3/2003 | 1-80 | -6.1 | 9 | 15 |
| 10/3/2003 | 1-120 | -0.3 | 12 | 15 |
| 10/3/2003 | 2-120 | 0.7 | 2 | 15 |
| 10/3/2003 | 2-80 | 0.8 | 4 | 15 |
| 10/3/2003 | 2-40 | -1.3 | 10 | 15 |
| 10/3/2003 | 2-00 | -3.1 | 9 | 15 |
| 10/3/2003 | 3-00 | 5.2 | 5 | 15 |
| 10/3/2003 | 3-40 | 0.9 | \5 | 15 |
| 10/3/2003 | 3-80 | 0.8 | 13 | 15 |
| 10/3/2003 | 3-120 | 0.5 | 14 | 15 |
| 10/3/2003 | 3-160 | -1.6 | 13 | 15 |
| 10/3/2003 | 3-200 | -2.9 | 19 | 15 |
| 10/3/2003 | 4-240 | -6.2 | 10 | 15 |
| 10/3/2003 | 4-200 | -7.8 | 10 | 15 |
| 10/3/2003 | 4-160 | -1.8 | 15 | 15 |
| 10/3/2003 | 4-120 | -1.1 | 10 | 15 |
| 10/3/2003 | 4-80 | -1 | 9 | 15 |
| 10/3/2003 | 4-40 | 2.6 | 14 | 15 |
| 10/3/2003 | 4-00 | -3.3 | 12 | 15 |
| 10/3/2003 | 5-00 | -2.3 | 12 | 15 |
| 10/3/2003 | 5-40 | 10.1 | 9 | 15 |
| 10/3/2003 | 5-80 | -0.7 | 10 | 15 |
| 10/17/2003 | 1-00 | 0 | 7 | 15 |
| 10/17/2003 | 1-40 | 6.8 | 11 | 15 |
| 10/17/2003 | 1-80 | -7.7 | 12 | 15 |
| 10/17/2003 | 1-120 | -2.2 | 13 | 15 |
| 10/17/2003 | 2-120 | 1.7 | 14 | 15 |
| 10/17/2003 | 2-80 | 2.6 | 11 | 15 |
| 10/17/2003 | 2-40 | -0.9 | 11 | 15 |
| 10/17/2003 | 2-00 | -5.4 | 9 | 30 |
| 10/17/2003 | 3-00 | 6.2 | 16 | 15 |
| 10/17/2003 | 3-40 | 1.3 | 14 | 15 |
| 10/17/2003 | 3-80 | 1.3 | 13 | 15 |
| 10/17/2003 | 3-120 | -0.2 | 15 | 15 |
| 10/17/2003 | 3-160 | -1.3 | 12 | 15 |
| 10/17/2003 | 3-200 | -1.1 | 12 | 15 |
| 10/17/2003 | 4-240 | -5.3 | 14 | 15 |
| 10/17/2003 | 4-200 | -4.2 | 15 | 15 |
| 10/17/2003 | 4-160 | -1.4 | 14 | 15 |
| 10/17/2003 | 4-120 | -2 | 9 | 15 |
| 10/17/2003 | 4-80 | -0.8 | 14 | 15 |

| Suffolk County Vector Control and Wetlands Man | agement Long-Term Plan |
|--|------------------------|
| Task Twelve | |

| 10/17/2003 | 4-40 | 2.3 | 16 | 15 |
|------------|-------|------|----|----|
| 10/17/2003 | 4-00 | 0.5 | 13 | 15 |
| 10/17/2003 | 5-00 | -1.4 | 15 | 15 |
| 10/17/2003 | 5-40 | 8.1 | 13 | 15 |
| 10/17/2003 | 5-80 | 0.2 | 18 | 15 |
| 10/31/2003 | 1-00 | 1.2 | 4 | 15 |
| 10/31/2003 | 1-40 | -1.9 | 15 | 15 |
| 10/31/2003 | 1-80 | -5.1 | 20 | 15 |
| 10/31/2003 | 1-120 | -1.8 | 21 | 15 |
| 10/31/2003 | 2-120 | 4.2 | 17 | 15 |
| 10/31/2003 | 2-80 | 4.3 | 14 | 15 |
| 10/31/2003 | 2-40 | -1.3 | 15 | 15 |
| 10/31/2003 | 2-00 | -3.3 | 2 | 15 |
| 10/31/2003 | 3-00 | 4.6 | 3 | 15 |
| 10/31/2003 | 3-40 | 1.3 | 4 | 15 |
| 10/31/2003 | 3-80 | 1.3 | 16 | 15 |
| 10/31/2003 | 3-120 | -0.7 | 14 | 15 |
| 10/31/2003 | 3-160 | -1.8 | 18 | 15 |
| 10/31/2003 | 3-200 | -6.8 | 8 | 15 |
| 10/31/2003 | 4-240 | -4.9 | 10 | 15 |
| 10/31/2003 | 4-200 | -5.2 | 11 | 15 |
| 10/31/2003 | 4-160 | -2.2 | 13 | 15 |
| 10/31/2003 | 4-120 | -0.8 | 14 | 15 |
| 10/31/2003 | 4-80 | -1.3 | 11 | 15 |
| 10/31/2003 | 4-40 | 3.8 | 16 | 15 |
| 10/31/2003 | 4-00 | -4.2 | 12 | 15 |
| 10/31/2003 | 5-00 | -4.3 | 14 | 15 |
| 10/31/2003 | 5-40 | 5.9 | 10 | 15 |
| 10/31/2003 | 5-80 | 1.4 | 8 | 15 |
| 11/14/2003 | 1-00 | 1.1 | 6 | 15 |
| 11/14/2003 | 1-40 | 1.2 | 12 | 15 |
| 11/14/2003 | 1-80 | - | 14 | 15 |
| 11/14/2003 | 1-120 | -0.1 | 11 | 15 |
| 11/14/2003 | 2-120 | 3.6 | 10 | 15 |
| 11/14/2003 | 2-80 | 2.8 | 8 | 15 |
| 11/14/2003 | 2-40 | -1.1 | 7 | 15 |
| 11/14/2003 | 2-00 | -3.3 | 4 | 15 |
| 11/14/2003 | 3-00 | 3.7 | 5 | 15 |
| 11/14/2003 | 3-40 | - | 6 | 15 |
| 11/14/2003 | 3-80 | - | 11 | 15 |
| 11/14/2003 | 3-120 | -0.7 | 15 | 15 |
| 11/14/2003 | 3-160 | -1.3 | 14 | 15 |
| 11/14/2003 | 3-200 | -2.6 | 8 | 15 |
| 11/14/2003 | 4-240 | - | 9 | 15 |
| 11/14/2003 | 4-200 | -3.6 | 13 | 15 |
| 11/14/2003 | 4-160 | -2 | 15 | 15 |
| 11/14/2003 | 4-120 | -1.3 | 11 | 15 |
| 11/14/2003 | 4-80 | -1.2 | 11 | 15 |
| 11/14/2003 | 4-40 | - | 16 | 15 |

| Suffolk County Vecto | r Control and | Wetlands | Management | Long-Term Plan |
|----------------------|---------------|----------|------------|----------------|
| Task Twelve | | | | |

| 11/14/2003 | 4-00 | -2.5 | 12 | 15 |
|------------|-------|------|----|----|
| 11/14/2003 | 5-00 | -3.1 | 14 | 15 |
| 11/14/2003 | 5-40 | 7.4 | 10 | 15 |
| 11/14/2003 | 5-80 | -0.5 | 8 | 15 |
| 11/24/2003 | 1-00 | -1.3 | 9 | 15 |
| 11/24/2003 | 1-40 | 3.1 | 20 | 15 |
| 11/24/2003 | 1-80 | 4.2 | 13 | 15 |
| 11/24/2003 | 1-120 | 1.5 | 12 | 15 |
| 11/24/2003 | 2-120 | -3.5 | 12 | 15 |
| 11/24/2003 | 2-80 | -3.9 | 12 | 15 |
| 11/24/2003 | 2-40 | 0 | 13 | 15 |
| 11/24/2003 | 2-00 | 1.5 | 14 | 15 |
| 11/24/2003 | 3-00 | -6.9 | 13 | 15 |
| 11/24/2003 | 3-40 | -4.6 | 14 | 15 |
| 11/24/2003 | 3-80 | -2.3 | 16 | 15 |
| 11/24/2003 | 3-120 | -0.1 | 14 | 15 |
| 11/24/2003 | 3-160 | 1.2 | 13 | 15 |
| 11/24/2003 | 3-200 | -1.1 | 11 | 15 |
| 11/24/2003 | 4-240 | 6.7 | 12 | 15 |
| 11/24/2003 | 4-200 | 3.7 | 14 | 15 |
| 11/24/2003 | 4-160 | 2.6 | 16 | 15 |
| 11/24/2003 | 4-120 | 0.9 | 15 | 15 |
| 11/24/2003 | 4-80 | -0.2 | 11 | 15 |
| 11/24/2003 | 4-40 | -4.9 | 16 | 15 |
| 11/24/2003 | 4-00 | -1.2 | 14 | 15 |
| 11/24/2003 | 5-00 | -0.2 | 20 | 15 |
| 11/24/2003 | 5-40 | -8 | 14 | 15 |
| 11/24/2003 | 5-80 | -0.8 | 5 | 15 |
| 12/9/2003 | 1-00 | 2.1 | 10 | 15 |
| 12/9/2003 | 1-40 | 2.5 | 5 | 15 |
| 12/9/2003 | 1-80 | -1.4 | 15 | 15 |
| 12/9/2003 | 1-120 | 0.4 | 15 | 15 |
| 12/9/2003 | 2-120 | 6.7 | 14 | 15 |
| 12/9/2003 | 2-80 | 3 | 14 | 15 |
| 12/9/2003 | 2-40 | 0.8 | 12 | 15 |
| 12/9/2003 | 2-00 | 1.7 | 11 | 15 |
| 12/9/2003 | 3-00 | 6 | 14 | 15 |
| 12/9/2003 | 3-40 | -4.9 | 12 | 15 |
| 12/9/2003 | 3-80 | 2.8 | 13 | 15 |
| 12/9/2003 | 3-120 | 2.3 | 9 | 15 |
| 12/9/2003 | 3-160 | 0.6 | 14 | 15 |
| 12/9/2003 | 3-200 | 0.4 | 10 | 15 |
| 12/9/2003 | 4-240 | -0.5 | 13 | 15 |
| 12/9/2003 | 4-200 | 1 | 9 | 15 |
| 12/9/2003 | 4-160 | 1.2 | 11 | 15 |
| 12/9/2003 | 4-120 | 1.1 | 11 | 15 |
| 12/9/2003 | 4-80 | 3.1 | 13 | 15 |
| 12/9/2003 | 4-40 | 7.5 | 17 | 15 |
| 12/9/2003 | 4-00 | 4.3 | 13 | 15 |
| - | 1 | - | - | |

| 12/9/2003 | 5-00 | 5.6 | 20 | 15 |
|-----------|------|------|----|----|
| 12/9/2003 | 5-40 | 12.9 | 16 | 15 |
| 12/9/2003 | 5-80 | 4.6 | 9 | 15 |

* a negative water table depth measurement denotes the water table height is below the marsh surface



AREA 2

| Date | Station # | Water Table Depth (cm) | Soil Salinity (ppt) | Depth of Soil Salinity (cm) |
|------------|-----------|------------------------|---------------------|-----------------------------|
| 10/1/2003 | 5-00 | -10.7 | 23 | 45 |
| 10/1/2003 | 5-40 | -6.4 | 14 | 15 |
| 10/1/2003 | 5-80 | -1.6 | 10 | 15 |
| 10/1/2003 | 4-120 | -4.7 | 15 | 15 |
| 10/1/2003 | 4-80 | 0.2 | 11 | 15 |
| 10/1/2003 | 4-40 | -1.8 | 11 | 15 |
| 10/1/2003 | 4-00 | -0.9 | 10 | 15 |
| 10/1/2003 | 3-00 | -3.9 | 8 | 15 |
| 10/1/2003 | 3-40 | 5.5 | 12 | 15 |
| 10/1/2003 | 3-80 | -6.9 | 13 | 15 |
| 10/1/2003 | 3-120 | 1.1 | 10 | 15 |
| 10/1/2003 | 3-160 | -4.5 | 7 | 15 |
| 10/1/2003 | 3-200 | -3.5 | 18 | 15 |
| 10/1/2003 | 2-200 | -1.6 | 4 | 15 |
| 10/1/2003 | 2-160 | -0.4 | 7 | 15 |
| 10/1/2003 | 2-120 | 4 | 14 | 15 |
| 10/1/2003 | 2-80 | 1.5 | 8 | 15 |
| 10/1/2003 | 2-40 | 7.9 | 12 | 15 |
| 10/1/2003 | 2-00 | -1 | 6 | 15 |
| 10/1/2003 | 1-00 | -1.1 | 8 | 15 |
| 10/1/2003 | 1-40 | -4.4 | 5 | 15 |
| 10/1/2003 | 1-80 | -5.8 | | 15 |
| 10/1/2003 | 1-120 | 0.9 | 10 | 15 |
| 10/1/2003 | 1-160 | -1.3 | 8 | 15 |
| 10/17/2003 | 5-00 | -7.9 | 11 | 15 |
| 10/17/2003 | 5-40 | -4.1 | 10 | 15 |
| 10/17/2003 | 5-80 | -0.7 | 10 | 15 |
| 10/17/2003 | 4-120 | -7.8 | 10 | 15 |
| 10/17/2003 | 4-80 | -0.4 | 13 | 15 |
| 10/17/2003 | 4-40 | -2.9 | 13 | 15 |
| 10/17/2003 | 4-00 | -0.6 | 18 | 15 |
| 10/17/2003 | 3-00 | -5.2 | 10 | 30 |
| 10/17/2003 | 3-40 | 5.4 | 17 | 15 |
| 10/17/2003 | 3-80 | -6.6 | 8 | 15 |
| 10/17/2003 | 3-120 | 1.3 | 14 | 15 |
| 10/17/2003 | 3-160 | -3.2 | 13 | 30 |
| 10/17/2003 | 3-200 | -3.6 | 20 | 15 |
| 10/17/2003 | 2-200 | -0.1 | 10 | 15 |
| 10/17/2003 | 2-160 | -1.3 | 13 | 15 |
| 10/17/2003 | 2-120 | 4 | 15 | 15 |
| 10/17/2003 | 2-80 | 2.3 | 13 | 15 |
| 10/17/2003 | 2-40 | 7.3 | 13 | 15 |
| 10/17/2003 | 2-00 | 1.1 | 10 | 15 |
| 10/17/2003 | 1-00 | 0.8 | 4 | 15 |
| 10/17/2003 | 1-40 | -3.8 | 16 | 15 |
| 10/17/2003 | 1-80 | -4.9 | 13 | 15 |
| 10/17/2003 | 1-120 | -0.6 | 11 | 15 |

Cashin Associates, P.C.

| Suffolk County | Vector Control a | and Wetlands | Management | Long-Term | Plan |
|----------------|------------------|--------------|------------|-----------|------|
| Task Twelve | | | | | |

| 10/17/2003 | 1-160 | -4 | 14 | 15 |
|------------|-------|-------|-----|----|
| 11/3/2003 | 5-00 | -12.3 | drv | 15 |
| 11/3/2003 | 5-40 | -15.7 | 14 | 15 |
| 11/3/2003 | 5-80 | -6.4 | 15 | 15 |
| 11/3/2003 | 4-120 | -6 | 19 | 15 |
| 11/3/2003 | 4-80 | -6.1 | 16 | 15 |
| 11/3/2003 | 4-40 | -7.6 | 16 | 15 |
| 11/3/2003 | 4-00 | -4.9 | 17 | 15 |
| 11/3/2003 | 3-00 | - | 15 | 15 |
| 11/3/2003 | 3-40 | 4.4 | 14 | 15 |
| 11/3/2003 | 3-80 | -12.1 | 15 | 15 |
| 11/3/2003 | 3-120 | -1.1 | 17 | 15 |
| 11/3/2003 | 3-160 | -6.1 | 16 | 15 |
| 11/3/2003 | 3-200 | -5.2 | 24 | 15 |
| 11/3/2003 | 2-200 | -4.3 | 15 | 15 |
| 11/3/2003 | 2-160 | -4.6 | 14 | 15 |
| 11/3/2003 | 2-120 | 3.5 | 18 | 15 |
| 11/3/2003 | 2-80 | -0.9 | 19 | 15 |
| 11/3/2003 | 2-40 | 6.6 | 9 | 15 |
| 11/3/2003 | 2-00 | -1 | 15 | 15 |
| 11/3/2003 | 1-00 | -4.5 | 12 | 15 |
| 11/3/2003 | 1-40 | -8.7 | 8 | 15 |
| 11/3/2003 | 1-80 | -12 | 12 | 15 |
| 11/3/2003 | 1-120 | -4.5 | 11 | 15 |
| 11/3/2003 | 1-160 | -8.2 | 14 | 15 |
| 11/17/2003 | 5-00 | - | | |
| 11/17/2003 | 5-40 | -11.3 | 13 | 15 |
| 11/17/2003 | 5-80 | -5.8 | 12 | 15 |
| 11/17/2003 | 4-120 | -4.2 | 11 | 15 |
| 11/17/2003 | 4-80 | -4.6 | 14 | 15 |
| 11/17/2003 | 4-40 | | 13 | 15 |
| 11/17/2003 | 4-00 | -3.4 | 9 | 15 |
| 11/17/2003 | 3-00 | -51 | 10 | 15 |
| 11/17/2003 | 3-40 | 4.8 | 12 | 15 |
| 11/17/2003 | 3-80 | -10 | 16 | 15 |
| 11/17/2003 | 3-120 | -2.5 | 11 | 15 |
| 11/17/2003 | 3-160 | -6 | 14 | 15 |
| 11/17/2003 | 3-200 | - | 18 | 15 |
| 11/17/2003 | 2-200 | -2.6 | 15 | 15 |
| 11/17/2003 | 2-160 | -5.7 | 13 | 15 |
| 11/17/2003 | 2-120 | 1.1 | 12 | 15 |
| 11/17/2003 | 2-80 | -1 | 15 | 15 |
| 11/17/2003 | 2-40 | 5 | 9 | 15 |
| 11/17/2003 | 2-00 | -0.2 | 10 | 15 |
| 11/17/2003 | 1-00 | -5.1 | 13 | 15 |
| 11/17/2003 | 1-40 | - | 10 | 15 |
| 11/17/2003 | 1-80 | -10.4 | 11 | 15 |
| 11/17/2003 | 1-120 | -2.8 | 12 | 15 |
| 11/17/2003 | 1-160 | -4.3 | 14 | 15 |
| | - | - | | - |

| Suffolk Count | y Vector Control | l and Wetlands | s Management | Long-Term | Plan |
|---------------|------------------|----------------|--------------|-----------|------|
| Task Twelve | | | | | |

| 12/1/2003 | 5-00 | 7.2 | 25 | 15 |
|-----------|-------|------|----|----|
| 12/1/2003 | 5-40 | 5.5 | 15 | 15 |
| 12/1/2003 | 5-80 | 1.7 | 13 | 15 |
| 12/1/2003 | 4-120 | 1 | 12 | 30 |
| 12/1/2003 | 4-80 | 1.5 | 14 | 15 |
| 12/1/2003 | 4-40 | 4.5 | 11 | 15 |
| 12/1/2003 | 4-00 | 0.7 | 15 | 15 |
| 12/1/2003 | 3-00 | - | 10 | 15 |
| 12/1/2003 | 3-40 | -0.7 | 14 | 15 |
| 12/1/2003 | 3-80 | -1.4 | 14 | 15 |
| 12/1/2003 | 3-120 | -1.8 | 16 | 15 |
| 12/1/2003 | 3-160 | 4.4 | 12 | 15 |
| 12/1/2003 | 3-200 | 2.1 | 18 | 15 |
| 12/1/2003 | 2-200 | 1.5 | 13 | 15 |
| 12/1/2003 | 2-160 | 2.1 | 9 | 15 |
| 12/1/2003 | 2-120 | -5.5 | 12 | 15 |
| 12/1/2003 | 2-80 | -3.6 | 14 | 15 |
| 12/1/2003 | 2-40 | -3.7 | 11 | 15 |
| 12/1/2003 | 2-00 | -1.5 | 9 | 15 |
| 12/1/2003 | 1-00 | -0.1 | 10 | 15 |
| 12/1/2003 | 1-40 | 6.1 | 14 | 15 |
| 12/1/2003 | 1-80 | 8,1 | 11 | 15 |
| 12/1/2003 | 1-120 | 1.2 | 13 | 15 |
| 12/1/2003 | 1-160 | 3.4 | 11 | 15 |

* a negative water table depth measurement denotes the water table height is below the marsh surface



AREA 3

| Date | Station # | Water Table Depth (cm) | Soil Salinity (ppt) | Depth of Soil Salinity (cm) |
|------------|-----------|------------------------|---------------------|-----------------------------|
| 10/1/2003 | 4-00 | -5.6 | 12 | 30 |
| 10/1/2003 | 4-40 | -10 | 12 | 15 |
| 10/1/2003 | 4-80 | -0.4 | 18 | 15 |
| 10/1/2003 | 4-120 | 0.2 | 6 | 15 |
| 10/1/2003 | 3-120 | -10.4 | 4 | 15 |
| 10/1/2003 | 3-80 | -2.2 | 9 | 15 |
| 10/1/2003 | 3-40 | -1 | 9 | 15 |
| 10/1/2003 | 3-00 | -4.5 | 13 | 15 |
| 10/1/2003 | 2-00 | -11.4 | 10 | 15 |
| 10/1/2003 | 2-40 | 3.4 | 9 | 15 |
| 10/1/2003 | 2-80 | -16.7 | 13 | 15 |
| 10/1/2003 | 2-120 | -5 | 10 | 15 |
| 10/1/2003 | 2-160 | 1.9 | 8 | 15 |
| 10/1/2003 | 2-200 | -2.3 | 9 | 15 |
| 10/1/2003 | 1-200 | -0.2 | 15 | 15 |
| 10/1/2003 | 1-160 | 0.6 | 14 | 15 |
| 10/1/2003 | 1-120 | -2.2 | 10 | 15 |
| 10/1/2003 | 1-80 | -2 | 9 | 15 |
| 10/1/2003 | 1-40 | 3.5 | 11 | 15 |
| 10/1/2003 | 1-00 | -1.2 | 9 | 15 |
| 10/16/2003 | 4-00 | -2.5 | 21 | 15 |
| 10/16/2003 | 4-40 | -4 | 15 | 15 |
| 10/16/2003 | 4-80 | 0.9 | 21 | 15 |
| 10/16/2003 | 4-120 | -0.2 | 15 | 15 |
| 10/16/2003 | 3-120 | 5.3 | 24 | 15 |
| 10/16/2003 | 3-80 | -0.4 | 16 | 15 |
| 10/16/2003 | 3-40 | -3.7 | 15 | 15 |
| 10/16/2003 | 3-00 | -1.7 | 20 | 15 |
| 10/16/2003 | 2-00 | -2.1 | 18 | 15 |
| 10/16/2003 | 2-40 | 3.5 | 9 | 15 |
| 10/16/2003 | 2-80 | 9.2 | 17 | 15 |
| 10/16/2003 | 2-120 | -0.2 | 13 | 15 |
| 10/16/2003 | 2-160 | 2.3 | 15 | 15 |
| 10/16/2003 | 2-200 | -0.3 | 14 | 15 |
| 10/16/2003 | 1-200 | -0.3 | 15 | 15 |
| 10/16/2003 | 1-160 | 1.8 | 18 | 15 |
| 10/16/2003 | 1-120 | -0.6 | 16 | 15 |
| 10/16/2003 | 1-80 | 3.8 | 12 | 15 |
| 10/16/2003 | 1-40 | 3.8 | 9 | 15 |
| 10/16/2003 | 1-00 | 2.8 | 10 | 15 |
| 10/30/2003 | 4-00 | -2.1 | 18 | 15 |
| 10/30/2003 | 4-40 | -3.8 | ary | 15 |
| 10/30/2003 | 4-80 | 2.4 | 21 | 15 |
| 10/30/2003 | 4-120 | 1.1 | 16 | 15 |
| 10/30/2003 | 3-120 | -4 | 22 | 15 |
| 10/30/2003 | 3-80 | 0.6 | 15 | 15 |
| 10/30/2003 | 3-40 | 0.6 | 19 | 15 |

Cashin Associates, P.C.

| Suffolk County | Vector Control and | l Wetlands | Management | Long-Term | Plan |
|----------------|--------------------|------------|------------|-----------|------|
| Task Twelve | | | | | |

| [| 1 | 1 | 1 | |
|------------|-------|-------|----|----|
| 10/30/2003 | 3-00 | -1.2 | 20 | 15 |
| 10/30/2003 | 2-00 | 0.1 | 13 | 15 |
| 10/30/2003 | 2-40 | 1.5 | 14 | 15 |
| 10/30/2003 | 2-80 | -13.2 | 11 | 15 |
| 10/30/2003 | 2-120 | -1.3 | 10 | 15 |
| 10/30/2003 | 2-160 | - | 19 | 15 |
| 10/30/2003 | 2-200 | -0.3 | 17 | 15 |
| 10/30/2003 | 1-200 | -1.4 | 16 | 15 |
| 10/30/2003 | 1-160 | 2.5 | 16 | 15 |
| 10/30/2003 | 1-120 | -0.1 | 15 | 15 |
| 10/30/2003 | 1-80 | 0.2 | 10 | 15 |
| 10/30/2003 | 1-40 | 3.4 | 13 | 15 |
| 10/30/2003 | 1-00 | 1.8 | 12 | 15 |
| 11/13/2003 | 4-00 | -5.7 | 16 | 30 |
| 11/13/2003 | 4-40 | -6.1 | 15 | 15 |
| 11/13/2003 | 4-80 | - | 18 | 15 |
| 11/13/2003 | 4-120 | -0.2 | 12 | 15 |
| 11/13/2003 | 3-120 | -9.5 | 18 | 15 |
| 11/13/2003 | 3-80 | - | 15 | 15 |
| 11/13/2003 | 3-40 | 0.4 | 20 | 15 |
| 11/13/2003 | 3-00 | -3.4 | 19 | 15 |
| 11/13/2003 | 2-00 | -11 | 17 | 15 |
| 11/13/2003 | 2-40 | 2.5 | 8 | 15 |
| 11/13/2003 | 2-80 | 1.1 | 13 | 15 |
| 11/13/2003 | 2-120 | -1.5 | 11 | 15 |
| 11/13/2003 | 2-160 | · · · | - | - |
| 11/13/2003 | 2-200 | -0.5 | 16 | 45 |
| 11/13/2003 | 1-200 | 0.3 | 16 | 15 |
| 11/13/2003 | 1-160 | -0.5 | 13 | 15 |
| 11/13/2003 | 1-120 | -0.3 | 11 | 15 |
| 11/13/2003 | 1-80 | 0.2 | 12 | 15 |
| 11/13/2003 | 1-40 | - | 10 | 15 |
| 11/13/2003 | 1-00 | 1.3 | 16 | 15 |
| 11/25/2003 | 4-00 | -4 | 21 | 15 |
| 11/25/2003 | 4-40 | 0.2 | 20 | 15 |
| 11/25/2003 | 4-80 | -4.6 | 21 | 30 |
| 11/25/2003 | 4-120 | -3.1 | 21 | 15 |
| 11/25/2003 | 3-120 | -2.6 | 21 | 15 |
| 11/25/2003 | 3-80 | -32 | 16 | 15 |
| 11/25/2003 | 3-40 | -6.3 | 18 | 15 |
| 11/25/2003 | 3-00 | -2.8 | 21 | 15 |
| 11/25/2003 | 2-00 | - | 15 | 15 |
| 11/25/2003 | 2-40 | - | 17 | 15 |
| 11/25/2003 | 2-80 | -7 1 | 15 | 15 |
| 11/25/2003 | 2-120 | - | 15 | 15 |
| 11/25/2003 | 2-160 | - | 21 | 15 |
| 11/25/2003 | 2-200 | -5.2 | 20 | 15 |
| 11/25/2003 | 1-200 | -10.6 | 20 | 15 |
| 11/25/2003 | 1-200 | -10.0 | 21 | 15 |
| 11/20/2003 | 1-100 | 6.11 | 20 | 10 |

| 11/25/2003 | 1-120 | -10.1 | 16 | 15 |
|------------|-------|-------|----|----|
| 11/25/2003 | 1-80 | - | 16 | 15 |
| 11/25/2003 | 1-40 | -8.7 | 15 | 15 |
| 11/25/2003 | 1-00 | -5.7 | 11 | 15 |

* a negative water table depth measurement denotes the water table height is below the marsh surface



AREA 4

| Date | Station # | Water Table Depth (cm) | Soil Salinity (ppt) | Depth of Soil Salinity (cm) |
|------------|-----------|------------------------|---------------------|-----------------------------|
| 9/30/2003 | 1-00 | 0.7 | 10 | 15 |
| 9/30/2003 | 1-40 | -2.2 | 4 | 15 |
| 9/30/2003 | 1-80 | 1.6 | 9 | 15 |
| 9/30/2003 | 1-120 | -2.2 | 15 | 15 |
| 9/30/2003 | 1-160 | -10.2 | 18 | 15 |
| 9/30/2003 | 2-00 | -6.7 | 19 | 15 |
| 9/30/2003 | 2-40 | 0.2 | 17 | 15 |
| 9/30/2003 | 2-80 | 0.2 | 12 | 15 |
| 9/30/2003 | 2-120 | -1.2 | .11 | 15 |
| 9/30/2003 | 2-160 | 2.6 | 10 | 15 |
| 9/30/2003 | 3-00 | 2 | 12 | 15 |
| 9/30/2003 | 3-40 | 0.4 | 16 | 15 |
| 9/30/2003 | 3-80 | 1.1 | 14 | 15 |
| 9/30/2003 | 3-120 | -10.9 | 6 | 15 |
| 9/30/2003 | 3-160 | 7.2 | 12 | 15 |
| 9/30/2003 | 4-00 | 0.9 | 15 | 15 |
| 9/30/2003 | 4-40 | 3.9 | 13 | 15 |
| 9/30/2003 | 4-80 | 0.2 | 14 | 15 |
| 9/30/2003 | 4-120 | 0.8 | 3 | 15 |
| 9/30/2003 | 4-160 | -2.4 | 9 | 15 |
| 10/14/2003 | 1-00 | 12 | 5 | 15 |
| 10/14/2003 | 1-40 | 0 | 0 | 15 |
| 10/14/2003 | 1-80 | -1 | 14 | 15 |
| 10/14/2003 | 1-120 | -7 | 19 | 15 |
| 10/14/2003 | 1-160 | -11 | 21 | 15 |
| 10/14/2003 | 2-00 | 10 | 14 | 15 |
| 10/14/2003 | 2-40 | -1.5 | 12 | 15 |
| 10/14/2003 | 2-80 | | 12 | 15 |
| 10/14/2003 | 2-120 | -4 | 29 | 15 |
| 10/14/2003 | 2-160 | -1.5 | 21 | 15 |
| 10/14/2003 | 3-00 | -0.1 | 10 | 15 |
| 10/14/2003 | 3-40 | - | 12 | 15 |
| 10/14/2003 | 3-80 | - | 15 | 15 |
| 10/14/2003 | 3-120 | -16 | 8 | 15 |
| 10/14/2003 | 3-160 | 2.5 | 24 | 15 |
| 10/14/2003 | 4-00 | -5 | 14 | 15 |
| 10/14/2003 | 4-40 | 0 | 21 | 15 |
| 10/14/2003 | 4-80 | -0.5 | 12 | 15 |
| 10/14/2003 | 4-120 | 0 | 5 | 15 |
| 10/14/2003 | 4-160 | -3.9 | 14 | 15 |
| 10/28/2003 | 1-00 | 1.3 | 8 | 15 |
| 10/28/2003 | 1-40 | 2.4 | 6 | 15 |
| 10/28/2003 | 1-80 | -0.8 | 4 | 15 |
| 10/28/2003 | 1-120 | -0.1 | 14 | 15 |
| 10/28/2003 | 1-160 | 6.7 | 13 | 15 |
| 10/28/2003 | 2-00 | - | 11 | 15 |
| 10/28/2003 | 2-40 | - | 10 | 30 |

| 10/28/2003 | 2-80 | - | 15 | 15 |
|------------|-------|------|----|----|
| 10/28/2003 | 2-120 | 0.9 | 25 | 15 |
| 10/28/2003 | 2-160 | -36 | 21 | 15 |
| 10/28/2003 | 3-00 | -0.5 | 14 | 15 |
| 10/28/2003 | 3-40 | -0.9 | 13 | 15 |
| 10/28/2003 | 3-80 | -2.1 | 17 | 15 |
| 10/28/2003 | 3-120 | -1.9 | 15 | 15 |
| 10/28/2003 | 3-160 | -7.1 | 13 | 15 |
| 10/28/2003 | 4-00 | -1.1 | 11 | 15 |
| 10/28/2003 | 4-40 | -0.6 | 3 | 15 |
| 10/28/2003 | 4-80 | -0.5 | 10 | 15 |
| 10/28/2003 | 4-120 | - | 13 | 15 |
| 10/28/2003 | 4-160 | 0.3 | 8 | 15 |
| 11/11/2003 | 1-00 | - | | 15 |
| 11/11/2003 | 1-40 | -0.8 | 7 | 15 |
| 11/11/2003 | 1-80 | 1.1 | 8 | 15 |
| 11/11/2003 | 1-120 | -0.2 | 11 | 15 |
| 11/11/2003 | 1-160 | - | 14 | 15 |
| 11/11/2003 | 2-00 | - | 19 | 15 |
| 11/11/2003 | 2-40 | -2.3 | 18 | 15 |
| 11/11/2003 | 2-80 | | 20 | 15 |
| 11/11/2003 | 2-120 | -0.1 | 21 | 15 |
| 11/11/2003 | 2-160 | 0.9 | 13 | 30 |
| 11/11/2003 | 3-00 | 1.7 | 14 | 15 |
| 11/11/2003 | 3-40 | 2.3 | 12 | 15 |
| 11/11/2003 | 3-80 | 1.3 | 9 | 15 |
| 11/11/2003 | 3-120 | 1 | 12 | 15 |
| 11/11/2003 | 3-160 | 5.5 | 13 | 15 |
| 11/11/2003 | 4-00 | - | 11 | 15 |
| 11/11/2003 | 4-40 | 1.1 | 8 | 15 |
| 11/11/2003 | 4-80 | - | 6 | 15 |
| 11/11/2003 | 4-120 | 0.1 | 5 | 15 |
| 11/11/2003 | 4-160 | 3.2 | 11 | 15 |
| 11/24/2003 | 1-00 | -0.6 | 12 | 15 |
| 11/24/2003 | 1-40 | - | 10 | 15 |
| 11/24/2003 | 1-80 | -4.5 | 21 | 15 |
| 11/24/2003 | 1-120 | -6.1 | 19 | 15 |
| 11/24/2003 | 1-160 | -3.3 | 15 | 15 |
| 11/24/2003 | 2-00 | - | 14 | 15 |
| 11/24/2003 | 2-40 | - | 16 | 15 |
| 11/24/2003 | 2-80 | - | 19 | 15 |
| 11/24/2003 | 2-120 | 1.7 | 29 | 15 |
| 11/24/2003 | 2-160 | -5 | 31 | 15 |
| 11/24/2003 | 3-00 | - | 21 | 15 |
| 11/24/2003 | 3-40 | - | 20 | 15 |
| 11/24/2003 | 3-80 | - | 19 | 15 |
| 11/24/2003 | 3-120 | - | 27 | 15 |
| 11/24/2003 | 3-160 | -8.3 | - | 30 |
| 11/24/2003 | 4-00 | -4 | 15 | 15 |

| 11/24/2003 | 4-40 | - | 25 | 15 |
|------------|-------|------|----|----|
| 11/24/2003 | 4-80 | -7.5 | 14 | 15 |
| 11/24/2003 | 4-120 | - | 22 | 15 |
| 11/24/2003 | 4-160 | - | 19 | 15 |
| 12/9/2003 | 1-00 | -0.4 | 10 | 15 |
| 12/9/2003 | 1-40 | -2.2 | 0 | 15 |
| 12/9/2003 | 1-80 | 0.3 | 15 | 15 |
| 12/9/2003 | 1-120 | 1.1 | 16 | 15 |
| 12/9/2003 | 1-160 | 2.1 | 15 | 15 |
| 12/9/2003 | 2-00 | 3.9 | 26 | 15 |
| 12/9/2003 | 2-40 | -0.4 | 22 | 15 |
| 12/9/2003 | 2-80 | - | 15 | 15 |
| 12/9/2003 | 2-120 | - | 14 | 15 |
| 12/9/2003 | 2-160 | - | 12 | 15 |
| 12/9/2003 | 3-00 | 2.7 | 20 | 15 |
| 12/9/2003 | 3-40 | | 11 | 15 |
| 12/9/2003 | 3-80 | | 22 | 15 |
| 12/9/2003 | 3-120 | 1.3 | | 15 |
| 12/9/2003 | 3-160 | 7.4 | 25 | 15 |
| 12/9/2003 | 4-00 | 11.9 | 16 | 15 |
| 12/9/2003 | 4-40 | - | 20 | 15 |
| 12/9/2003 | 4-80 | -0.7 | 11 | 15 |
| 12/9/2003 | 4-120 | - | 5 | 15 |
| 12/9/2003 | 4-160 | 0 | 14 | 15 |

* a negative water table depth measurement denotes the water table height is below the marsh surface

4.4 Carman's River Water Quality

In July, Suffolk County Department of Health Services (SCDHS) collected two rounds of samples at the four stations on the River. Field parameters were collected (temperature, depth, secchi disk depth, dissolved oxygen, specific conductivity, salinity and flow) in accordance with SCDHS sampling protocols (SCDHS 2003) and the water samples were analyzed for the Department's full parameter suite (water quality indicators, nutrients, metals, and organic compounds including VOCs, SVOCs, and pesticides and metabolites) (Suffolk County 2003). Monitoring will be continued on a quarterly basis.

4.5 <u>Estuarine Water Quality</u>

Following standard SCDHS sampling protocols (SCDHS 2003), water quality samples were collected by SCDHS on July 15th, July 29th, and October 15th, 2003. The samples were analyzed by PEHL, including a standard QA/QC review. Four samples (WWR001 – WWR004) were collected within WNWR. Three samples (WWNR011, WWNR021 and WWNR022) were taken from nearby areas. WWNR011 was collected from the east side of William Floyd Parkway spur between Bayfair Court and Roneck Court; WWNR021 was collected from beach #5 in Mastic, located at the south end of Oceanview Drive; and WWNR022 was collected from the town boat ramp located on the east side of Riviera Drive. Five inorganic compounds were detected above the standard value in the samples collected within the refuge on July 15, 2003 (Table 4-5). The complete list of inorganic compounds analyzed for each sample is listed in Table 4-6.

TABLE 4-5 CARMAN'S RIVER WATER QUALITY

| Date | Time | Station | Diurnal | Depth | Salinity | Temp | D.O. | T. Coliform | F. Coliform | NH3 | NOx | TN | TDN | TP | TDP | o-PO4 |
|----------|-------|---------|---------|-------|----------|------|--------|-------------|-------------|--------|---------|--------|--------|---------|---------|---------|
| | | | | (ft) | (0/00) | (C) | (mg/L) | (mpn/ | 100 ml) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) |
| 7/15/03 | 7:12 | WWR001 | А | 3.0 | 16.6 | 24.3 | 1.0 | 5,000 | 500 | 0.079 | 0.169 | 1.30 | 1.20 | 0.066 | 0.037 | < 0.005 |
| 7/15/03 | 7:30 | WWR002 | А | 1.5 | 6.6 | 21.3 | 2.5 | < 20 | 9,000 | 0.199 | 0.505 | 1.90 | 1.70 | 0.075 | 0.036 | < 0.005 |
| 7/15/03 | 7:53 | WWR003 | Α | 1.0 | 3.3 | 21.2 | 3.8 | 2,800 | 130 | 0.058 | 0.421 | 1.50 | 1.20 | 0.067 | 0.041 | < 0.005 |
| 7/15/03 | 8:07 | WWR004 | А | 1.0 | 1.1 | 20.6 | 5.2 | 800 | 300 | 0.061 | < 0.005 | 1.50 | 1.40 | 0.070 | 0.051 | 0.028 |
| 7/15/03 | 12:28 | WWR001 | Р | 2.5 | 13.7 | 25.8 | 7.9 | 1,300 | 500 | 0.008 | 0.029 | 0.46 | 0.27 | 0.060 | < 0.025 | 0.015 |
| 7/15/03 | 12:47 | WWR002 | Р | 2.5 | 13.7 | 26.9 | 8.6 | 2,400 | 2,400 | 0.067 | 0.515 | 0.58 | 0.75 | 0.042 | < 0.025 | 0.007 |
| 7/15/03 | 13:02 | WWR003 | Р | 2.0 | 9.7 | 26.6 | 9.6 | 3,000 | 110 | 0.010 | 0.223 | 0.64 | 0.40 | 0.045 | < 0.025 | < 0.005 |
| 7/15/03 | 13:13 | WWR004 | Р | 2.0 | 7.2 | 25.3 | 11.0 | 800 | 220 | 0.005 | 0.289 | 0.69 | 0.46 | 0.051 | < 0.025 | 0.024 |
| 7/29/03 | 12:26 | WWR004 | Α | | 3.8 | 25.8 | 8.2 | | | | | | | | | |
| 7/29/03 | 12:34 | WWR003 | А | | 6.0 | 26.4 | 8.1 | | | | | | | | | |
| 7/29/03 | 12:42 | WWR002 | А | | 11.2 | 26.8 | 9.4 | | | | | | | | | |
| 7/29/03 | 13:07 | WWR001 | Α | | 17.4 | 28.3 | 9.3 | | | | | | | | | |
| 7/29/03 | 18:00 | WWR001 | Р | | 16.5 | 29.5 | 14.6 | | | | | | | | | |
| 7/29/03 | 18:18 | WWR002 | Р | | 6.0 | 27.6 | 9.6 | | | | | | | | | |
| 7/29/03 | 18:40 | WWR003 | Р | | 4.5 | 27.0 | 7.0 | | | | | | | | | |
| 7/29/03 | 19:00 | WWR004 | Р | | 1.1 | 25.0 | 7.2 | | | | | | | | | |
| 10/15/03 | 8:37 | WWR001 | 1 | 4.0 | 27.9 | 16.5 | 7.4 | < 200 | < 200 | 0.014 | < 0.005 | 0.26 | 0.20 | < 0.025 | < 0.025 | < 0.005 |
| 10/15/03 | 9:05 | WWR011 | | 3.0 | 26.6 | 16.5 | 6.5 | 1,700 | 200 | 0.016 | < 0.005 | 0.23 | 0.18 | 0.117 | 0.093 | 0.007 |
| 10/15/03 | 9:35 | WWR002 | | 3.0 | 27.4 | 16.3 | 6.8 | 200 | < 200 | 0.010 | 0.006 | 0.29 | 0.24 | 0.046 | < 0.025 | 0.009 |
| 10/15/03 | 9:55 | WWR021 | | 3.0 | 26.5 | 16.3 | 6.3 | 5,000 | 3,000 | 0.015 | 0.011 | 0.30 | 0.17 | 0.132 | 0.109 | 0.006 |
| 10/15/03 | 10:15 | WWR022 | | 3.0 | 26.6 | 16.3 | 6.4 | 1,300 | 1,300 | 0.012 | 0.008 | 0.27 | 0.19 | 0.118 | 0.096 | < 0.005 |
| 10/15/03 | 10:45 | WWR003 | | 3.0 | 27.9 | 16.2 | 7.2 | 400 | 200 | 0.013 | < 0.005 | 0.26 | 0.23 | 0.040 | < 0.025 | < 0.005 |
| 10/15/03 | 10:55 | WWR004 | | 3.0 | 27.1 | 16.6 | 6.8 | 1,700 | 400 | 0.018 | 0.014 | 0.21 | 0.20 | 0.040 | 0.077 | 0.006 |

Note: On 7/29/03, samples were collected for the methoprene analysis only.

| Date | Time | Station | Diurnal | Analyte | Result | Standard |
|---------|-------|---------|---------|-----------------------------|--------|----------|
| 7/15/03 | 12:28 | WWR001 | Р | Methyl sulfide | 0.7 | 0.5 |
| 7/15/03 | 12:28 | WWR001 | Р | Methyl-tertiary-butyl-ether | 4.0 | 0.5 |
| 7/15/03 | 12:28 | WWR001 | Р | Toluene | 1.0 | 0.5 |
| 7/15/03 | 12:28 | WWR001 | Р | Total Xylene | 0.8 | 0.5 |
| 7/15/03 | 7:53 | WWR003 | А | Methyl-tertiary-butyl-ether | 3.0 | 0.5 |
| 7/15/03 | 7:53 | WWR003 | А | tert-Amyl-Methyl-Ether | 0.6 | 0.5 |
| 7/15/03 | 13:02 | WWR003 | Р | Methyl-tertiary-butyl-ether | 2.0 | 0.5 |
| 7/15/03 | 8:07 | WWR004 | Α | Methyl-tertiary-butyl-ether | 3.0 | 0.5 |
| 7/15/03 | 8:07 | WWR004 | Α | tert-Amyl-Methyl-Ether | 0.7 | 0.5 |
| 7/15/03 | 13:13 | WWR004 | Р | Methyl sulfide | 0.9 | 0.5 |
| 7/15/03 | 13:13 | WWR004 | Р | Methyl-tertiary-butyl-ether | 3.0 | 0.5 |
| 7/15/03 | 13:13 | WWR004 | Р | tert-AmvI-MethvI-Ether | 0.5 | 0.5 |

TABLE 4-6 ESTUARINE WATER QUALITY DECTECTIONS

TABLE 4-7 ESTUARINE WATER QUALITY ANALYTES AND STANDARD VALUES

| Parameter | Standard |
|-----------------------------|----------|
| 1.1.1.2-Tetrachloroethane | 0.5 |
| 1.1.1-Trichloroethane | 0.5 |
| 1.1.2.2-Tetrachloroethane | 0.5 |
| 1,1,2-Trichloroethane | 0.5 |
| 1 1-Dichloroethane | 0.5 |
| 1 1-Dichloroethene | 0.5 |
| 1 1-Dichloropropene | 0.5 |
| 1 2 3-Trichlorobenzene | 0.5 |
| 1.2.3-Trichloropropage | 0.5 |
| 1,2,5-Thenoropropane | 0.5 |
| 1.2.4-Trichlorobonzono | 0.3 |
| 1,2,4-Trimothylhonzono | 0.2 |
| 1,2,4- Mineury Denzene | 0.5 |
| 1,2-dibromo-3-chioropropane | 0.02 |
| 1,2-dibromoethane | 0.02 |
| 1,2-Dichlorobenzene (0) | 0.5 |
| 1,2-Dichloroethane | 0.5 |
| 1,2-Dichloropropane | 0.5 |
| 1,3,5- I rimethylbenzene | 0.5 |
| 1,3-Dichloropropane | 0.5 |
| 1,4-Dichlorobutane | 0.5 |
| 1-Bromo-2-chloroethane | 0.5 |
| 2,2-Dichloropropane | 0.5 |
| 2,3-Dichloropropene | 0.5 |
| 2-Bromo-1-chloropropane | 0.5 |
| 2-Butanone (MEK) | 20 |
| 2-Chlorotoluene | 0.5 |
| 3-Chlorotoluene | 0.5 |
| 4,4 DDD | 0.2 |
| 4,4 DDE | 0.2 |
| 4,4 DDT | 0.2 |
| 4-Chlorotoluene | 0.5 |
| Acenaphthene | 0.2 |
| Acenaphthylene | 0.2 |
| Acetochlor | 0.2 |
| Acrylonitrile | 0.5 |
| Alachlor | 0.5 |
| Aldrin | 0.2 |
| Allethrin | 0.2 |
| Allyl chloride | 0.5 |
| Alpha - BHC | 0.2 |
| Anthracene | 0.5 |
| Atrazine | 0.2 |
| Azoxystrobin | 0.5 |
| Benfluralin | 0.5 |
| Benzene | 0.5 |
| Benzo(a)anthracene | 0.5 |
| | - |

| Benzo(b)fluoranthene | 0.2 | |
|--|--|---|
| Benzo(ghi)perylene | 0.2 | |
| Benzo(k)fluoranthene | 0.2 | |
| Benzo-a-pyrene | 0.2 | |
| Benzophenone | 0.2 | |
| Benzyl butyl phthalate | 0.2 | |
| Beta - BHC | 0.2 | |
| bis(2-ethylhexyl) adipate | 0.5 | |
| bis(2-ethylhexyl) phthalate | 2 | |
| Bloc | 0.2 | |
| Bromacil | 0.5 | |
| Bromobenzene | 0.5 | |
| Bromochloromethane | 0.5 | |
| Bromodichloromethane | 0.5 | |
| Bromoform | 0.5 | |
| Bromomethane | 0.5 | |
| Butachlor | 0.2 | |
| Butylated Hydroxyanisole | 0.5 | |
| Butylated Hydroxytoluene | 0.2 | - |
| Caffeine | 0.5 | |
| Carbamazepine | 0.2 | |
| Carbon disulfide | 0.5 | • |
| Carbon tetrachloride | 0.5 | |
| Carisoprodol | 0.2 | |
| Chlordane | 1 | |
| Chlorobenzene | 0.5 | |
| Chlorodibromomethane | 0.5 | |
| Chlorodifluoromethane | 0.5 | |
| Chloroethane | 0.5 | |
| Chlorofenvinphos | 0.2 | |
| Chloroform | 0.5 | |
| Chloromethane | 0.5 | |
| Chlorothalonil | 1 | |
| Chloroxylenol | 0.2 | |
| Chlorpyriphos | 0.2 | |
| Chrysene | 0.2 | |
| cis-1,2-Dichloroethene | 0.5 | |
| cis-1,3-Dichloropropene | 0.5 | |
| Cyanazine | 0.2 | |
| Cytluthrin | 0.2 | |
| Cypermethrin | 0.5 | 1 |
| | - | |
| d-Limonene | 0.5 | |
| d-Limonene Dacthal | 0.5 | |
| d-Limonene Dacthal Delta - BHC | 0.5 0.2 0.2 | |
| d-Limonene Dacthal Delta - BHC Deltamethrin | 0.5 0.2 0.2 0.5 | |
| d-Limonene Dacthal Delta - BHC Deltamethrin Diazinon | 0.5 0.2 0.2 0.5 0.2 | |
| d-Limonene Dacthal Delta - BHC Deltamethrin Diazinon Dibenzo(a,h)anthracene | 0.5 0.2 0.2 0.5 0.2 0.2 0.2 | |
| d-Limonene Dacthal Delta - BHC Deltamethrin Diazinon Dibenzo(a,h)anthracene Dibromomethane | 0.5 0.2 0.2 0.5 0.2 0.2 0.2 0.5 | |

| | Dichlorbenil | 0.2 | |
|---|---------------------------|-----|---|
| | Dichlorodifluoromethane | 0.5 | |
| | Dichlorvos | 0.5 | |
| | Dieldrin | 0.2 | |
| | Diethyl ether | 0.5 | |
| | Diethyl phthalate | 1 | |
| | Diethyltoluamide (DEET) | 0.2 | |
| | Dimethyl phthalate | 0.2 | |
| | Dimethyldisulfide | 0.5 | |
| | Dinoseb | 0.5 | |
| | Dioctyl phthalate | 0.2 | |
| | Disulfoton | 0.5 | |
| | Disulfoton sulfone | 0.2 | |
| | Endosulfan I | 0.2 | |
| | Endosulfan II | 0.2 | |
| | Endosulfan Sulfate | 0.2 | |
| | Endrin | 0.2 | |
| | Endrin aldehyde | 0.2 | |
| | EPTC | 0.2 | |
| | Ethenylbenzene (Styrene) | 0.5 | |
| | Ethofumesate | 0.2 | |
| | Ethyl parathion | 0.2 | • |
| | Ethylbenzene | 0.5 | |
| | Ethylmethacrylate | 0.5 | |
| | Fluoranthene | 0.2 | |
| | Fluorene | 0.2 | |
| | Freon 113 | 0.5 | |
| | Gamma - BHC | 0.2 | |
| | Gemfibrozil | 0.5 | |
| | Heptachlor | 0.2 | |
| | Heptachlor epoxide | 0.2 | |
| | Hexachlorobenzene | 0.2 | |
| | Hexachlorobutadiene | 0.2 | |
| | Hexachlorocyclopentadiene | 1 | |
| | Ibuprofen | 0.2 | |
| | Indeno(1,2,3-cd)pyrene | 0.2 | |
| | lodofenphos | 0.2 | |
| | Iprodione | 0.5 | |
| | Isofenphos | 0.5 | |
| | Isopropylbenzene | 0.5 | |
| • | Kelthane | 0.5 | |
| | m,p-Dichlorobenzene | 0.5 | |
| | m-Xylene | 0.5 | |
| | Malathion | 0.5 | |
| | Metalaxyl | 0.2 | |
| | Methacrylonitrile | 0.5 | |
| | Methoprene | 0.2 | |
| | Methoxychlor | 0.2 | |
| | Methyl isothiocyanate | 2 | |

| Methyl parathion | 0.2 | |
|-----------------------------|-----|---|
| Methyl sulfide | 0.5 | |
| Methyl-tertiary-butyl-ether | 0.5 | |
| Methylene chloride | 0.5 | |
| Methylmethacrylate | 0.5 | |
| Metolachlor | 0.2 | |
| Metribuzin | 0.2 | |
| n-Butylbenzene | 0.5 | |
| n-Propylbenzene | 0.5 | |
| Naled (Dibrom) | 0.2 | |
| Naphthalene | 0.2 | * |
| Napropamide | 0.2 | |
| o-Xylene | 0.5 | |
| p-Diethylbenzene | 0.5 | |
| p-lsopropyltoluene | 0.5 | |
| p-Xylene | 0.5 | |
| Pendimethalin | 0.2 | |
| Pentachlorobenzene | 0.2 | |
| Pentachloronitrobenzene | 0.2 | |
| Permethrin | 0.2 | |
| Phenanthrene | 0.2 | |
| Piperonyl butoxide | 0.5 | • |
| Prometon | 0.5 | |
| Prometryne | 0.2 | |
| Propachlor | 0.2 | |
| Propiconazole | 0.2 | |
| Pyrene | 0.5 | |
| Resmethrin | 0.2 | |
| sec-Butylbenzene | 0.5 | |
| Simazine | 0.2 | |
| Sumithrin | 0.2 | |
| Tebuthiuron | 0.5 | |
| Terbacil | 0.5 | |
| Terbufos | 0.2 | |
| tert-Amyl-Methyl-Ether | 0.5 | |
| tert-Butyl-Ethyl-Ether | 0.5 | |
| tert-Butylbenzene | 0.5 | |
| Tetrachloroethene | 0.5 | |
| Tetrahydrofuran | 20 | |
| Toluene | 0.5 | |
| Total Chlorotoluene | 0.5 | |
| Total Xylene | 0.5 | |
| trans-1,2-Dichloroethene | 0.5 | |
| trans-1,3-Dichloropropene | 0.5 | |
| Triadimefon | 0.5 | |
| Trichloroethene | 0.5 | |
| Trichlorofluoromethane | 0.5 | |
| Triclosan | 0.2 | |
| Trifluralin | 0.5 | |

| Vinclozolin | 0.5 |
|---------------------------|-----|
| Vinyl chloride | 0.5 |
| 1,1,1,2-Tetrachloroethane | 0.5 |

References:

Allison, Stuart K. 1996. Recruitment and Establishment of Salt Marsh Plants Following Disturbance by Flooding. The American Midland Naturalist 136:232-247.

Borror, Donald J. and Richard E. White. 1970. A Field Guide to the Insects of American North of Mexico. Houghton Mifflin Company, Boston.

Emerton, James H. 1961. The Common Species of the United States. Dover Publications Inc., New York.

James-Pirri, M-J., CT Roman, and RM Erwin. 2002. Field Methods Manual: US Fish and Wildlife Service (Region 5) Salt Marsh Study. University of Rhode Island, Narragansett, RI.

Lewis, C. and L. Johnson. 2002. Non-Target Aquatic Invertebrate Community Study of Prime Hook, Bombay Hook, Long Island and Supawna Meadows National Wildlife Refuges. USFWS Cooperative Unit, VMES, Maryland.

Suffolk County. 2003. Public and Environmental Health Laboratory Quality Assurance Laboratory Manual. New York.

Suffolk County Department of Health Services, Division of Environmental Quality. 2003. Surface Water Quality Monitoring Standard Operating Procedures. New York.

Weiss, Howard M. 1995. Marine Animals of Southern New England and New York. State Geological and Natural History Survey of Connecticut.