

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|-----------------------------|--------|-------|
| 7/15/2003 | 7:12 | WWR001 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,1-Dichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,1-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,1-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,2-dibromoethane | < 0.02 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,2-Dichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,2-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,3-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 2,2-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 2,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 2-Butanone (MEK) | < 20 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 2-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 3-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 4,4 DDD | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 4,4 DDE | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 4,4 DDT | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | 4-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Acenaphthene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Acenaphthylene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Acetochlor | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Acrylonitrile | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Alachlor | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Aldrin | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Allethrin | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Allyl chloride | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Alpha - BHC | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Ammonia | 0.079 | mg/L |
| 7/15/2003 | 7:12 | WWR001 | A | Anthracene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Atrazine | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Azoxystrobin | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Benfluralin | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Benzene | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|-----------------------------|--------|-------|
| 7/15/2003 | 7:12 | WWR001 | A | Benzo(a)anthracene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Benzo(ghi)perylene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Benzo-a-pyrene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Benzophenone | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Benzyl butyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Beta - BHC | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Bloc | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Bromacil | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Bromobenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Bromochloromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Bromodichloromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Bromoform | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Bromomethane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Butachlor | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Caffeine | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Carbamazepine | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Carbon disulfide | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Carbon tetrachloride | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Carisoprodol | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Chlordane | < 1 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Chlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Chlorodibromomethane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Chlorodifluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Chloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Chlorofenvinphos | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Chloroform | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Chloromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Chlorothalonil | < 1 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Chloroxylenol | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Chlorpyrifos | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Chrysene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Cyanazine | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Cyfluthrin | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Cypermethrin | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Dacthal | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Delta - BHC | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Deltamethrin | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Depth | 3 | ft |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|---------------------------|--------|------------|
| 7/15/2003 | 7:12 | WWR001 | A | Diazinon | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Dibromomethane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Dibutyl phthalate | < 1 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Dichlorbenil | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Dichlorodifluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Dichlorvos | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Dieldrin | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Diethyl ether | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Diethyl phthalate | < 1 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Dimethyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Dimethyldisulfide | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Dinoseb | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Diocetyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Dissolved Nitrogen | 1.2 | mg/L |
| 7/15/2003 | 7:12 | WWR001 | A | Dissolved Oxygen | 1 | mg/l |
| 7/15/2003 | 7:12 | WWR001 | A | Dissolved Phosphorous | 0.0369 | mg/L |
| 7/15/2003 | 7:12 | WWR001 | A | Disulfoton | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Disulfoton sulfone | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | d-Limonene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Endosulfan I | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Endosulfan II | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Endosulfan Sulfate | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Endrin | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Endrin aldehyde | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | EPTC | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Ethofumesate | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Ethyl parathion | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Ethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Ethylmethacrylate | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Fecal Coliform | 500 | MPN/100 ml |
| 7/15/2003 | 7:12 | WWR001 | A | Fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Fluorene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Freon 113 | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Gamma - BHC | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Gemfibrozil | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Heptachlor | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Heptachlor epoxide | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Hexachlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Hexachlorobutadiene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Hexachlorocyclopentadiene | < 1 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Ibuprofen | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Iodofenphos | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|-----------------------------|---------|-------|
| 7/15/2003 | 7:12 | WWR001 | A | Iprodione | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Isofenphos | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Isopropylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Kelthane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Malathion | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Metalaxyl | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Metered Salinity | 16.6 | o/oo |
| 7/15/2003 | 7:12 | WWR001 | A | Methacrylonitrile | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Methoprene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Methoxychlor | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Methyl isothiocyanate | < 2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Methyl parathion | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Methyl sulfide | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Methylene chloride | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Methylmethacrylate | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Metolachlor | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Metribuzin | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | m-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Naled (Dibrom) | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Naphthalene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Napropamide | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | n-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Nitrate & Nitrite | 0.169 | mg/L |
| 7/15/2003 | 7:12 | WWR001 | A | n-Propylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Ortho-Phosphate | < 0.005 | mg/L |
| 7/15/2003 | 7:12 | WWR001 | A | o-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | p-Diethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Pendimethalin | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Pentachlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Pentachloronitrobenzene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Permethrin | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Phenanthrene | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Piperonyl butoxide | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | p-Isopropyltoluene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Prometon | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Prometryne | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Propachlor | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Propiconazole | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | p-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Pyrene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Resmethrin | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | sec-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Simazine | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Sumithrin | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|-----------------------------|--------|------------|
| 7/15/2003 | 7:12 | WWR001 | A | Tebuthiuron | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Temperature | 24.3 | Deg C |
| 7/15/2003 | 7:12 | WWR001 | A | Terbacil | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Terbufos | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | tert-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Tetrachloroethene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Tetrahydrofuran | < 20 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Toluene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Total Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Total Coliform | 5000 | MPN/100 ml |
| 7/15/2003 | 7:12 | WWR001 | A | Total Nitrogen | 1.3 | mg/L |
| 7/15/2003 | 7:12 | WWR001 | A | Total Phosphorous | 0.0658 | mg/L |
| 7/15/2003 | 7:12 | WWR001 | A | Total Xylene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Triadimefon | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Trichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Trichlorofluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Triclosan | < 0.2 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Trifluralin | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Vinclozolin | < 0.5 | ug/L |
| 7/15/2003 | 7:12 | WWR001 | A | Vinyl chloride | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,1-Dichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,1-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,1-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,2,4-Trichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,2-dibromoethane | < 0.02 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,2-Dichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,2-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,3-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 2,2-Dichloropropane | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|-----------------------------|--------|-------|
| 7/15/2003 | 7:30 | WWR002 | A | 2,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 2-Butanone (MEK) | < 20 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 2-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 3-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 4,4 DDD | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 4,4 DDE | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 4,4 DDT | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | 4-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Acenaphthene | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Acenaphthylene | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Acetochlor | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Acrylonitrile | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Alachlor | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Aldrin | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Allethrin | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Allyl chloride | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Alpha - BHC | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Ammonia | 0.199 | mg/L |
| 7/15/2003 | 7:30 | WWR002 | A | Anthracene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Atrazine | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Azoxystrobin | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Benfluralin | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Benzene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Benzo(a)anthracene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Benzo(ghi)perylene | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Benzo-a-pyrene | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Benzophenone | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Benzyl butyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Beta - BHC | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Bloc | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Bromacil | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Bromobenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Bromochloromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Bromodichloromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Bromoform | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Bromomethane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Butachlor | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Caffeine | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Carbamazepine | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|-------------------------|--------|-------|
| 7/15/2003 | 7:30 | WWR002 | A | Carbon disulfide | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Carbon tetrachloride | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Carisoprodol | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Chlordane | < 1 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Chlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Chlorodibromomethane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Chlorodifluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Chloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Chlorofenvinphos | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Chloroform | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Chloromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Chlorothalonil | < 1 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Chloroxilenol | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Chlorpyrifos | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Chrysene | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Cyanazine | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Cyfluthrin | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Cypermethrin | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Dacthal | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Delta - BHC | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Deltamethrin | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Depth | 1.5 | ft |
| 7/15/2003 | 7:30 | WWR002 | A | Diazinon | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Dibromomethane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Dibutyl phthalate | < 1 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Dichlorbenil | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Dichlorodifluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Dichlorvos | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Dieldrin | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Diethyl ether | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Diethyl phthalate | < 1 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Dimethyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Dimethyldisulfide | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Dinoseb | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Diocetyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Dissolved Nitrogen | 1.7 | mg/L |
| 7/15/2003 | 7:30 | WWR002 | A | Dissolved Oxygen | 2.5 | mg/l |
| 7/15/2003 | 7:30 | WWR002 | A | Dissolved Phosphorous | 0.0359 | mg/L |
| 7/15/2003 | 7:30 | WWR002 | A | Disulfoton | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Disulfoton sulfone | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | d-Limonene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Endosulfan I | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|-----------------------------|--------|------------|
| 7/15/2003 | 7:30 | WWR002 | A | Endosulfan II | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Endosulfan sulfate | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Endrin | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Endrin aldehyde | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | EPTC | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Ethofumesate | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Ethyl parathion | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Ethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Ethylmethacrylate | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Fecal Coliform | 9000 | MPN/100 ml |
| 7/15/2003 | 7:30 | WWR002 | A | Fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Fluorene | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Freon 113 | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Gamma - BHC | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Gemfibrozil | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Heptachlor | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Heptachlor epoxide | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Hexachlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Hexachlorobutadiene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Hexachlorocyclopentadiene | < 1 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Ibuprofen | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Iodofenphos | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Iprodione | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Isofenphos | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Isopropylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Kelthane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Malathion | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Metalaxyl | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Metered Salinity | 6.6 | o/oo |
| 7/15/2003 | 7:30 | WWR002 | A | Methacrylonitrile | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Methoprene | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Methoxychlor | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Methyl isothiocyanate | < 2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Methyl parathion | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Methyl sulfide | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Methylene chloride | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Methylmethacrylate | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Metolachlor | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Metribuzin | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | m-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Naled (Dibrom) | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Naphthalene | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|---------------------------|---------|------------|
| 7/15/2003 | 7:30 | WWR002 | A | Napropamide | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | n-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Nitrate & Nitrite | 0.505 | mg/L |
| 7/15/2003 | 7:30 | WWR002 | A | n-Propylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Ortho-Phosphate | < 0.005 | mg/L |
| 7/15/2003 | 7:30 | WWR002 | A | o-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | p-Diethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Pendimethalin | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Pentachlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Pentachloronitrobenzene | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Permethrin | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Phenanthrene | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Piperonyl butoxide | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | p-Isopropyltoluene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Prometon | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Prometryne | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Propachlor | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Propiconazole | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | p-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Pyrene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Resmethrin | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | sec-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Simazine | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Sumithrin | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Tebuthiuron | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Temperature | 21.3 | Deg C |
| 7/15/2003 | 7:30 | WWR002 | A | Terbacil | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Terbufos | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | tert-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Tetrachloroethene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Tetrahydrofuran | < 20 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Toluene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Total Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Total Coliform | >16000 | MPN/100 ml |
| 7/15/2003 | 7:30 | WWR002 | A | Total Nitrogen | 1.9 | mg/L |
| 7/15/2003 | 7:30 | WWR002 | A | Total Phosphorous | 0.0753 | mg/L |
| 7/15/2003 | 7:30 | WWR002 | A | Total Xylene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Triadimefon | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Trichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Trichlorofluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Triclosan | < 0.2 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Trifluralin | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|-----------------------------|--------|-------|
| 7/15/2003 | 7:30 | WWR002 | A | Vinclozolin | < 0.5 | ug/L |
| 7/15/2003 | 7:30 | WWR002 | A | Vinyl chloride | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,1-Dichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,1-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,1-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,2-dibromoethane | < 0.02 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,2-Dichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,2-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,3-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 2,2-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 2,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 2-Butanone (MEK) | < 20 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 2-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 3-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 4,4 DDD | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 4,4 DDE | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 4,4 DDT | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | 4-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Acenaphthene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Acenaphthylene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Acetochlor | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Acrylonitrile | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Alachlor | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Aldrin | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Allethrin | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Allyl chloride | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Alpha - BHC | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Ammonia | 0.058 | mg/L |
| 7/15/2003 | 7:53 | WWR003 | A | Anthracene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Atrazine | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Azoxystrobin | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Benfluralin | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Benzene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Benzo(a)anthracene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Benzo(ghi)perylene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Benzo-a-pyrene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Benzophenone | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|-----------------------------|--------|-------|
| 7/15/2003 | 7:53 | WWR003 | A | Benzyl butyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Beta - BHC | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Bloc | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Bromacil | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Bromobenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Bromochloromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Bromodichloromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Bromoform | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Bromomethane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Butachlor | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Caffeine | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Carbamazepine | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Carbon disulfide | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Carbon tetrachloride | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Carisoprodol | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Chlordane | < 1 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Chlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Chlorodibromomethane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Chlorodifluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Chloroethane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Chlorofenvinphos | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Chloroform | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Chloromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Chloroethalonil | < 1 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Chloroxylenol | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Chlorpyrifos | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Chrysene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Cyanazine | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Cyfluthrin | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Cypermethrin | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Dacthal | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Delta - BHC | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Deltamethrin | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Depth | 1 | ft |
| 7/15/2003 | 7:53 | WWR003 | A | Diazinon | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Dibromomethane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Dibutyl phthalate | < 1 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Dichlorbenil | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Dichlorodifluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Dichlorvos | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Dieldrin | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Diethyl ether | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Diethyl phthalate | < 1 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Dimethyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Dimethyldisulfide | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Dinoseb | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|-----------------------------|--------|------------|
| 7/15/2003 | 7:53 | WWR003 | A | Diocetyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Dissolved Nitrogen | 1.2 | mg/L |
| 7/15/2003 | 7:53 | WWR003 | A | Dissolved Oxygen | 3.8 | mg/l |
| 7/15/2003 | 7:53 | WWR003 | A | Dissolved Phosphorous | 0.0406 | mg/L |
| 7/15/2003 | 7:53 | WWR003 | A | Disulfoton | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Disulfoton sulfone | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | d-Limonene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Endosulfan I | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Endosulfan II | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Endosulfan sulfate | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Endrin | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Endrin aldehyde | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | EPTC | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Ethofumesate | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Ethyl parathion | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Ethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Ethylmethacrylate | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Fecal Coliform | 130 | MPN/100 ml |
| 7/15/2003 | 7:53 | WWR003 | A | Fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Fluorene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Freon 113 | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Gamma - BHC | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Gemfibrozil | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Heptachlor | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Heptachlor epoxide | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Hexachlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Hexachlorobutadiene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Hexachlorocyclopentadiene | < 1 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Ibuprofen | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Iodofenphos | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Iprodione | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Isofenphos | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Isopropylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Kelthane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Malathion | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Metalaxyl | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Metered Salinity | 3.3 | o/oo |
| 7/15/2003 | 7:53 | WWR003 | A | Methacrylonitrile | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Methoprene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Methoxychlor | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Methyl isothiocyanate | < 2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Methyl parathion | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Methyl sulfide | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Methylene chloride | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Methylmethacrylate | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Methyl-tertiary-butyl-ether | 3 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Metolachlor | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Metribuzin | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | m-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Naled (Dibrom) | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Naphthalene | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|---------------------------|---------|------------|
| 7/15/2003 | 7:53 | WWR003 | A | Napropamide | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | n-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Nitrate & Nitrite | 0.421 | mg/L |
| 7/15/2003 | 7:53 | WWR003 | A | n-Propylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Ortho-Phosphate | < 0.005 | mg/L |
| 7/15/2003 | 7:53 | WWR003 | A | o-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | p-Diethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Pendimethalin | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Pentachlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Pentachloronitrobenzene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Permethrin | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Phenanthrene | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Piperonyl butoxide | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | p-Isopropyltoluene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Prometon | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Prometryne | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Propachlor | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Propiconazole | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | p-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Pyrene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Resmethrin | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | sec-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Simazine | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Sumithrin | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Tebuthiuron | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Temperature | 21.2 | Deg C |
| 7/15/2003 | 7:53 | WWR003 | A | Terbacil | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Terbufos | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | tert-Amyl-Methyl-Ether | 0.6 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | tert-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Tetrachloroethene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Tetrahydrofuran | < 20 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Toluene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Total Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Total Coliform | 2800 | MPN/100 ml |
| 7/15/2003 | 7:53 | WWR003 | A | Total Nitrogen | 1.5 | mg/L |
| 7/15/2003 | 7:53 | WWR003 | A | Total Phosphorous | 0.0668 | mg/L |
| 7/15/2003 | 7:53 | WWR003 | A | Total Xylene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Triadimefon | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Trichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Trichlorofluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Triclosan | < 0.2 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Trifluralin | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Vinclozolin | < 0.5 | ug/L |
| 7/15/2003 | 7:53 | WWR003 | A | Vinyl chloride | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,1-Dichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,1-Dichloroethene | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|-----------------------------|--------|-------|
| 7/15/2003 | 8:07 | WWR004 | A | 1,1-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,2,4-Trichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,2-dibromoethane | < 0.02 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,2-Dichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,2-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,3-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 2,2-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 2,3-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 2-Butanone (MEK) | < 20 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 2-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 3-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 4,4 DDD | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 4,4 DDE | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 4,4 DDT | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | 4-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Acenaphthene | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Acenaphthylene | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Acetochlor | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Acrylonitrile | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Alachlor | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Aldrin | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Allethrin | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Allyl chloride | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Alpha - BHC | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Ammonia | 0.061 | mg/L |
| 7/15/2003 | 8:07 | WWR004 | A | Anthracene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Atrazine | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Azoxystrobin | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Benfluralin | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Benzene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Benzo(a)anthracene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Benzo(ghi)perylene | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Benzo-a-pyrene | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Benzophenone | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Benzyl butyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Beta - BHC | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Bloc | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Bromacil | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Bromobenzene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Bromochloromethane | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|--------------------------|--------|-------|
| 7/15/2003 | 8:07 | WWR004 | A | Bromodichloromethane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Bromoform | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Bromomethane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Butachlor | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Caffeine | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Carbamazepine | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Carbon disulfide | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Carbon tetrachloride | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Carisoprodol | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Chlordane | < 1 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Chlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Chlorodibromomethane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Chlorodifluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Chloroethane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Chlorofenvinphos | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Chloroform | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Chloromethane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Chlorothalonil | < 1 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Chloroxyleneol | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Chlorpyrifos | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Chrysene | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Cyanazine | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Cyfluthrin | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Cypermethrin | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Dacthal | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Delta - BHC | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Deltamethrin | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Depth | 1 | ft |
| 7/15/2003 | 8:07 | WWR004 | A | Diazinon | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Dibromomethane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Dibutyl phthalate | < 1 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Dichlorbenil | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Dichlorodifluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Dichlorvos | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Dieldrin | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Diethyl ether | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Diethyl phthalate | < 1 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Dimethyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Dimethyldisulfide | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Dinoseb | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Diocetyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Dissolved Nitrogen | 1.4 | mg/L |
| 7/15/2003 | 8:07 | WWR004 | A | Dissolved Oxygen | 5.2 | mg/l |
| 7/15/2003 | 8:07 | WWR004 | A | Dissolved Phosphorous | 0.0507 | mg/L |
| 7/15/2003 | 8:07 | WWR004 | A | Disulfoton | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Disulfoton sulfone | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | d-Limonene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Endosulfan I | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|-----------------------------|---------|------------|
| 7/15/2003 | 8:07 | WWR004 | A | Endosulfan II | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Endosulfan Sulfate | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Endrin | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Endrin aldehyde | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | EPTC | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Ethofumesate | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Ethyl parathion | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Ethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Ethylmethacrylate | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Fecal Coliform | 300 | MPN/100 ml |
| 7/15/2003 | 8:07 | WWR004 | A | Fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Fluorene | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Freon 113 | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Gamma - BHC | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Gemfibrozil | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Heptachlor | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Heptachlor epoxide | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Hexachlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Hexachlorobutadiene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Hexachlorocyclopentadiene | < 1 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Ibuprofen | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Iodofenphos | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Iprodione | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Isofenphos | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Isopropylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Kelthane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Malathion | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Metalaxyl | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Metered Salinity | 1.1 | o/oo |
| 7/15/2003 | 8:07 | WWR004 | A | Methacrylonitrile | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Methoprene | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Methoxychlor | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Methyl isothiocyanate | < 2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Methyl parathion | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Methyl sulfide | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Methylene chloride | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Methylmethacrylate | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Methyl-tertiary-butyl-ether | 3 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Metolachlor | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Metribuzin | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | m-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Naled (Dibrom) | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Naphthalene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Napropamide | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | n-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Nitrate & Nitrite | < 0.005 | mg/L |
| 7/15/2003 | 8:07 | WWR004 | A | n-Propylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Ortho-Phosphate | 0.028 | mg/L |
| 7/15/2003 | 8:07 | WWR004 | A | o-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | p-Diethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Pendimethalin | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|----------------------------|--------|------------|
| 7/15/2003 | 8:07 | WWR004 | A | Pentachlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Pentachloronitrobenzene | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Permethrin | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Phenanthrene | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Piperonyl butoxide | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | p-Isopropyltoluene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Prometon | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Prometryne | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Propachlor | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Propiconazole | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | p-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Pyrene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Resmethrin | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | sec-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Simazine | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Sumithrin | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Tebuthiuron | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Temperature | 20.6 | Deg C |
| 7/15/2003 | 8:07 | WWR004 | A | Terbacil | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Terbufos | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | tert-Amyl-Methyl-Ether | 0.7 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | tert-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Tetrachloroethene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Tetrahydrofuran | < 20 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Toluene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Total Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Total Coliform | 800 | MPN/100 ml |
| 7/15/2003 | 8:07 | WWR004 | A | Total Nitrogen | 1.5 | mg/L |
| 7/15/2003 | 8:07 | WWR004 | A | Total Phosphorous | 0.0696 | mg/L |
| 7/15/2003 | 8:07 | WWR004 | A | Total Xylene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Triadimefon | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Trichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Trichlorofluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Triclosan | < 0.2 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Trifluralin | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Vinclozolin | < 0.5 | ug/L |
| 7/15/2003 | 8:07 | WWR004 | A | Vinyl chloride | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,1-Dichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,1-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,1-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,2,4-Trichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 7/15/2003 | 12:28 | WWR001 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,2-dibromoethane | < 0.02 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,2-Dichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,2-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,3-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 2,2-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 2,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 2-Butanone (MEK) | < 20 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 2-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 3-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 4,4 DDD | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 4,4 DDE | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 4,4 DDT | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | 4-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Acenaphthene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Acenaphthylene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Acetochlor | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Acrylonitrile | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Alachlor | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Aldrin | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Allethrin | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Allyl chloride | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Alpha - BHC | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Ammonia | 0.008 | mg/L |
| 7/15/2003 | 12:28 | WWR001 | P | Anthracene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Atrazine | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Azoxystrobin | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Benfluralin | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Benzene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Benzo(a)anthracene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Benzo(ghi)perylene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Benzo-a-pyrene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Benzophenone | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Benzyl butyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Beta - BHC | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Bloc | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Bromacil | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|--------------------------|--------|-------|
| 7/15/2003 | 12:28 | WWR001 | P | Bromobenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Bromochloromethane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Bromodichloromethane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Bromoform | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Bromomethane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Butachlor | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Caffeine | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Carbamazepine | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Carbon disulfide | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Carbon tetrachloride | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Carisoprodol | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Chlordane | < 1 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Chlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Chlorodibromomethane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Chlorodifluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Chloroethane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Chlorofenvinphos | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Chloroform | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Chloromethane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Chlorothalonil | < 1 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Chloroxlenol | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Chlorpyrifos | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Chrysene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Cyanazine | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Cyfluthrin | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Cypermethrin | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Dacthal | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Delta - BHC | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Deltamethrin | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Depth | 4 | ft |
| 7/15/2003 | 12:28 | WWR001 | P | Diazinon | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Dibromomethane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Dibutyl phthalate | < 1 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Dichlorbenil | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Dichlorodifluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Dichlorvos | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Dieldrin | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Diethyl ether | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Diethyl phthalate | < 1 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Dimethyl phthalate | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|---------------------------|---------|------------|
| 7/15/2003 | 12:28 | WWR001 | P | Dimethylsulfide | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Dinoseb | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Diocetyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Dissolved Nitrogen | 0.27 | mg/L |
| 7/15/2003 | 12:28 | WWR001 | P | Dissolved Oxygen | 7.9 | mg/l |
| 7/15/2003 | 12:28 | WWR001 | P | Dissolved Phosphorous | < 0.025 | mg/L |
| 7/15/2003 | 12:28 | WWR001 | P | Disulfoton | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Disulfoton sulfone | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | d-Limonene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Endosulfan I | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Endosulfan II | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Endosulfan sulfate | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Endrin | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Endrin aldehyde | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | EPTC | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Ethofumesate | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Ethyl parathion | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Ethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Ethylmethacrylate | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Fecal Coliform | 500 | MPN/100 ml |
| 7/15/2003 | 12:28 | WWR001 | P | Fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Fluorene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Freon 113 | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Gamma - BHC | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Gemfibrozil | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Heptachlor | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Heptachlor epoxide | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Hexachlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Hexachlorobutadiene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Hexachlorocyclopentadiene | < 1 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Ibuprofen | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Iodofenphos | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Iprodione | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Isofenphos | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Isopropylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Kelthane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Malathion | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Metalaxyl | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Metered Salinity | 16.4 | o/oo |
| 7/15/2003 | 12:28 | WWR001 | P | Methacrylonitrile | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Methoprene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Methoxychlor | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Methyl isothiocyanate | < 2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|------------|
| 7/15/2003 | 12:28 | WWR001 | P | Methyl parathion | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Methyl sulfide | 0.7 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Methylene chloride | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Methylmethacrylate | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Methyl-tertiary-butyl-ether | 4 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Metolachlor | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Metribuzin | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Naled (Dibrom) | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Naphthalene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Napropamide | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | n-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Nitrate & Nitrite | 0.0289 | mg/L |
| 7/15/2003 | 12:28 | WWR001 | P | n-Propylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Ortho-Phosphate | 0.015 | mg/L |
| 7/15/2003 | 12:28 | WWR001 | P | p-Diethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Pendimethalin | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Pentachlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Pentachloronitrobenzene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Permethrin | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Phenanthrene | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Piperonyl butoxide | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | p-Isopropyltoluene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Prometon | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Prometryne | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Propachlor | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Propiconazole | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Pyrene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Resmethrin | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | sec-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Simazine | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Sumithrin | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Tebuthiuron | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Temperature | 25.8 | Deg C |
| 7/15/2003 | 12:28 | WWR001 | P | Terbacil | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Terbufos | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | tert-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Tetrachloroethene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Tetrahydrofuran | < 20 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Toluene | 1 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Total Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Total Coliform | 1300 | MPN/100 ml |
| 7/15/2003 | 12:28 | WWR001 | P | Total Nitrogen | 0.46 | mg/L |
| 7/15/2003 | 12:28 | WWR001 | P | Total Phosphorous | 0.06 | mg/L |
| 7/15/2003 | 12:28 | WWR001 | P | Total Xylene | 0.8 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 7/15/2003 | 12:28 | WWR001 | P | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Triadimefon | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Trichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Trichlorofluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Triclosan | < 0.2 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Trifluralin | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Vinclozolin | < 0.5 | ug/L |
| 7/15/2003 | 12:28 | WWR001 | P | Vinyl chloride | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,1-Dichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,1-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,1-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,2,4-Trichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,2-dibromoethane | < 0.02 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,2-Dichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,2-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,3-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 2,2-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 2,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 2-Butanone (MEK) | < 20 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 2-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 3-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 4,4 DDD | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 4,4 DDE | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 4,4 DDT | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | 4-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Acenaphthene | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Acenaphthylene | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Acetochlor | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Acrylonitrile | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Alachlor | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Aldrin | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 7/15/2003 | 12:47 | WWR002 | P | Allethrin | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Allyl chloride | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Alpha - BHC | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Ammonia | 0.067 | mg/L |
| 7/15/2003 | 12:47 | WWR002 | P | Anthracene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Atrazine | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Azoxystrobin | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Benfluralin | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Benzene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Benzo(a)anthracene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Benzo(ghi)perylene | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Benzo-a-pyrene | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Benzophenone | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Benzyl butyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Beta - BHC | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Bloc | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Bromacil | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Bromobenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Bromochloromethane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Bromodichloromethane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Bromoform | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Bromomethane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Butachlor | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Caffeine | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Carbamazepine | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Carbon disulfide | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Carbon tetrachloride | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Carisoprodol | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Chlordane | < 1 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Chlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Chlorodibromomethane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Chlorodifluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Chloroethane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Chlorofenvinphos | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Chloroform | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Chloromethane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Chlorothalonil | < 1 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Chloroxylenol | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Chlorpyrifos | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Chrysene | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|--------------------------|---------|------------|
| 7/15/2003 | 12:47 | WWR002 | P | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Cyanazine | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Cyfluthrin | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Cypermethrin | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Dacthal | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Delta - BHC | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Deltamethrin | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Depth | 2.5 | ft |
| 7/15/2003 | 12:47 | WWR002 | P | Diazinon | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Dibromomethane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Dibutyl phthalate | < 1 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Dichlorobenil | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Dichlorodifluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Dichlorvos | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Dieldrin | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Diethyl ether | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Diethyl phthalate | < 1 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Dimethyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Dimethyldisulfide | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Dinoseb | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Diocetyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Dissolved Nitrogen | 0.75 | mg/L |
| 7/15/2003 | 12:47 | WWR002 | P | Dissolved Oxygen | 8.6 | mg/l |
| 7/15/2003 | 12:47 | WWR002 | P | Dissolved Phosphorous | < 0.025 | mg/L |
| 7/15/2003 | 12:47 | WWR002 | P | Disulfoton | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Disulfoton sulfone | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | d-Limonene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Endosulfan I | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Endosulfan II | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Endosulfan sulfate | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Endrin | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Endrin aldehyde | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | EPTC | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Ethofumesate | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Ethyl parathion | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Ethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Ethylmethacrylate | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Fecal Coliform | 2400 | MPN/100 ml |
| 7/15/2003 | 12:47 | WWR002 | P | Fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Fluorene | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Freon 113 | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Gamma - BHC | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 7/15/2003 | 12:47 | WWR002 | P | Gemfibrozil | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Heptachlor | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Heptachlor epoxide | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Hexachlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Hexachlorobutadiene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Hexachlorocyclopentadiene | < 1 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Ibuprofen | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Iodofenphos | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Iprodione | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Isofenphos | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Isopropylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Kelthane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Malathion | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Metalaxyl | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Metered Salinity | 13.7 | o/oo |
| 7/15/2003 | 12:47 | WWR002 | P | Methacrylonitrile | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Methoprene | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Methoxychlor | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Methyl isothiocyanate | < 2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Methyl parathion | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Methyl sulfide | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Methylene chloride | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Methylmethacrylate | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Metolachlor | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Metribuzin | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | m-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Naled (Dibrom) | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Naphthalene | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Napropamide | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | n-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Nitrate & Nitrite | 0.515 | mg/L |
| 7/15/2003 | 12:47 | WWR002 | P | n-Propylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Ortho-Phosphate | 0.007 | mg/L |
| 7/15/2003 | 12:47 | WWR002 | P | o-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | p-Diethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Pendimethalin | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Pentachlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Pentachloronitrobenzene | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Permethrin | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Phenanthrene | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Piperonyl butoxide | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | p-Isopropyltoluene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Prometon | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|------------|
| 7/15/2003 | 12:47 | WWR002 | P | Prometryne | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Propachlor | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Propiconazole | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | p-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Pyrene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Resmethrin | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | sec-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Simazine | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Sumithrin | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Tebuthiuron | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Temperature | 26.9 | Deg C |
| 7/15/2003 | 12:47 | WWR002 | P | Terbacil | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Terbufos | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | tert-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Tetrachloroethene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Tetrahydrofuran | < 20 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Toluene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Total Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Total Coliform | 2400 | MPN/100 ml |
| 7/15/2003 | 12:47 | WWR002 | P | Total Nitrogen | 0.58 | mg/L |
| 7/15/2003 | 12:47 | WWR002 | P | Total Phosphorous | 0.0416 | mg/L |
| 7/15/2003 | 12:47 | WWR002 | P | Total Xylene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Triadimefon | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Trichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Trichlorofluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Triclosan | < 0.2 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Trifluralin | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Vinclozolin | < 0.5 | ug/L |
| 7/15/2003 | 12:47 | WWR002 | P | Vinyl chloride | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,1-Dichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,1-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,1-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,2-dibromoethane | < 0.02 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 7/15/2003 | 13:02 | WWR003 | P | 1,2-Dichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,2-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,3-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 2,2-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 2,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 2-Butanone (MEK) | < 20 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 2-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 3-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 4,4 DDD | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 4,4 DDE | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 4,4 DDT | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | 4-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Acenaphthene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Acenaphthylene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Acetochlor | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Acrylonitrile | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Alachlor | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Aldrin | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Allethrin | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Allyl chloride | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Alpha - BHC | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Ammonia | 0.01 | mg/L |
| 7/15/2003 | 13:02 | WWR003 | P | Anthracene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Atrazine | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Azoxystrobin | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Benfluralin | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Benzene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Benzo(a)anthracene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Benzo(ghi)perylene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Benzo-a-pyrene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Benzophenone | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Benzyl butyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Beta - BHC | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Bloc | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Bromacil | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Bromobenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Bromochloromethane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Bromodichloromethane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Bromoform | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Bromomethane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Butachlor | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Caffeine | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Carbamazepine | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Carbon disulfide | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|--------------------------|---------|-------|
| 7/15/2003 | 13:02 | WWR003 | P | Carbon tetrachloride | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Carisoprodol | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Chlordane | < 1 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Chlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Chlorodibromomethane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Chlorodifluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Chloroethane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Chlorofenvinphos | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Chloroform | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Chloromethane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Chlorothonil | < 1 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Chloroxylenol | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Chlorpyrifos | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Chrysene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Cyanazine | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Cyfluthrin | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Cypermethrin | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Dacthal | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Delta - BHC | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Deltamethrin | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Depth | 2 | ft |
| 7/15/2003 | 13:02 | WWR003 | P | Diazinon | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Dibromomethane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Dibutyl phthalate | < 1 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Dichlorbenil | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Dichlorodifluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Dichlorvos | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Dieldrin | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Diethyl ether | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Diethyl phthalate | < 1 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Dimethyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Dimethyldisulfide | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Dinoseb | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Diocetyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Dissolved Nitrogen | 0.4 | mg/L |
| 7/15/2003 | 13:02 | WWR003 | P | Dissolved Oxygen | 9.6 | mg/l |
| 7/15/2003 | 13:02 | WWR003 | P | Dissolved Phosphorous | < 0.025 | mg/L |
| 7/15/2003 | 13:02 | WWR003 | P | Disulfoton | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Disulfoton sulfone | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | d-Limonene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Endosulfan I | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Endosulfan II | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Endosulfan Sulfate | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Endrin | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Endrin aldehyde | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | EPTC | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Ethofumesate | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Ethyl parathion | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Ethylbenzene | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|---------|------------|
| 7/15/2003 | 13:02 | WWR003 | P | Ethylmethacrylate | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Fecal Coliform | 110 | MPN/100 ml |
| 7/15/2003 | 13:02 | WWR003 | P | Fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Fluorene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Freon 113 | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Gamma - BHC | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Gemfibrozil | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Heptachlor | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Heptachlor epoxide | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Hexachlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Hexachlorobutadiene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Hexachlorocyclopentadiene | < 1 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Ibuprofen | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Iodofenphos | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Iprodione | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Isofenphos | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Isopropylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Kelthane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Malathion | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Metalaxyl | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Metered Salinity | 9.7 | o/oo |
| 7/15/2003 | 13:02 | WWR003 | P | Methacrylonitrile | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Methoprene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Methoxychlor | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Methyl isothiocyanate | < 2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Methyl parathion | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Methyl sulfide | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Methylene chloride | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Methylmethacrylate | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Methyl-tertiary-butyl-ether | 2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Metolachlor | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Metribuzin | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | m-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Naled (Dibrom) | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Naphthalene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Napropamide | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | n-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Nitrate & Nitrite | 0.223 | mg/L |
| 7/15/2003 | 13:02 | WWR003 | P | n-Propylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Ortho-Phosphate | < 0.005 | mg/L |
| 7/15/2003 | 13:02 | WWR003 | P | o-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | p-Diethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Pendimethalin | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Pentachlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Pentachloronitrobenzene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Permethrin | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Phenanthrene | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Piperonyl butoxide | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | p-Isopropyltoluene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Prometon | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Prometryne | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Propachlor | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|------------|
| 7/15/2003 | 13:02 | WWR003 | P | Propiconazole | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | p-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Pyrene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Resmethrin | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | sec-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Simazine | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Sumithrin | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Tebuthiuron | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Temperature | 26.6 | Deg C |
| 7/15/2003 | 13:02 | WWR003 | P | Terbacil | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Terbufos | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | tert-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Tetrachloroethene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Tetrahydrofuran | < 20 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Toluene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Total Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Total Coliform | 3000 | MPN/100 ml |
| 7/15/2003 | 13:02 | WWR003 | P | Total Nitrogen | 0.64 | mg/L |
| 7/15/2003 | 13:02 | WWR003 | P | Total Phosphorous | 0.0445 | mg/L |
| 7/15/2003 | 13:02 | WWR003 | P | Total Xylene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Triadimefon | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Trichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Trichlorofluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Triclosan | < 0.2 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Trifluralin | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Vinclozolin | < 0.5 | ug/L |
| 7/15/2003 | 13:02 | WWR003 | P | Vinyl chloride | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,1-Dichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,1-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,1-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,2-dibromoethane | < 0.02 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,2-Dichloroethane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,2-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,3-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 2,2-Dichloropropane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 2,3-Dichloropropene | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 7/15/2003 | 13:13 | WWR004 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 2-Butanone (MEK) | < 20 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 2-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 3-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 4,4 DDD | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 4,4 DDE | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 4,4 DDT | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | 4-Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Acenaphthene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Acenaphthylene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Acetochlor | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Acrylonitrile | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Alachlor | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Aldrin | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Allethrin | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Allyl chloride | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Alpha - BHC | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Ammonia | 0.005 | mg/L |
| 7/15/2003 | 13:13 | WWR004 | P | Anthracene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Atrazine | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Azoxystrobin | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Benfluralin | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Benzene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Benzo(a)anthracene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Benzo(ghi)perylene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Benzo-a-pyrene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Benzophenone | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Benzyl butyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Beta - BHC | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Bloc | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Bromacil | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Bromobenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Bromochloromethane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Bromodichloromethane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Bromoform | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Bromomethane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Butachlor | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Caffeine | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Carbamazepine | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Carbon disulfide | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Carbon tetrachloride | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Carisoprodol | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Chlordane | < 1 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Chlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Chlorodibromomethane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Chlorodifluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Chloroethane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Chlorofenvinphos | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|--------------------------|---------|------------|
| 7/15/2003 | 13:13 | WWR004 | P | Chloroform | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Chloromethane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Chlorothalonil | < 1 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Chloroxylenol | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Chlorpyrifos | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Chrysene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Cyanazine | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Cyfluthrin | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Cypermethrin | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Dacthal | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Delta - BHC | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Deltamethrin | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Depth | 2 | ft |
| 7/15/2003 | 13:13 | WWR004 | P | Diazinon | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Dibromomethane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Dibutyl phthalate | < 1 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Dichlorbenil | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Dichlorodifluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Dichlorvos | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Dieldrin | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Diethyl ether | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Diethyl phthalate | < 1 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Dimethyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Dimethyldisulfide | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Dinoseb | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Diocetyl phthalate | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Dissolved Nitrogen | 0.46 | mg/L |
| 7/15/2003 | 13:13 | WWR004 | P | Dissolved Oxygen | 11 | mg/l |
| 7/15/2003 | 13:13 | WWR004 | P | Dissolved Phosphorous | < 0.025 | mg/L |
| 7/15/2003 | 13:13 | WWR004 | P | Disulfoton | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Disulfoton sulfone | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | d-Limonene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Endosulfan I | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Endosulfan II | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Endosulfan sulfate | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Endrin | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Endrin aldehyde | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | EPTC | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Ethofumesate | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Ethyl parathion | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Ethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Ethylmethacrylate | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Fecal Coliform | 220 | MPN/100 ml |
| 7/15/2003 | 13:13 | WWR004 | P | Fluoranthene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Fluorene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Freon 113 | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Gamma - BHC | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Gemfibrozil | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Heptachlor | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 7/15/2003 | 13:13 | WWR004 | P | Heptachlor epoxide | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Hexachlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Hexachlorobutadiene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Hexachlorocyclopentadiene | < 1 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Ibuprofen | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Iodofenphos | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Iprodione | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Isofenphos | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Isopropylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Kelthane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Malathion | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Metalaxyl | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Metered Salinity | 7.2 | o/oo |
| 7/15/2003 | 13:13 | WWR004 | P | Methacrylonitrile | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Methoprene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Methoxychlor | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Methyl isothiocyanate | < 2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Methyl parathion | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Methyl sulfide | 0.9 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Methylene chloride | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Methylmethacrylate | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Methyl-tertiary-butyl-ether | 3 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Metolachlor | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Metribuzin | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | m-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Naled (Dibrom) | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Naphthalene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Napropamide | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | n-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Nitrate & Nitrite | 0.289 | mg/L |
| 7/15/2003 | 13:13 | WWR004 | P | n-Propylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Ortho-Phosphate | 0.024 | mg/L |
| 7/15/2003 | 13:13 | WWR004 | P | o-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | p-Diethylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Pendimethalin | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Pentachlorobenzene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Pentachloronitrobenzene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Permethrin | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Phenanthrene | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Piperonyl butoxide | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | p-Isopropyltoluene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Prometon | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Prometryne | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Propachlor | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Propiconazole | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | p-Xylene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Pyrene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Resmethrin | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | sec-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Simazine | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Sumithrin | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Tebuthiuron | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|------------|
| 7/15/2003 | 13:13 | WWR004 | P | Temperature | 25.3 | Deg C |
| 7/15/2003 | 13:13 | WWR004 | P | Terbacil | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Terbufos | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | tert-Amyl-Methyl-Ether | 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | tert-Butylbenzene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Tetrachloroethene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Tetrahydrofuran | < 20 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Toluene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Total Chlorotoluene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Total Coliform | 800 | MPN/100 ml |
| 7/15/2003 | 13:13 | WWR004 | P | Total Nitrogen | 0.69 | mg/L |
| 7/15/2003 | 13:13 | WWR004 | P | Total Phosphorous | 0.0508 | mg/L |
| 7/15/2003 | 13:13 | WWR004 | P | Total Xylene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Triadimefon | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Trichloroethene | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Trichlorofluoromethane | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Triclosan | < 0.2 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Trifluralin | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Vinclozolin | < 0.5 | ug/L |
| 7/15/2003 | 13:13 | WWR004 | P | Vinyl chloride | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Acenaphthene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Acenaphthylene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Acetochlor | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Alachlor | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Allethrin | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Anthracene | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Atrazine | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Azoxystrobin | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Benfluralin | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Benzo(a)anthracene | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Benzo(ghi)perylene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Benzo-a-pyrene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Benzophenone | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Benzyl butyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Bloc | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Bromacil | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Butachlor | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Caffeine | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Carbamazepine | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Carisoprodol | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Chlordane | < 1 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Chlorofenvinphos | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Chlorothalonil | < 1 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Chloroxylenol | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|---------------------------|--------|-------|
| 7/29/2003 | 12:26 | WWR004 | A | Chlorpyrifos | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Chrysene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Cyanazine | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Cyfluthrin | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Cypermethrin | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Dacthal | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Deltamethrin | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Diazinon | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Dibutyl phthalate | < 1 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Dichlorbenil | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Dichlorvos | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Dieldrin | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Diethyl phthalate | < 1 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Dimethyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Dinoseb | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Diocetyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Dissolved Oxygen | 8.2 | mg/l |
| 7/29/2003 | 12:26 | WWR004 | A | Disulfoton | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Disulfoton sulfone | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Endosulfan sulfate | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | EPTC | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Ethofumesate | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Ethyl parathion | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Fluorene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Gemfibrozil | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Hexachlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Hexachlorobutadiene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Hexachlorocyclopentadiene | < 1 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Ibuprofen | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Iodofenphos | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Iprodione | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Isofenphos | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Kelthane | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Malathion | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Metalaxyl | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Metered Salinity | 3.8 | o/oo |
| 7/29/2003 | 12:26 | WWR004 | A | Methoprene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Methoxychlor | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Methyl parathion | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Metolachlor | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Metribuzin | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Naled (Dibrom) | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Naphthalene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Napropamide | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Pendimethalin | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Pentachlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Pentachloronitrobenzene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Permethrin | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Phenanthrene | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Piperonyl butoxide | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 7/29/2003 | 12:26 | WWR004 | A | Prometon | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Prometryne | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Propachlor | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Propiconazole | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Pyrene | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Resmethrin | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Simazine | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Sumithrin | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Tebuthiuron | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Temperature | 25.8 | Deg C |
| 7/29/2003 | 12:26 | WWR004 | A | Terbacil | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Terbufos | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Triadimefon | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Triclosan | < 0.2 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Trifluralin | < 0.5 | ug/L |
| 7/29/2003 | 12:26 | WWR004 | A | Vinclozolin | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Acenaphthene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Acenaphthylene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Acetochlor | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Alachlor | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Allethrin | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Anthracene | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Atrazine | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Azoxystrobin | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Benfluralin | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Benzo(a)anthracene | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Benzo(ghi)perylene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Benzo-a-pyrene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Benzophenone | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Benzyl butyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Bloc | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Bromacil | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Butachlor | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Caffeine | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Carbamazepine | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Carisoprodol | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Chlordane | < 1 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Chlorofenvinphos | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Chlorothalonil | < 1 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Chloroxylonol | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Chlorpyrifos | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Chrysene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Cyanazine | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Cyfluthrin | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Cypermethrin | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Dacthal | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Deltamethrin | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|---------------------------|--------|-------|
| 7/29/2003 | 12:34 | WWR003 | A | Diazinon | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Dibutyl phthalate | < 1 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Dichlorbenil | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Dichlorvos | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Dieldrin | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Diethyl phthalate | < 1 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Dimethyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Dinoseb | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Diocetyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Dissolved Oxygen | 8.1 | mg/l |
| 7/29/2003 | 12:34 | WWR003 | A | Disulfoton | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Disulfoton sulfone | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Endosulfan sulfate | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | EPTC | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Ethofumesate | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Ethyl parathion | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Fluorene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Gemfibrozil | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Hexachlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Hexachlorobutadiene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Hexachlorocyclopentadiene | < 1 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Ibuprofen | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Iodofenphos | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Iprodione | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Isofenphos | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Kelthane | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Malathion | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Metalaxyl | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Metered Salinity | 6 | o/oo |
| 7/29/2003 | 12:34 | WWR003 | A | Methoprene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Methoxychlor | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Methyl parathion | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Metolachlor | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Metribuzin | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Naled (Dibrom) | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Naphthalene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Napropamide | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Pendimethalin | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Pentachlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Pentachloronitrobenzene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Permethrin | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Phenanthrene | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Piperonyl butoxide | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Prometon | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Prometryne | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Propachlor | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Propiconazole | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Pyrene | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Resmethrin | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Simazine | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 7/29/2003 | 12:34 | WWR003 | A | Sumithrin | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Tebuthiuron | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Temperature | 26.4 | Deg C |
| 7/29/2003 | 12:34 | WWR003 | A | Terbacil | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Terbufos | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Triadimefon | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Triclosan | < 0.2 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Trifluralin | < 0.5 | ug/L |
| 7/29/2003 | 12:34 | WWR003 | A | Vinclozolin | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Acenaphthene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Acenaphthylene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Acetochlor | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Alachlor | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Allethrin | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Anthracene | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Atrazine | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Azoxystrobin | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Benfluralin | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Benzo(a)anthracene | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Benzo(ghi)perylene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Benzo-a-pyrene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Benzophenone | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Benzyl butyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Bloc | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Bromacil | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Butachlor | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Caffeine | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Carbamazepine | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Carisoprodol | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Chlordane | < 1 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Chlorofenvinphos | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Chlorothalonil | < 1 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Chloroxylenol | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Chlorpyrifos | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Chrysene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Cyanazine | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Cyfluthrin | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Cypermethrin | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Dacthal | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Deltamethrin | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Diazinon | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Dibutyl phthalate | < 1 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Dichlorbenil | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Dichlorvos | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Dieldrin | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Diethyl phthalate | < 1 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|---------------------------|--------|-------|
| 7/29/2003 | 12:42 | WWR002 | A | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Dimethyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Dinoseb | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Diocetyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Dissolved Oxygen | 9.4 | mg/l |
| 7/29/2003 | 12:42 | WWR002 | A | Disulfoton | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Disulfoton sulfone | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Endosulfan sulfate | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | EPTC | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Ethofumesate | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Ethyl parathion | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Fluorene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Gemfibrozil | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Hexachlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Hexachlorobutadiene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Hexachlorocyclopentadiene | < 1 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Ibuprofen | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Iodofenphos | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Iprodione | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Isofenphos | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Kelthane | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Malathion | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Metalaxyl | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Metered Salinity | 11.2 | o/oo |
| 7/29/2003 | 12:42 | WWR002 | A | Methoprene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Methoxychlor | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Methyl parathion | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Metolachlor | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Metribuzin | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Naled (Dibrom) | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Naphthalene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Napropamide | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Pendimethalin | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Pentachlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Pentachloronitrobenzene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Permethrin | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Phenanthrene | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Piperonyl butoxide | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Prometon | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Prometryne | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Propachlor | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Propiconazole | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Pyrene | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Resmethrin | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Simazine | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Sumithrin | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Tebuthiuron | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Temperature | 26.8 | Deg C |
| 7/29/2003 | 12:42 | WWR002 | A | Terbacil | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Terbufos | < 0.2 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Triadimefon | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Triclosan | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 7/29/2003 | 12:42 | WWR002 | A | Trifluralin | < 0.5 | ug/L |
| 7/29/2003 | 12:42 | WWR002 | A | Vinclozolin | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Acenaphthene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Acenaphthylene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Acetochlor | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Alachlor | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Allethrin | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Anthracene | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Atrazine | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Azoxystrobin | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Benfluralin | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Benzo(a)anthracene | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Benzo(ghi)perylene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Benzo-a-pyrene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Benzophenone | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Benzyl butyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Bloc | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Bromacil | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Butachlor | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Caffeine | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Carbamazepine | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Carisoprodol | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Chlordane | < 1 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Chlorofenvinphos | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Chlorothalonil | < 1 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Chloroxylenol | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Chlorpyrifos | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Chrysene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Cyanazine | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Cyfluthrin | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Cypermethrin | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Dacthal | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Deltamethrin | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Diazinon | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Dibutyl phthalate | < 1 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Dichlorbenil | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Dichlorvos | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Dieldrin | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Diethyl phthalate | < 1 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Dimethyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Dinoseb | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Diocetyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Dissolved Oxygen | 9.3 | mg/l |
| 7/29/2003 | 13:07 | WWR001 | A | Disulfoton | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Disulfoton sulfone | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|---------------------------|--------|-------|
| 7/29/2003 | 13:07 | WWR001 | A | Endosulfan sulfate | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | EPTC | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Ethofumesate | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Ethyl parathion | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Fluorene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Gemfibrozil | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Hexachlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Hexachlorobutadiene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Hexachlorocyclopentadiene | < 1 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Ibuprofen | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Iodofenphos | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Iprodione | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Isofenphos | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Kelthane | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Malathion | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Metalaxyl | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Metered Salinity | 17.4 | o/oo |
| 7/29/2003 | 13:07 | WWR001 | A | Methoprene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Methoxychlor | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Methyl parathion | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Metolachlor | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Metribuzin | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Naled (Dibrom) | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Naphthalene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Napropamide | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Pendimethalin | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Pentachlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Pentachloronitrobenzene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Permethrin | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Phenanthrene | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Piperonyl butoxide | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Prometon | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Prometryne | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Propachlor | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Propiconazole | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Pyrene | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Resmethrin | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Simazine | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Sumithrin | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Tebuthiuron | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Temperature | 28.3 | Deg C |
| 7/29/2003 | 13:07 | WWR001 | A | Terbacil | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Terbufos | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Triadimefon | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Triclosan | < 0.2 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Trifluralin | < 0.5 | ug/L |
| 7/29/2003 | 13:07 | WWR001 | A | Vinclozolin | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Acenaphthene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Acenaphthylene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Acetochlor | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Alachlor | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 7/29/2003 | 18:00 | WWR001 | P | Allethrin | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Anthracene | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Atrazine | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Azoxystrobin | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Benfluralin | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Benzo(a)anthracene | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Benzo(ghi)perylene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Benzo-a-pyrene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Benzophenone | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Benzyl butyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Bloc | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Bromacil | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Butachlor | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Caffeine | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Carbamazepine | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Carisoprodol | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Chlordane | < 1 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Chlorofenvinphos | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Chlorothalonil | < 1 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Chloroxylenol | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Chlorpyrifos | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Chrysene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Cyanazine | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Cyfluthrin | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Cypermethrin | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Dacthal | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Deltamethrin | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Diazinon | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Dibutyl phthalate | < 1 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Dichlorbenil | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Dichlorvos | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Dieldrin | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Diethyl phthalate | < 1 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Dimethyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Dinoseb | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Diocetyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Dissolved Oxygen | 14.6 | mg/l |
| 7/29/2003 | 18:00 | WWR001 | P | Disulfoton | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Disulfoton sulfone | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Endosulfan sulfate | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | EPTC | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Ethofumesate | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Ethyl parathion | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Fluorene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Gemfibrozil | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|---------------------------|--------|-------|
| 7/29/2003 | 18:00 | WWR001 | P | Hexachlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Hexachlorobutadiene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Hexachlorocyclopentadiene | < 1 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Ibuprofen | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Iodofenphos | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Iprodione | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Isofenphos | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Kelthane | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Malathion | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Metalaxyl | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Metered Salinity | 16.5 | o/oo |
| 7/29/2003 | 18:00 | WWR001 | P | Methoprene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Methoxychlor | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Methyl parathion | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Metolachlor | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Metribuzin | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Naled (Dibrom) | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Naphthalene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Napropamide | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Pendimethalin | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Pentachlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Pentachloronitrobenzene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Permethrin | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Phenanthrene | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Piperonyl butoxide | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Prometon | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Prometryne | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Propachlor | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Propiconazole | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Pyrene | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Resmethrin | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Simazine | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Sumithrin | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Tebuthiuron | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Temperature | 29.5 | Deg C |
| 7/29/2003 | 18:00 | WWR001 | P | Terbacil | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Terbufos | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Triadimefon | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Triclosan | < 0.2 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Trifluralin | < 0.5 | ug/L |
| 7/29/2003 | 18:00 | WWR001 | P | Vinclozolin | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Acenaphthene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Acenaphthylene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Acetochlor | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Alachlor | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Allethrin | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Anthracene | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Atrazine | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Azoxystrobin | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Benfluralin | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Benzo(a)anthracene | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Benzo(b)fluoranthene | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 7/29/2003 | 18:18 | WWR002 | P | Benzo(ghi)perylene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Benzo-a-pyrene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Benzophenone | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Benzyl butyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Bloc | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Bromacil | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Butachlor | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Caffeine | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Carbamazepine | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Carisoprodol | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Chlordane | < 1 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Chlorofenvinphos | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Chlorothalonil | < 1 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Chloroxyleneol | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Chlorpyrifos | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Chrysene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Cyanazine | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Cyfluthrin | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Cypermethrin | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Dacthal | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Deltamethrin | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Diazinon | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Dibutyl phthalate | < 1 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Dichlorbenil | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Dichlorvos | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Dieldrin | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Diethyl phthalate | < 1 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Dimethyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Dinoseb | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Diocetyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Dissolved Oxygen | 9.6 | mg/l |
| 7/29/2003 | 18:18 | WWR002 | P | Disulfoton | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Disulfoton sulfone | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Endosulfan sulfate | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | EPTC | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Ethofumesate | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Ethyl parathion | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Fluorene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Gemfibrozil | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Hexachlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Hexachlorobutadiene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Hexachlorocyclopentadiene | < 1 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Ibuprofen | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Iodofenphos | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Iprodione | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 7/29/2003 | 18:18 | WWR002 | P | Isofenphos | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Kelthane | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Malathion | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Metalaxyl | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Metered Salinity | 6 | o/oo |
| 7/29/2003 | 18:18 | WWR002 | P | Methoprene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Methoxychlor | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Methyl parathion | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Metolachlor | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Metribuzin | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Naled (Dibrom) | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Naphthalene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Napropamide | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Pendimethalin | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Pentachlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Pentachloronitrobenzene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Permethrin | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Phenanthrene | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Piperonyl butoxide | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Prometon | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Prometryne | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Propachlor | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Propiconazole | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Pyrene | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Resmethrin | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Simazine | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Sumithrin | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Tebuthiuron | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Temperature | 27.6 | Deg C |
| 7/29/2003 | 18:18 | WWR002 | P | Terbacil | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Terbufos | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Triadimefon | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Triclosan | < 0.2 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Trifluralin | < 0.5 | ug/L |
| 7/29/2003 | 18:18 | WWR002 | P | Vinclozolin | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Acenaphthene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Acenaphthylene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Acetochlor | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Alachlor | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Allethrin | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Anthracene | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Atrazine | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Azoxystrobin | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Benfluralin | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Benzo(a)anthracene | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Benzo(ghi)perylene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Benzo-a-pyrene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Benzophenone | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Benzyl butyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|---------------------------|--------|-------|
| 7/29/2003 | 18:40 | WWR003 | P | Bloc | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Bromacil | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Butachlor | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Caffeine | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Carbamazepine | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Carisoprodol | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Chlordane | < 1 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Chlorofenvinphos | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Chlorothalonil | < 1 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Chloroxylenol | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Chlorpyrifos | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Chrysene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Cyanazine | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Cyfluthrin | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Cypermethrin | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Dacthal | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Deltamethrin | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Diazinon | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Dibutyl phthalate | < 1 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Dichlorbenil | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Dichlorvos | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Dieldrin | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Diethyl phthalate | < 1 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Dimethyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Dinoseb | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Diocetyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Dissolved Oxygen | 7 | mg/l |
| 7/29/2003 | 18:40 | WWR003 | P | Disulfoton | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Disulfoton sulfone | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Endosulfan sulfate | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | EPTC | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Ethofumesate | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Ethyl parathion | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Fluorene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Gemfibrozil | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Hexachlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Hexachlorobutadiene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Hexachlorocyclopentadiene | < 1 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Ibuprofen | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Iodofenphos | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Iprodione | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Isofenphos | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Kelthane | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Malathion | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Metalaxyl | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Metered Salinity | 4.5 | o/oo |
| 7/29/2003 | 18:40 | WWR003 | P | Methoprene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Methoxychlor | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 7/29/2003 | 18:40 | WWR003 | P | Methyl parathion | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Metolachlor | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Metribuzin | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Naled (Dibrom) | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Naphthalene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Napropamide | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Pendimethalin | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Pentachlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Pentachloronitrobenzene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Permethrin | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Phenanthrene | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Piperonyl butoxide | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Prometon | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Prometryne | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Propachlor | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Propiconazole | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Pyrene | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Resmethrin | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Simazine | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Sumithrin | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Tebuthiuron | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Temperature | 27 | Deg C |
| 7/29/2003 | 18:40 | WWR003 | P | Terbacil | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Terbufos | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Triadimefon | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Triclosan | < 0.2 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Trifluralin | < 0.5 | ug/L |
| 7/29/2003 | 18:40 | WWR003 | P | Vinclozolin | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Acenaphthene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Acenaphthylene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Acetochlor | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Alachlor | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Allethrin | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Anthracene | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Atrazine | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Azoxystrobin | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Benfluralin | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Benzo(a)anthracene | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Benzo(ghi)perylene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Benzo-a-pyrene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Benzophenone | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Benzyl butyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Bloc | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Bromacil | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Butachlor | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Caffeine | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Carbamazepine | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|---------------------------|--------|-------|
| 7/29/2003 | 19:00 | WWR004 | P | Carisoprodol | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Chlordane | < 1 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Chlorofenvinphos | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Chlorothalonil | < 1 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Chloroxylenol | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Chlorpyrifos | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Chrysene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Cyanazine | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Cyfluthrin | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Cypermethrin | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Dacthal | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Deltamethrin | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Diazinon | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Dibutyl phthalate | < 1 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Dichlorbenil | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Dichlorvos | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Dieldrin | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Diethyl phthalate | < 1 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Dimethyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Dinoseb | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Diocetyl phthalate | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Dissolved Oxygen | 7.2 | mg/l |
| 7/29/2003 | 19:00 | WWR004 | P | Disulfoton | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Disulfoton sulfone | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Endosulfan sulfate | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | EPTC | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Ethofumesate | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Ethyl parathion | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Fluoranthene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Fluorene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Gemfibrozil | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Hexachlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Hexachlorobutadiene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Hexachlorocyclopentadiene | < 1 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Ibuprofen | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Iodofenphos | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Iprodione | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Isofenphos | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Kelthane | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Malathion | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Metalaxyl | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Metered Salinity | 1.1 | o/oo |
| 7/29/2003 | 19:00 | WWR004 | P | Methoprene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Methoxychlor | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Methyl parathion | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Metolachlor | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Metribuzin | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Naled (Dibrom) | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Naphthalene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Napropamide | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Pendimethalin | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|-------|------------|---------|-----------------------------|--------|-------|
| 7/29/2003 | 19:00 | WWR004 | P | Pentachlorobenzene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Pentachloronitrobenzene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Permethrin | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Phenanthrene | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Piperonyl butoxide | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Prometon | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Prometryne | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Propachlor | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Propiconazole | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Pyrene | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Resmethrin | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Simazine | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Sumithrin | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Tebuthiuron | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Temperature | 25 | Deg C |
| 7/29/2003 | 19:00 | WWR004 | P | Terbacil | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Terbufos | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Triadimefon | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Triclosan | < 0.2 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Trifluralin | < 0.5 | ug/L |
| 7/29/2003 | 19:00 | WWR004 | P | Vinclozolin | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,1-Dichloroethane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,1-Dichloroethene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,1-Dichloropropene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,2,4-Trichlorobenzene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,2-dibromoethane | < 0.02 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,2-Dichloroethane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,2-Dichloropropane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,3-Dichloropropane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 2,2-Dichloropropane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 2,3-Dichloropropene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 2,6-Dichlorobenzamide | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 2-Butanone (MEK) | < 20 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 2-Chlorotoluene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 2-Hydroxyatrazine | < 0.3 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 3-Chlorotoluene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 3-Hydroxycarbofuran | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 4,4 DDD | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 4,4 DDE | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | 4,4 DDT | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|------|------------|---------|-----------------------------|--------|-------|
| 10/15/2003 | 8:37 | WWR001 | | 4-Chlorotoluene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Acenaphthene | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Acenaphthylene | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Acetochlor | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Acrylonitrile | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Alachlor | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Alachlor ESA | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Alachlor OA | < 0.4 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | ALDICARB | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Aldicarb sulfone | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Aldicarb sulfoxide | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Aldrin | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Allethrin | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Allyl chloride | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Alpha - BHC | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Ammonia | 0.014 | mg/L |
| 10/15/2003 | 8:37 | WWR001 | | A-Naphthol | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Anthracene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Atrazine | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Azoxystrobin | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Benfluralin | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Benzene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Benzo(a)anthracene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Benzo(ghi)perylene | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Benzo-a-pyrene | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Benzophenone | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Benzyl butyl phthalate | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Beta - BHC | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Bloc | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Bromacil | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Bromobenzene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Bromochloromethane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Bromodichloromethane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Bromoform | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Bromomethane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Butachlor | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Caffeine | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Carbamazepine | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | CARBARYL | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | CARBOFURAN | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Carbon disulfide | 0.8 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Carbon tetrachloride | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Carisoprodol | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Chlordane | < 1 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Chlorobenzene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Chlorodibromomethane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Chlorodifluoromethane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Chloroethane | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|------|------------|---------|--------------------------|---------|------------|
| 10/15/2003 | 8:37 | WWR001 | | Chlorofenvinphos | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Chloroform | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Chloromethane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Chlorothalonil | < 1 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Chloroxylenol | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Chlorpyrifos | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Chrysene | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Cyanazine | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Cyfluthrin | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Cypermethrin | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Dacthal | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Deisopropylatrazine | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Delta - BHC | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Deltamethrin | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Depth | 4 | ft |
| 10/15/2003 | 8:37 | WWR001 | | Desethylatrazine | < 0.4 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Diazinon | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Dibromomethane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Dibutyl phthalate | < 1 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Dichlorbenil | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Dichlorodifluoromethane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Dichlorvos | < 0.6 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Didealkylatrazine | < 0.8 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Dieldrin | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Diethyl ether | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Diethyl phthalate | < 1 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Dimethyl phthalate | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Dimethyldisulfide | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Dinoseb | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Diocetyl phthalate | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Dissolved Nitrogen | 0.2 | mg/L |
| 10/15/2003 | 8:37 | WWR001 | | Dissolved Oxygen | 7.4 | mg/l |
| 10/15/2003 | 8:37 | WWR001 | | Dissolved Phosphorous | < 0.025 | mg/L |
| 10/15/2003 | 8:37 | WWR001 | | Disulfoton | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Disulfoton sulfone | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | d-Limonene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Endosulfan I | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Endosulfan II | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Endosulfan sulfate | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Endrin | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Endrin aldehyde | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | EPTC | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Ethofumesate | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Ethyl parathion | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Ethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Ethylmethacrylate | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Fecal Coliform | < 200 | MPN/100 ml |
| 10/15/2003 | 8:37 | WWR001 | | Fluoranthene | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Fluorene | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|------|------------|---------|------------------------------------|---------|-------|
| 10/15/2003 | 8:37 | WWR001 | | Freon 113 | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Gamma - BHC | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Gemfibrozil | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Heptachlor | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Heptachlor epoxide | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Hexachlorobenzene | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Hexachlorobutadiene | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Hexachlorocyclopentadiene | < 1 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Ibuprofen | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Imidacloprid | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Iodofenphos | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Iprodione | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Isofenphos | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Isopropylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Kelthane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Malaoxon | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Malathion | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Metalaxyl | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Metered Salinity | 27.9 | o/oo |
| 10/15/2003 | 8:37 | WWR001 | | Methacrylonitrile | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | METHIOCARB | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | METHOMYL | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Methoprene | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Methoxychlor | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Methyl isothiocyanate | < 2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Methyl parathion | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Methyl sulfide | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Methylene chloride | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Methylmethacrylate | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Methyl-tertiary-butyl-ether | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Metolachlor | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Metolachlor ESA (CGA-354743) | < 0.3 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Metolachlor OA (CGA-51202) | < 0.3 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Metribuzin | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Monomethyltetrachloroterephthalate | < 5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | m-Xylene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Naled (Dibrom) | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Naphthalene | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Napropamide | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | n-Butylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Nitrate & Nitrite | < 0.005 | mg/L |
| 10/15/2003 | 8:37 | WWR001 | | n-Propylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Ortho-Phosphate | < 0.005 | mg/L |
| 10/15/2003 | 8:37 | WWR001 | | OXAMYL | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | o-Xylene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | p-Diethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Pendimethalin | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Pentachlorobenzene | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|------|------------|---------|------------------------------|---------|------------|
| 10/15/2003 | 8:37 | WWR001 | | Pentachloronitrobenzene | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Permethrin | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Phenanthrene | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Piperonyl butoxide | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | p-Isopropyltoluene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Prometon | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Prometryne | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Propachlor | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Propamocarb hydrochloride | < 0.3 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Propiconazole | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | PROPOXUR | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | p-Xylene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Pyrene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Resmethrin | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | sec-Butylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Siduron | < 0.3 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Simazine | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Sumithrin | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Tebuthiuron | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Temperature | 16.5 | Deg C |
| 10/15/2003 | 8:37 | WWR001 | | Terbacil | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Terbufos | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | tert-Amyl-Methyl-Ether | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | tert-Butylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Tetrachloroethene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Tetrachloroterephthalic Acid | < 5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Tetrahydrofuran | < 20 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Toluene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Total Chlorotoluene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Total Coliform | < 200 | MPN/100 ml |
| 10/15/2003 | 8:37 | WWR001 | | Total Nitrogen | 0.26 | mg/L |
| 10/15/2003 | 8:37 | WWR001 | | Total Phosphorous | < 0.025 | mg/L |
| 10/15/2003 | 8:37 | WWR001 | | Total Xylene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Triadimefon | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Trichlorfon | < 0.3 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Trichloroethene | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Trichlorofluoromethane | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Triclosan | < 0.2 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Trifluralin | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Vinclozolin | < 0.5 | ug/L |
| 10/15/2003 | 8:37 | WWR001 | | Vinyl chloride | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,1-Dichloroethane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,1-Dichloroethene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,1-Dichloropropene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|------|------------|---------|-----------------------------|--------|-------|
| 10/15/2003 | 9:35 | WWR002 | | 1,2,4-Trichlorobenzene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,2-dibromoethane | < 0.02 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,2-Dichloroethane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,2-Dichloropropane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,3-Dichloropropane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 2,2-Dichloropropane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 2,3-Dichloropropene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 2,6-Dichlorobenzamide | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 2-Butanone (MEK) | < 20 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 2-Chlorotoluene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 2-Hydroxyatrazine | < 0.3 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 3-Chlorotoluene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 3-Hydroxycarbofuran | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 4,4 DDD | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 4,4 DDE | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 4,4 DDT | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | 4-Chlorotoluene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Acenaphthene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Acenaphthylene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Acetochlor | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Acrylonitrile | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Alachlor | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Alachlor ESA | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Alachlor OA | < 0.4 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | ALDICARB | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Aldicarb sulfone | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Aldicarb sulfoxide | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Aldrin | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Allethrin | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Allyl chloride | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Alpha - BHC | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Ammonia | 0.01 | mg/L |
| 10/15/2003 | 9:35 | WWR002 | | A-Naphthol | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Anthracene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Atrazine | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Azoxystrobin | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Benfluralin | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Benzene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Benzo(a)anthracene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Benzo(ghi)perylene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Benzo-a-pyrene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Benzophenone | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Benzyl butyl phthalate | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Beta - BHC | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|------|------------|---------|-----------------------------|--------|-------|
| 10/15/2003 | 9:35 | WWR002 | | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Bloc | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Bromacil | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Bromobenzene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Bromochloromethane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Bromodichloromethane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Bromoform | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Bromomethane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Butachlor | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Caffeine | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Carbamazepine | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | CARBARYL | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | CARBOFURAN | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Carbon disulfide | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Carbon tetrachloride | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Carisoprodol | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Chlordane | < 1 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Chlorobenzene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Chlorodibromomethane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Chlorodifluoromethane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Chloroethane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Chlorofenvinphos | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Chloroform | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Chloromethane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Chlorothonil | < 1 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Chloroxylenol | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Chlorpyrifos | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Chrysene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Cyanazine | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Cyfluthrin | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Cypermethrin | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Dacthal | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Deisopropylatrazine | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Delta - BHC | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Deltamethrin | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Depth | 3 | ft |
| 10/15/2003 | 9:35 | WWR002 | | Desethylatrazine | < 0.4 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Diazinon | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Dibromomethane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Dibutyl phthalate | < 1 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Dichlorbenil | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Dichlorodifluoromethane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Dichlorvos | < 0.6 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Didealkylatrazine | < 0.8 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Dieldrin | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Diethyl ether | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Diethyl phthalate | < 1 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Dimethyl phthalate | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|------|------------|---------|---------------------------|---------|------------|
| 10/15/2003 | 9:35 | WWR002 | | Dimethyldisulfide | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Dinoseb | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Diocetyl phthalate | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Dissolved Nitrogen | 0.24 | mg/L |
| 10/15/2003 | 9:35 | WWR002 | | Dissolved Oxygen | 6.8 | mg/l |
| 10/15/2003 | 9:35 | WWR002 | | Dissolved Phosphorous | < 0.025 | mg/L |
| 10/15/2003 | 9:35 | WWR002 | | Disulfoton | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Disulfoton sulfone | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | d-Limonene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Endosulfan I | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Endosulfan II | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Endosulfan Sulfate | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Endrin | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Endrin aldehyde | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | EPTC | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Ethofumesate | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Ethyl parathion | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Ethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Ethylmethacrylate | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Fecal Coliform | < 200 | MPN/100 ml |
| 10/15/2003 | 9:35 | WWR002 | | Fluoranthene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Fluorene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Freon 113 | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Gamma - BHC | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Gemfibrozil | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Heptachlor | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Heptachlor epoxide | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Hexachlorobenzene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Hexachlorobutadiene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Hexachlorocyclopentadiene | < 1 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Ibuprofen | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Imidacloprid | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Iodofenphos | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Iprodione | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Isofenphos | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Isopropylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Kelthane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Malaoxon | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Malathion | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Metalaxyl | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Metered Salinity | 27.4 | o/oo |
| 10/15/2003 | 9:35 | WWR002 | | Methacrylonitrile | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | METHIOCARB | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | METHOMYL | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Methoprene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Methoxychlor | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Methyl isothiocyanate | < 2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Methyl parathion | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Methyl sulfide | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Methylene chloride | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Methylmethacrylate | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|------|------------|---------|------------------------------------|---------|------------|
| 10/15/2003 | 9:35 | WWR002 | | Methyl-tertiary-butyl-ether | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Metolachlor | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Metolachlor ESA (CGA-354743) | < 0.3 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Metolachlor OA (CGA-51202) | < 0.3 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Metribuzin | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Monomethyltetrachloroterephthalate | < 5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | m-Xylene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Naled (Dibrom) | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Naphthalene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Napropamide | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | n-Butylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Nitrate & Nitrite | 0.00555 | mg/L |
| 10/15/2003 | 9:35 | WWR002 | | n-Propylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Ortho-Phosphate | 0.009 | mg/L |
| 10/15/2003 | 9:35 | WWR002 | | OXAMYL | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | o-Xylene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | p-Diethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Pendimethalin | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Pentachlorobenzene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Pentachloronitrobenzene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Permethrin | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Phenanthrene | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Piperonyl butoxide | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | p-Isopropyltoluene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Prometon | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Prometryne | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Propachlor | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Propamocarb hydrochloride | < 0.3 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Propiconazole | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | PROPOXUR | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | p-Xylene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Pyrene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Resmethrin | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | sec-Butylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Siduron | < 0.3 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Simazine | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Sumithrin | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Tebuthiuron | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Temperature | 16.3 | Deg C |
| 10/15/2003 | 9:35 | WWR002 | | Terbacil | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Terbufos | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | tert-Amyl-Methyl-Ether | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | tert-Butylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Tetrachloroethene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Tetrachloroterephthalic Acid | < 5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Tetrahydrofuran | < 20 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Toluene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Total Chlorotoluene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Total Coliform | 200 | MPN/100 ml |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|-------|------------|---------|-----------------------------|--------|-------|
| 10/15/2003 | 9:35 | WWR002 | | Total Nitrogen | 0.29 | mg/L |
| 10/15/2003 | 9:35 | WWR002 | | Total Phosphorous | 0.0461 | mg/L |
| 10/15/2003 | 9:35 | WWR002 | | Total Xylene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Triadimefon | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Trichlorfon | < 0.3 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Trichloroethene | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Trichlorofluoromethane | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Triclosan | < 0.2 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Trifluralin | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Vinclozolin | < 0.5 | ug/L |
| 10/15/2003 | 9:35 | WWR002 | | Vinyl chloride | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,1-Dichloroethane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,1-Dichloroethene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,1-Dichloropropene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,2,4-Trichlorobenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,2-dibromoethane | < 0.02 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,2-Dichloroethane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,2-Dichloropropane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,3-Dichloropropane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 2,2-Dichloropropane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 2,3-Dichloropropene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 2,6-Dichlorobenzamide | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 2-Butanone (MEK) | < 20 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 2-Chlorotoluene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 2-Hydroxyatrazine | < 0.3 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 3-Chlorotoluene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 3-Hydroxycarbofuran | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 4,4 DDD | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 4,4 DDE | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 4,4 DDT | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | 4-Chlorotoluene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Acenaphthene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Acenaphthylene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Acetochlor | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Acrylonitrile | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Alachlor | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Alachlor ESA | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Alachlor OA | < 0.4 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|-------|------------|---------|-----------------------------|--------|-------|
| 10/15/2003 | 10:45 | WWR003 | | ALDICARB | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Aldicarb sulfone | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Aldicarb sulfoxide | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Aldrin | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Allethrin | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Allyl chloride | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Alpha - BHC | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Ammonia | 0.013 | mg/L |
| 10/15/2003 | 10:45 | WWR003 | | A-Naphthol | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Anthracene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Atrazine | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Azoxystrobin | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Benfluralin | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Benzene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Benzo(a)anthracene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Benzo(ghi)perylene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Benzo-a-pyrene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Benzophenone | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Benzyl butyl phthalate | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Beta - BHC | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Bloc | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Bromacil | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Bromobenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Bromochloromethane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Bromodichloromethane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Bromoform | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Bromomethane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Butachlor | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Caffeine | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Carbamazepine | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | CARBARYL | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | CARBOFURAN | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Carbon disulfide | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Carbon tetrachloride | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Carisoprodol | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Chlordane | < 1 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Chlorobenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Chlorodibromomethane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Chlorodifluoromethane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Chloroethane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Chlorofenvinphos | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Chloroform | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Chloromethane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Chlorothalonil | < 1 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Chloroxlenol | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Chlorpyrifos | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Chrysene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | cis-1,2-Dichloroethene | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|-------|------------|---------|---------------------------|---------|------------|
| 10/15/2003 | 10:45 | WWR003 | | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Cyanazine | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Cyfluthrin | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Cypermethrin | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Dacthal | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Deisopropylatrazine | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Delta - BHC | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Deltamethrin | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Depth | 3 | ft |
| 10/15/2003 | 10:45 | WWR003 | | Desethylatrazine | < 0.4 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Diazinon | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Dibromomethane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Dibutyl phthalate | < 1 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Dichlorbenil | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Dichlorodifluoromethane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Dichlorvos | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Didealkylatrazine | < 0.8 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Dieldrin | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Diethyl ether | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Diethyl phthalate | < 1 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Dimethyl phthalate | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Dimethyldisulfide | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Dinoseb | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Diocetyl phthalate | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Dissolved Nitrogen | 0.23 | mg/L |
| 10/15/2003 | 10:45 | WWR003 | | Dissolved Oxygen | 7.2 | mg/l |
| 10/15/2003 | 10:45 | WWR003 | | Dissolved Phosphorous | < 0.025 | mg/L |
| 10/15/2003 | 10:45 | WWR003 | | Disulfoton | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Disulfoton sulfone | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | d-Limonene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Endosulfan I | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Endosulfan II | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Endosulfan sulfate | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Endrin | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Endrin aldehyde | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | EPTC | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Ethofumesate | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Ethyl parathion | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Ethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Ethylmethacrylate | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Fecal Coliform | 200 | MPN/100 ml |
| 10/15/2003 | 10:45 | WWR003 | | Fluoranthene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Fluorene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Freon 113 | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Gamma - BHC | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Gemfibrozil | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Heptachlor | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Heptachlor epoxide | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Hexachlorobenzene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Hexachlorobutadiene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Hexachlorocyclopentadiene | < 1 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|-------|------------|---------|------------------------------------|---------|-------|
| 10/15/2003 | 10:45 | WWR003 | | Ibuprofen | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Imidacloprid | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Iodofenphos | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Iprodione | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Isofenphos | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Isopropylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Kelthane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Malaoxon | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Malathion | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Metalaxyl | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Metered Salinity | 27.9 | o/oo |
| 10/15/2003 | 10:45 | WWR003 | | Methacrylonitrile | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | METHIOCARB | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | METHOMYL | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Methoprene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Methoxychlor | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Methyl isothiocyanate | < 2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Methyl parathion | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Methyl sulfide | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Methylene chloride | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Methylmethacrylate | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Methyl-tertiary-butyl-ether | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Metolachlor | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Metolachlor ESA (CGA-354743) | < 0.3 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Metolachlor OA (CGA-51202) | < 0.3 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Metribuzin | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Monomethyltetrachloroterephthalate | < 5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | m-Xylene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Naled (Dibrom) | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Naphthalene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Napropamide | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | n-Butylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Nitrate & Nitrite | < 0.005 | mg/L |
| 10/15/2003 | 10:45 | WWR003 | | n-Propylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Ortho-Phosphate | < 0.005 | mg/L |
| 10/15/2003 | 10:45 | WWR003 | | OXAMYL | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | o-Xylene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | p-Diethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Pendimethalin | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Pentachlorobenzene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Pentachloronitrobenzene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Permethrin | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Phenanthrene | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Piperonyl butoxide | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | p-Isopropyltoluene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Prometon | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Prometryne | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Propachlor | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|-------|------------|---------|------------------------------|--------|------------|
| 10/15/2003 | 10:45 | WWR003 | | Propamocarb hydrochloride | < 0.3 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Propiconazole | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | PROPOXUR | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | p-Xylene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Pyrene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Resmethrin | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | sec-Butylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Siduron | < 0.3 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Simazine | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Sumithrin | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Tebuthiuron | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Temperature | 16.2 | Deg C |
| 10/15/2003 | 10:45 | WWR003 | | Terbacil | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Terbufos | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | tert-Amyl-Methyl-Ether | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | tert-Butylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Tetrachloroethene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Tetrachloroterephthalic Acid | < 5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Tetrahydrofuran | < 20 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Toluene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Total Chlorotoluene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Total Coliform | 400 | MPN/100 ml |
| 10/15/2003 | 10:45 | WWR003 | | Total Nitrogen | 0.26 | mg/L |
| 10/15/2003 | 10:45 | WWR003 | | Total Phosphorous | 0.04 | mg/L |
| 10/15/2003 | 10:45 | WWR003 | | Total Xylene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Triadimefon | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Trichlorfon | < 0.3 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Trichloroethene | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Trichlorofluoromethane | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Triclosan | < 0.2 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Trifluralin | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Vinclozolin | < 0.5 | ug/L |
| 10/15/2003 | 10:45 | WWR003 | | Vinyl chloride | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,1-Dichloroethane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,1-Dichloroethene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,1-Dichloropropene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,2-dibromoethane | < 0.02 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,2-Dichloroethane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,2-Dichloropropane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|-------|------------|---------|-----------------------------|--------|-------|
| 10/15/2003 | 10:55 | WWR004 | | 1,3-Dichloropropane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 2,2-Dichloropropane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 2,3-Dichloropropene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 2,6-Dichlorobenzamide | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 2-Butanone (MEK) | < 20 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 2-Chlorotoluene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 2-Hydroxyatrazine | < 0.3 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 3-Chlorotoluene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 3-Hydroxycarbofuran | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 4,4 DDD | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 4,4 DDE | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 4,4 DDT | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | 4-Chlorotoluene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Acenaphthene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Acenaphthylene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Acetochlor | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Acrylonitrile | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Alachlor | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Alachlor ESA | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Alachlor OA | < 0.4 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | ALDICARB | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Aldicarb sulfone | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Aldicarb sulfoxide | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Aldrin | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Allethrin | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Allyl chloride | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Alpha - BHC | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Ammonia | 0.018 | mg/L |
| 10/15/2003 | 10:55 | WWR004 | | A-Naphthol | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Anthracene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Atrazine | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Azoxystrobin | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Benfluralin | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Benzene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Benzo(a)anthracene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Benzo(ghi)perylene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Benzo-a-pyrene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Benzophenone | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Benzyl butyl phthalate | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Beta - BHC | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Bloc | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Bromacil | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Bromobenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Bromochloromethane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Bromodichloromethane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Bromoform | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Bromomethane | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|-------|------------|---------|--------------------------|--------|-------|
| 10/15/2003 | 10:55 | WWR004 | | Butachlor | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Caffeine | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Carbamazepine | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | CARBARYL | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | CARBOFURAN | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Carbon disulfide | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Carbon tetrachloride | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Carisoprodol | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Chlordane | < 1 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Chlorobenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Chlorodibromomethane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Chlorodifluoromethane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Chloroethane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Chlorofenvinphos | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Chloroform | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Chloromethane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Chlorothalonil | < 1 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Chloroxyleneol | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Chlorpyrifos | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Chrysene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Cyanazine | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Cyfluthrin | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Cypermethrin | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Dacthal | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Deisopropylatrazine | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Delta - BHC | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Deltamethrin | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Depth | 3 | ft |
| 10/15/2003 | 10:55 | WWR004 | | Desethylatrazine | < 0.4 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Diazinon | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Dibromomethane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Dibutyl phthalate | < 1 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Dichlorbenil | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Dichlorodifluoromethane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Dichlorvos | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Didealkylatrazine | < 0.8 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Dieldrin | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Diethyl ether | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Diethyl phthalate | < 1 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Dimethyl phthalate | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Dimethyldisulfide | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Dinoseb | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Diocetyl phthalate | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Dissolved Nitrogen | 0.2 | mg/L |
| 10/15/2003 | 10:55 | WWR004 | | Dissolved Oxygen | 6.8 | mg/l |
| 10/15/2003 | 10:55 | WWR004 | | Dissolved Phosphorous | 0.0765 | mg/L |
| 10/15/2003 | 10:55 | WWR004 | | Disulfoton | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Disulfoton sulfone | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|-------|------------|---------|------------------------------------|--------|------------|
| 10/15/2003 | 10:55 | WWR004 | | d-Limonene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Endosulfan I | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Endosulfan II | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Endosulfan Sulfate | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Endrin | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Endrin aldehyde | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | EPTC | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Ethofumesate | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Ethyl parathion | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Ethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Ethylmethacrylate | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Fecal Coliform | 400 | MPN/100 ml |
| 10/15/2003 | 10:55 | WWR004 | | Fluoranthene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Fluorene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Freon 113 | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Gamma - BHC | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Gemfibrozil | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Heptachlor | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Heptachlor epoxide | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Hexachlorobenzene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Hexachlorobutadiene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Hexachlorocyclopentadiene | < 1 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Ibuprofen | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Imidacloprid | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Iodofenphos | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Iprodione | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Isofenphos | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Isopropylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Kelthane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Malaoxon | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Malathion | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Metalaxyl | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Metered Salinity | 27.1 | o/oo |
| 10/15/2003 | 10:55 | WWR004 | | Methacrylonitrile | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | METHIOCARB | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | METHOMYL | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Methoprene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Methoxychlor | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Methyl isothiocyanate | < 2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Methyl parathion | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Methyl sulfide | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Methylene chloride | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Methylmethacrylate | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Methyl-tertiary-butyl-ether | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Metolachlor | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Metolachlor ESA (CGA-354743) | < 0.3 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Metolachlor OA (CGA-51202) | < 0.3 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|-------|------------|---------|------------------------------------|--------|------------|
| 10/15/2003 | 10:55 | WWR004 | | Metribuzin | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Monomethyltetrachloroterephthalate | < 5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | m-Xylene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Naled (Dibrom) | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Naphthalene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Napropamide | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | n-Butylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Nitrate & Nitrite | 0.0137 | mg/L |
| 10/15/2003 | 10:55 | WWR004 | | n-Propylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Ortho-Phosphate | 0.006 | mg/L |
| 10/15/2003 | 10:55 | WWR004 | | OXAMYL | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | o-Xylene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | p-Diethylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Pendimethalin | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Pentachlorobenzene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Pentachloronitrobenzene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Permethrin | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Phenanthrene | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Piperonyl butoxide | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | p-Isopropyltoluene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Prometon | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Prometryne | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Propachlor | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Propamocarb hydrochloride | < 0.3 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Propiconazole | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | PROPOXUR | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | p-Xylene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Pyrene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Resmethrin | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | sec-Butylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Siduron | < 0.3 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Simazine | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Sumithrin | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Tebuthiuron | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Temperature | 16.6 | Deg C |
| 10/15/2003 | 10:55 | WWR004 | | Terbacil | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Terbufos | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | tert-Amyl-Methyl-Ether | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | tert-Butylbenzene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Tetrachloroethene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Tetrachloroterephthalic Acid | < 5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Tetrahydrofuran | < 20 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Toluene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Total Chlorotoluene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Total Coliform | 1700 | MPN/100 ml |
| 10/15/2003 | 10:55 | WWR004 | | Total Nitrogen | 0.21 | mg/L |
| 10/15/2003 | 10:55 | WWR004 | | Total Phosphorous | 0.0402 | mg/L |
| 10/15/2003 | 10:55 | WWR004 | | Total Xylene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Triadimefon | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Trichlorfon | < 0.3 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Trichloroethene | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|------------|-------|------------|---------|-----------------------------|--------|-------|
| 10/15/2003 | 10:55 | WWR004 | | Trichlorofluoromethane | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Triclosan | < 0.2 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Trifluralin | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Vinclozolin | < 0.5 | ug/L |
| 10/15/2003 | 10:55 | WWR004 | | Vinyl chloride | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,1-Dichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,1-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,1-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,2-dibromoethane | < 0.02 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,2-Dichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,2-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,3-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 2,2-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 2,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 2-Butanone (MEK) | < 20 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 2-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 2-Hydroxyatrazine | < 0.3 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 3-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 3-Hydroxycarbofuran | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 4,4 DDD | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 4,4 DDE | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 4,4 DDT | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | 4-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Acenaphthene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Acenaphthylene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Acetochlor | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Acrylonitrile | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Alachlor | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Alachlor ESA | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Alachlor OA | < 0.4 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | ALDICARB | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Aldicarb sulfone | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Aldicarb sulfoxide | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Aldrin | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Allethrin | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Allyl chloride | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Alpha - BHC | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Ammonia (not distilled) | 0.0519 | mg/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|-----------------------------|--------|-------|
| 9/16/2004 | 6:40 | WWR004 | A | A-Naphthol | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Anthracene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Atrazine | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Azoxystrobin | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Benfluralin | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Benzene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Benzo(a)anthracene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Benzo(ghi)perylene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Benzo-a-pyrene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Benzophenone | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Benzyl butyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Beta - BHC | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Bloc | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Bromacil | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Bromobenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Bromochloromethane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Bromodichloromethane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Bromoform | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Bromomethane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Butachlor | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Caffeine | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Carbamazepine | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | CARBARYL | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Carbazole | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | CARBOFURAN | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Carbon disulfide | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Carbon tetrachloride | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Carisoprodol | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Chlordane | < 1 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Chlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Chlorodibromomethane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Chlorodifluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Chloroethane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Chlorofenvinphos | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Chloroform | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Chloromethane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Chloroethalonil | < 1 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Chloroxylenol | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Chlorpyrifos | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Chrysene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Cyanazine | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Cyfluthrin | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Cypermethrin | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Dacthal | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Deisopropylatrazine | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Delta - BHC | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|---------------------------|--------|------------|
| 9/16/2004 | 6:40 | WWR004 | A | Deltamethrin | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Desethylatrazine | < 0.4 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Diazinon | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Dibromomethane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Dibutyl phthalate | < 1 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Dichlorbenil | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Dichlorodifluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Dichlorvos | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Didealkylatrazine | < 0.8 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Dieldrin | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Diethyl ether | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Diethyl phthalate | < 1 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Dimethyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Dimethyldisulfide | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Dinoseb | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Diocetyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Dissolved Nitrogen | 0.38 | mg/L |
| 9/16/2004 | 6:40 | WWR004 | A | Dissolved Oxygen | 5 | mg/l |
| 9/16/2004 | 6:40 | WWR004 | A | Dissolved Phosphorous | 0.0423 | mg/L |
| 9/16/2004 | 6:40 | WWR004 | A | Disulfoton | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Disulfoton sulfone | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | d-Limonene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Endosulfan I | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Endosulfan II | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Endosulfan Sulfate | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Endrin | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Endrin aldehyde | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | EPTC | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Ethofumesate | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Ethyl parathion | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Ethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Ethylmethacrylate | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Fecal Coliform | 1300 | MPN/100 ml |
| 9/16/2004 | 6:40 | WWR004 | A | Fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Fluorene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Freon 113 | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Gamma - BHC | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Gemfibrozil | < 0.4 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Heptachlor | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Heptachlor epoxide | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Hexachlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Hexachlorobutadiene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Hexachlorocyclopentadiene | < 1 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Hexachloroethane | < 1 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Ibuprofen | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Imidacloprid | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Iodofenphos | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Iprodione | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Isofenphos | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Isopropylbenzene | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|------------------------------------|--------|-------|
| 9/16/2004 | 6:40 | WWR004 | A | Kelthane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Malaoxon | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Malathion | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Metalaxyl | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Metered Salinity | 4.5 | o/oo |
| 9/16/2004 | 6:40 | WWR004 | A | Methacrylonitrile | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | METHIOCARB | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | METHOMYL | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Methoprene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Methoxychlor | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Methyl isothiocyanate | < 2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Methyl parathion | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Methyl sulfide | 1 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Methylene chloride | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Methylmethacrylate | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Methyl-tertiary-butyl-ether | 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Metolachlor | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Metribuzin | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Monomethyltetrachloroterephthalate | < 5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | m-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Naled (Dibrom) | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Naphthalene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Napropamide | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | n-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Nitrate & Nitrite | 0.293 | mg/L |
| 9/16/2004 | 6:40 | WWR004 | A | n-Propane | < 2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | n-Propylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Ortho-Phosphate | 0.0554 | mg/L |
| 9/16/2004 | 6:40 | WWR004 | A | OXAMYL | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | o-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | p-Diethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Pendimethalin | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Pentachlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Pentachloronitrobenzene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Permethrin | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | pH | 6.9 | N/A |
| 9/16/2004 | 6:40 | WWR004 | A | Phenanthrene | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Piperonyl butoxide | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | p-Isopropyltoluene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Prometon | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Prometryne | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Propachlor | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Propamocarb hydrochloride | < 0.3 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Propiconazole | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | PROPOXUR | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | p-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Pyrene | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|------------------------------|--------|------------|
| 9/16/2004 | 6:40 | WWR004 | A | Resmethrin | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | sec-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Siduron | < 0.3 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Simazine | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Sumithrin | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Tebuthiuron | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Temperature | 19.7 | Deg C |
| 9/16/2004 | 6:40 | WWR004 | A | Terbacil | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Terbufos | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | tert-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Tetrachloroethene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Tetrachloroterephthalic Acid | < 5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Tetrahydrofuran | < 20 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Toluene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Total Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Total Coliform | 2400 | MPN/100 ml |
| 9/16/2004 | 6:40 | WWR004 | A | Total Nitrogen | 0.78 | mg/L |
| 9/16/2004 | 6:40 | WWR004 | A | Total Phosphorous | 0.0891 | mg/L |
| 9/16/2004 | 6:40 | WWR004 | A | Total Xylene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Triadimefon | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Trichlorfon | < 0.3 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Trichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Trichlorofluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Triclosan | < 0.2 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Trifluralin | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Vinclozolin | < 0.5 | ug/L |
| 9/16/2004 | 6:40 | WWR004 | A | Vinyl chloride | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,1-Dichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,1-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,1-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,2-dibromoethane | < 0.02 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,2-Dichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,2-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,3-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 2,2-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 2,3-Dichloropropene | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|-----------------------------|--------|-------|
| 9/16/2004 | 6:55 | WWR003 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 2-Butanone (MEK) | < 20 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 2-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 3-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 3-Hydroxycarbofuran | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 4,4 DDD | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 4,4 DDE | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 4,4 DDT | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | 4-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Acenaphthene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Acenaphthylene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Acetochlor | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Acrylonitrile | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Alachlor | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | ALDICARB | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Aldicarb sulfone | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Aldicarb sulfoxide | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Aldrin | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Allethrin | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Allyl chloride | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Alpha - BHC | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Ammonia (not distilled) | 0.0149 | mg/L |
| 9/16/2004 | 6:55 | WWR003 | A | A-Naphthol | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Anthracene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Atrazine | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Azoxystrobin | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Benfluralin | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Benzene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Benzo(a)anthracene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Benzo(ghi)perylene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Benzo-a-pyrene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Benzophenone | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Benzyl butyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Beta - BHC | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Bloc | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Bromacil | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Bromobenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Bromochloromethane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Bromodichloromethane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Bromoform | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Bromomethane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Butachlor | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Caffeine | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Carbamazepine | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | CARBARYL | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Carbazole | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | CARBOFURAN | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Carbon disulfide | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|--------------------------|--------|-------|
| 9/16/2004 | 6:55 | WWR003 | A | Carbon tetrachloride | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Carisoprodol | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Chlordane | < 1 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Chlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Chlorodibromomethane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Chlorodifluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Chloroethane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Chlorofenvinphos | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Chloroform | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Chloromethane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Chlorothonil | < 1 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Chloroxylenol | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Chlorpyrifos | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Chrysene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Cyanazine | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Cyfluthrin | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Cypermethrin | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Dacthal | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Delta - BHC | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Deltamethrin | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Diazinon | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Dibromomethane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Dibutyl phthalate | < 1 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Dichlorobenil | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Dichlorodifluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Dichlorvos | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Dieldrin | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Diethyl ether | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Diethyl phthalate | < 1 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Dimethyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Dimethyldisulfide | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Dinoseb | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Diocetyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Dissolved Nitrogen | 0.09 | mg/L |
| 9/16/2004 | 6:55 | WWR003 | A | Dissolved Oxygen | 2 | mg/l |
| 9/16/2004 | 6:55 | WWR003 | A | Dissolved Phosphorous | 0.03 | mg/L |
| 9/16/2004 | 6:55 | WWR003 | A | Disulfoton | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Disulfoton sulfone | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | d-Limonene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Endosulfan I | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Endosulfan II | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Endosulfan sulfate | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Endrin | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Endrin aldehyde | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | EPTC | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Ethofumesate | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Ethyl parathion | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Ethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Ethylmethacrylate | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|------------------------------------|--------|------------|
| 9/16/2004 | 6:55 | WWR003 | A | Fecal Coliform | 800 | MPN/100 ml |
| 9/16/2004 | 6:55 | WWR003 | A | Fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Fluorene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Freon 113 | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Gamma - BHC | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Heptachlor | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Heptachlor epoxide | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Hexachlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Hexachlorobutadiene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Hexachlorocyclopentadiene | < 1 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Hexachloroethane | < 1 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Iodofenphos | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Iprodione | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Isofenphos | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Isopropylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Kelthane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Malathion | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Metalaxyl | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Metered Salinity | 6.7 | o/oo |
| 9/16/2004 | 6:55 | WWR003 | A | Methacrylonitrile | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | METHIOCARB | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | METHOMYL | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Methoprene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Methoxychlor | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Methyl isothiocyanate | < 2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Methyl parathion | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Methyl sulfide | 2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Methylene chloride | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Methylmethacrylate | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Metolachlor | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Metribuzin | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Monomethyltetrachloroterephthalate | < 5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | m-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Naled (Dibrom) | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Naphthalene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Napropamide | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | n-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Nitrate & Nitrite | 0.268 | mg/L |
| 9/16/2004 | 6:55 | WWR003 | A | n-Propane | < 2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | n-Propylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Ortho-Phosphate | 0.0422 | mg/L |
| 9/16/2004 | 6:55 | WWR003 | A | OXAMYL | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | o-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | p-Diethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Pendimethalin | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Pentachlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Pentachloronitrobenzene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Permethrin | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | pH | 7 | N/A |
| 9/16/2004 | 6:55 | WWR003 | A | Phenanthrene | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Piperonyl butoxide | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|------------------------------|--------|------------|
| 9/16/2004 | 6:55 | WWR003 | A | p-Isopropyltoluene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Prometon | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Prometryne | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Propachlor | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Propiconazole | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | PROPOXUR | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | p-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Pyrene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Resmethrin | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | sec-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Simazine | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Sumithrin | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Tebuthiuron | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Temperature | 20.9 | Deg C |
| 9/16/2004 | 6:55 | WWR003 | A | Terbacil | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Terbufos | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | tert-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Tetrachloroethene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Tetrachloroterephthalic Acid | < 5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Tetrahydrofuran | < 20 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Toluene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Total Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Total Coliform | 800 | MPN/100 ml |
| 9/16/2004 | 6:55 | WWR003 | A | Total Nitrogen | 0.86 | mg/L |
| 9/16/2004 | 6:55 | WWR003 | A | Total Phosphorous | 0.123 | mg/L |
| 9/16/2004 | 6:55 | WWR003 | A | Total Xylene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Triadimefon | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Trichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Trichlorofluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Triclosan | < 0.2 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Trifluralin | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Vinclozolin | < 0.5 | ug/L |
| 9/16/2004 | 6:55 | WWR003 | A | Vinyl chloride | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,1-Dichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,1-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,1-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,2,4-Trichlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,2-dibromoethane | < 0.02 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|-----------------------------|--------|-------|
| 9/16/2004 | 7:15 | WWR002 | A | 1,2-Dichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,2-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,3-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 2,2-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 2,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 2-Butanone (MEK) | < 20 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 2-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 3-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 3-Hydroxycarbofuran | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 4,4 DDD | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 4,4 DDE | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 4,4 DDT | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | 4-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Acenaphthene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Acenaphthylene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Acetochlor | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Acrylonitrile | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Alachlor | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | ALDICARB | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Aldicarb sulfone | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Aldicarb sulfoxide | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Aldrin | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Allethrin | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Allyl chloride | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Alpha - BHC | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Ammonia (not distilled) | 0.0167 | mg/L |
| 9/16/2004 | 7:15 | WWR002 | A | A-Naphthol | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Anthracene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Atrazine | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Azoxystrobin | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Benfluralin | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Benzene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Benzo(a)anthracene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Benzo(ghi)perylene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Benzo-a-pyrene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Benzophenone | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Benzyl butyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Beta - BHC | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|--------------------------|--------|-------|
| 9/16/2004 | 7:15 | WWR002 | A | Bloc | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Bromacil | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Bromobenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Bromochloromethane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Bromodichloromethane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Bromoform | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Bromomethane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Butachlor | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Caffeine | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Carbamazepine | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | CARBARYL | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Carbazole | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | CARBOFURAN | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Carbon disulfide | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Carbon tetrachloride | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Carisoprodol | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Chlordane | < 1 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Chlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Chlorodibromomethane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Chlorodifluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Chloroethane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Chlorofenvinphos | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Chloroform | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Chloromethane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Chlorothalonil | < 1 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Chloroxylenol | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Chlorpyrifos | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Chrysene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Cyanazine | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Cyfluthrin | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Cypermethrin | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Dacthal | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Delta - BHC | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Deltamethrin | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Diazinon | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Dibromomethane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Dibutyl phthalate | < 1 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Dichlorbenil | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Dichlorodifluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Dichlorvos | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Dieldrin | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|---------------------------|--------|------------|
| 9/16/2004 | 7:15 | WWR002 | A | Diethyl ether | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Diethyl phthalate | < 1 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Dimethyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Dimethyldisulfide | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Dinoseb | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Diocetyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Dissolved Nitrogen | < 0.05 | mg/L |
| 9/16/2004 | 7:15 | WWR002 | A | Dissolved Oxygen | 3.9 | mg/l |
| 9/16/2004 | 7:15 | WWR002 | A | Dissolved Phosphorous | 0.0704 | mg/L |
| 9/16/2004 | 7:15 | WWR002 | A | Disulfoton | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Disulfoton sulfone | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | d-Limonene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Endosulfan I | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Endosulfan II | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Endosulfan Sulfate | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Endrin | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Endrin aldehyde | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | EPTC | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Ethofumesate | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Ethyl parathion | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Ethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Ethylmethacrylate | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Fecal Coliform | 2200 | MPN/100 ml |
| 9/16/2004 | 7:15 | WWR002 | A | Fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Fluorene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Freon 113 | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Gamma - BHC | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Heptachlor | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Heptachlor epoxide | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Hexachlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Hexachlorobutadiene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Hexachlorocyclopentadiene | < 1 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Hexachloroethane | < 1 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Iodofenphos | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Iprodione | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Isofenphos | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Isopropylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Kelthane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Malathion | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Metalaxyl | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Metered Salinity | 12 | o/oo |
| 9/16/2004 | 7:15 | WWR002 | A | Methacrylonitrile | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|------------------------------------|--------|-------|
| 9/16/2004 | 7:15 | WWR002 | A | METHIOCARB | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | METHOMYL | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Methoprene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Methoxychlor | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Methyl isothiocyanate | < 2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Methyl parathion | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Methyl sulfide | 2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Methylene chloride | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Methylmethacrylate | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Metolachlor | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Metribuzin | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Monomethyltetrachloroterephthalate | < 5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | m-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Naled (Dibrom) | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Naphthalene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Napropamide | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | n-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Nitrate & Nitrite | 0.259 | mg/L |
| 9/16/2004 | 7:15 | WWR002 | A | n-Propane | < 2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | n-Propylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Ortho-Phosphate | 0.0192 | mg/L |
| 9/16/2004 | 7:15 | WWR002 | A | OXAMYL | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | o-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | p-Diethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Pendimethalin | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Pentachlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Pentachloronitrobenzene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Permethrin | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | pH | 7.4 | N/A |
| 9/16/2004 | 7:15 | WWR002 | A | Phenanthrene | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Piperonyl butoxide | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | p-Isopropyltoluene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Prometon | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Prometryne | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Propachlor | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Propiconazole | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | PROPOXUR | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | p-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Pyrene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Resmethrin | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | sec-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Simazine | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Sumithrin | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Tebuthiuron | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Temperature | 21.4 | Deg C |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|------------------------------|--------|------------|
| 9/16/2004 | 7:15 | WWR002 | A | Terbacil | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Terbufos | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | tert-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Tetrachloroethene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Tetrachloroterephthalic Acid | < 5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Tetrahydrofuran | < 20 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Toluene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Total Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Total Coliform | 3500 | MPN/100 ml |
| 9/16/2004 | 7:15 | WWR002 | A | Total Nitrogen | 0.16 | mg/L |
| 9/16/2004 | 7:15 | WWR002 | A | Total Phosphorous | 0.0453 | mg/L |
| 9/16/2004 | 7:15 | WWR002 | A | Total Xylene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Triadimefon | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Trichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Trichlorofluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Triclosan | < 0.2 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Trifluralin | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Vinclozolin | < 0.5 | ug/L |
| 9/16/2004 | 7:15 | WWR002 | A | Vinyl chloride | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,1-Dichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,1-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,1-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,2-dibromoethane | < 0.02 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,2-Dichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,2-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,3-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 2,2-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 2,3-Dichloropropene | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|-----------------------------|--------|-------|
| 9/16/2004 | 7:30 | WWR001 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 2-Butanone (MEK) | < 20 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 2-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 3-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 3-Hydroxycarbofuran | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 4,4 DDD | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 4,4 DDE | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 4,4 DDT | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | 4-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Acenaphthene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Acenaphthylene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Acetochlor | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Acrylonitrile | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Alachlor | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | ALDICARB | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Aldicarb sulfone | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Aldicarb sulfoxide | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Aldrin | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Allethrin | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Allyl chloride | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Alpha - BHC | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Ammonia (not distilled) | 0.0148 | mg/L |
| 9/16/2004 | 7:30 | WWR001 | A | A-Naphthol | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Anthracene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Atrazine | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Azoxystrobin | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Benfluralin | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Benzene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Benzo(a)anthracene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Benzo(ghi)perylene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Benzo-a-pyrene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Benzophenone | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Benzyl butyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Beta - BHC | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Bloc | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Bromacil | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Bromobenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Bromochloromethane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Bromodichloromethane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Bromoform | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Bromomethane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Butachlor | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|--------------------------|--------|-------|
| 9/16/2004 | 7:30 | WWR001 | A | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Caffeine | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Carbamazepine | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | CARBARYL | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Carbazole | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | CARBOFURAN | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Carbon disulfide | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Carbon tetrachloride | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Carisoprodol | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Chlordane | < 1 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Chlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Chlorodibromomethane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Chlorodifluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Chloroethane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Chlorofenvinphos | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Chloroform | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Chloromethane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Chlorothalonil | < 1 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Chloroxylonol | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Chlorpyrifos | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Chrysene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Cyanazine | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Cyfluthrin | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Cypermethrin | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Dacthal | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Delta - BHC | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Deltamethrin | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Diazinon | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Dibromomethane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Dibutyl phthalate | < 1 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Dichlorbenil | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Dichlorodifluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Dichlorvos | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Dieldrin | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Diethyl ether | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Diethyl phthalate | < 1 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Dimethyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Dimethyldisulfide | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Dinoseb | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Diocetyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Dissolved Nitrogen | 0.063 | mg/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|---------------------------|--------|------------|
| 9/16/2004 | 7:30 | WWR001 | A | Dissolved Oxygen | 4.8 | mg/l |
| 9/16/2004 | 7:30 | WWR001 | A | Dissolved Phosphorous | 0.13 | mg/L |
| 9/16/2004 | 7:30 | WWR001 | A | Disulfoton | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Disulfoton sulfone | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | d-Limonene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Endosulfan I | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Endosulfan II | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Endosulfan Sulfate | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Endrin | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Endrin aldehyde | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | EPTC | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Ethofumesate | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Ethyl parathion | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Ethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Ethylmethacrylate | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Fecal Coliform | 1100 | MPN/100 ml |
| 9/16/2004 | 7:30 | WWR001 | A | Fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Fluorene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Freon 113 | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Gamma - BHC | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Heptachlor | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Heptachlor epoxide | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Hexachlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Hexachlorobutadiene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Hexachlorocyclopentadiene | < 1 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Hexachloroethane | < 1 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Iodofenphos | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Iprodione | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Isofenphos | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Isopropylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Kelthane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Malathion | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Metalaxyl | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Metered Salinity | 14.8 | o/oo |
| 9/16/2004 | 7:30 | WWR001 | A | Methacrylonitrile | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | METHIOCARB | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | METHOMYL | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Methoprene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Methoxychlor | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Methyl isothiocyanate | < 2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Methyl parathion | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Methyl sulfide | 2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Methylene chloride | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|------|------------|---------|------------------------------------|--------|-------|
| 9/16/2004 | 7:30 | WWR001 | A | Methylmethacrylate | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Metolachlor | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Metribuzin | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Monomethyltetrachloroterephthalate | < 5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | m-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Naled (Dibrom) | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Naphthalene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Napropamide | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | n-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Nitrate & Nitrite | 0.162 | mg/L |
| 9/16/2004 | 7:30 | WWR001 | A | n-Propane | < 2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | n-Propylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Ortho-Phosphate | 0.023 | mg/L |
| 9/16/2004 | 7:30 | WWR001 | A | OXAMYL | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | o-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | p-Diethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Pendimethalin | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Pentachlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Pentachloronitrobenzene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Permethrin | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | pH | 7.4 | N/A |
| 9/16/2004 | 7:30 | WWR001 | A | Phenanthrene | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Piperonyl butoxide | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | p-Isopropyltoluene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Prometon | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Prometryne | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Propachlor | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Propiconazole | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | PROPOXUR | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | p-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Pyrene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Resmethrin | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | sec-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Simazine | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Sumithrin | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Tebuthiuron | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Temperature | 21.2 | Deg C |
| 9/16/2004 | 7:30 | WWR001 | A | Terbacil | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Terbufos | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | tert-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Tetrachloroethene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Tetrachloroterephthalic Acid | < 5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Tetrahydrofuran | < 20 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|------------|
| 9/16/2004 | 7:30 | WWR001 | A | Toluene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Total Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Total Coliform | 5000 | MPN/100 ml |
| 9/16/2004 | 7:30 | WWR001 | A | Total Nitrogen | 0.19 | mg/L |
| 9/16/2004 | 7:30 | WWR001 | A | Total Phosphorous | 0.291 | mg/L |
| 9/16/2004 | 7:30 | WWR001 | A | Total Xylene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Triadimefon | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Trichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Trichlorofluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Triclosan | < 0.2 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Trifluralin | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Vinclozolin | < 0.5 | ug/L |
| 9/16/2004 | 7:30 | WWR001 | A | Vinyl chloride | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,1-Dichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,1-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,1-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,2-dibromoethane | < 0.02 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,2-Dichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,2-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,3-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 2,2-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 2,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 2-Butanone (MEK) | < 20 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 2-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 2-Hydroxyatrazine | < 0.3 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 3-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 3-Hydroxycarbofuran | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 4,4 DDD | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 4,4 DDE | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 4,4 DDT | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | 4-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Acenaphthene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Acenaphthylene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Acetochlor | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 9/16/2004 | 11:45 | WWR004 | P | Acrylonitrile | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Alachlor | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Alachlor ESA | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Alachlor OA | < 0.4 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | ALDICARB | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Aldicarb sulfone | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Aldicarb sulfoxide | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Aldrin | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Allethrin | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Allyl chloride | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Alpha - BHC | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Ammonia (not distilled) | 0.0062 | mg/L |
| 9/16/2004 | 11:45 | WWR004 | P | A-Naphthol | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Anthracene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Atrazine | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Azoxystrobin | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Benfluralin | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Benzene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Benzo(a)anthracene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Benzo(ghi)perylene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Benzo-a-pyrene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Benzophenone | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Benzyl butyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Beta - BHC | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Bloc | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Bromacil | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Bromobenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Bromochloromethane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Bromodichloromethane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Bromoform | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Bromomethane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Butachlor | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Caffeine | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Carbamazepine | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | CARBARYL | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Carbazole | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | CARBOFURAN | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Carbon disulfide | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Carbon tetrachloride | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Carisoprodol | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Chlordane | < 1 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Chlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Chlorodibromomethane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Chlorodifluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Chloroethane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Chlorofenvinphos | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Chloroform | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Chloromethane | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|--------------------------|--------|------------|
| 9/16/2004 | 11:45 | WWR004 | P | Chlorothalonil | < 1 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Chloroxylenol | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Chlorpyrifos | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Chrysene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Cyanazine | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Cyfluthrin | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Cypermethrin | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Dacthal | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Deisopropylatrazine | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Delta - BHC | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Deltamethrin | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Desethylatrazine | < 0.4 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Diazinon | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Dibromomethane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Dibutyl phthalate | < 1 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Dichlorbenil | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Dichlorodifluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Dichlorvos | < 0.6 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Didealkylatrazine | < 0.8 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Dieldrin | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Diethyl ether | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Diethyl phthalate | < 1 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Diethyltoluamide (DEET) | 0.6 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Dimethyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Dimethyldisulfide | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Dinoseb | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Diocetyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Dissolved Nitrogen | 0.11 | mg/L |
| 9/16/2004 | 11:45 | WWR004 | P | Dissolved Oxygen | 8.3 | mg/l |
| 9/16/2004 | 11:45 | WWR004 | P | Dissolved Phosphorous | 0.0911 | mg/L |
| 9/16/2004 | 11:45 | WWR004 | P | Disulfoton | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Disulfoton sulfone | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | d-Limonene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Endosulfan I | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Endosulfan II | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Endosulfan sulfate | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Endrin | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Endrin aldehyde | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | EPTC | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Ethofumesate | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Ethyl parathion | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Ethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Ethylmethacrylate | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Fecal Coliform | 800 | MPN/100 ml |
| 9/16/2004 | 11:45 | WWR004 | P | Fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Fluorene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Freon 113 | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Gamma - BHC | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Gemfibrozil | < 0.4 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Heptachlor | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|------------------------------------|--------|-------|
| 9/16/2004 | 11:45 | WWR004 | P | Heptachlor epoxide | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Hexachlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Hexachlorobutadiene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Hexachlorocyclopentadiene | < 1 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Hexachloroethane | < 1 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Ibuprofen | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Imidacloprid | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Iodofenphos | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Iprodione | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Isofenphos | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Isopropylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Kelthane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Malaoxon | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Malathion | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Metalaxyl | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Metered Salinity | 19.8 | o/oo |
| 9/16/2004 | 11:45 | WWR004 | P | Methacrylonitrile | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | METHIOCARB | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | METHOMYL | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Methoprene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Methoxychlor | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Methyl isothiocyanate | < 2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Methyl parathion | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Methyl sulfide | 0.8 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Methylene chloride | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Methylmethacrylate | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Metolachlor | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Metribuzin | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Monomethyltetrachloroterephthalate | < 5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | m-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Naled (Dibrom) | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Naphthalene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Napropamide | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | n-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Nitrate & Nitrite | 0.224 | mg/L |
| 9/16/2004 | 11:45 | WWR004 | P | n-Propane | < 2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | n-Propylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Ortho-Phosphate | 0.0332 | mg/L |
| 9/16/2004 | 11:45 | WWR004 | P | OXAMYL | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | o-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | p-Diethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Pendimethalin | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Pentachlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Pentachloronitrobenzene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Permethrin | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|------------------------------|--------|------------|
| 9/16/2004 | 11:45 | WWR004 | P | pH | 8.9 | N/A |
| 9/16/2004 | 11:45 | WWR004 | P | Phenanthrene | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Piperonyl butoxide | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | p-Isopropyltoluene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Prometon | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Prometryne | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Propachlor | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Propamocarb hydrochloride | < 0.3 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Propiconazole | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | PROPOXUR | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | p-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Pyrene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Resmethrin | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | sec-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Siduron | < 0.3 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Simazine | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Sumithrin | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Tebuthiuron | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Temperature | 22.4 | Deg C |
| 9/16/2004 | 11:45 | WWR004 | P | Terbacil | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Terbufos | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | tert-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Tetrachloroethene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Tetrachloroterephthalic Acid | < 5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Tetrahydrofuran | < 20 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Toluene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Total Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Total Coliform | 1300 | MPN/100 ml |
| 9/16/2004 | 11:45 | WWR004 | P | Total Nitrogen | 0.66 | mg/L |
| 9/16/2004 | 11:45 | WWR004 | P | Total Phosphorous | 0.163 | mg/L |
| 9/16/2004 | 11:45 | WWR004 | P | Total Xylene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Triadimefon | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Trichlorfon | < 0.3 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Trichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Trichlorofluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Triclosan | < 0.2 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Trifluralin | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Vinclozolin | < 0.5 | ug/L |
| 9/16/2004 | 11:45 | WWR004 | P | Vinyl chloride | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,1-Dichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,1-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,1-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,2,4-Trichlorobenzene | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 9/16/2004 | 11:53 | WWR003 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,2-dibromoethane | < 0.02 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,2-Dichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,2-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,3-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 2,2-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 2,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 2-Butanone (MEK) | < 20 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 2-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 2-Hydroxyatrazine | < 0.3 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 3-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 3-Hydroxycarbofuran | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 4,4 DDD | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 4,4 DDE | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 4,4 DDT | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | 4-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Acenaphthene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Acenaphthylene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Acetochlor | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Acrylonitrile | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Alachlor | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Alachlor ESA | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Alachlor OA | < 0.4 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | ALDICARB | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Aldicarb sulfone | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Aldicarb sulfoxide | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Aldrin | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Allethrin | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Allyl chloride | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Alpha - BHC | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Ammonia (not distilled) | 0.0092 | mg/L |
| 9/16/2004 | 11:53 | WWR003 | P | A-Naphthol | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Anthracene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Atrazine | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Azoxystrobin | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Benfluralin | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Benzene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Benzo(a)anthracene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Benzo(ghi)perylene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Benzo-a-pyrene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Benzophenone | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Benzyl butyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Beta - BHC | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|--------------------------|--------|-------|
| 9/16/2004 | 11:53 | WWR003 | P | Bloc | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Bromacil | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Bromobenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Bromochloromethane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Bromodichloromethane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Bromoform | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Bromomethane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Butachlor | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Caffeine | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Carbamazepine | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | CARBARYL | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Carbazole | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | CARBOFURAN | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Carbon disulfide | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Carbon tetrachloride | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Carisoprodol | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Chlordane | < 1 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Chlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Chlorodibromomethane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Chlorodifluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Chloroethane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Chlorofenvinphos | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Chloroform | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Chloromethane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Chlorothalonil | < 1 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Chloroxylenol | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Chlorpyrifos | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Chrysene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Cyanazine | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Cyfluthrin | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Cypermethrin | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Dacthal | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Deisopropylatrazine | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Delta - BHC | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Deltamethrin | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Desethylatrazine | < 0.4 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Diazinon | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Dibromomethane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Dibutyl phthalate | < 1 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Dichlorbenil | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Dichlorodifluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Dichlorvos | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Didealkylatrazine | < 0.8 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Dieldrin | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Diethyl ether | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Diethyl phthalate | < 1 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Diethyltoluamide (DEET) | 5.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Dimethyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Dimethyldisulfide | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|---------------------------|--------|------------|
| 9/16/2004 | 11:53 | WWR003 | P | Dinoseb | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Diocetyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Dissolved Nitrogen | < 0.05 | mg/L |
| 9/16/2004 | 11:53 | WWR003 | P | Dissolved Oxygen | 7 | mg/l |
| 9/16/2004 | 11:53 | WWR003 | P | Dissolved Phosphorous | 0.0575 | mg/L |
| 9/16/2004 | 11:53 | WWR003 | P | Disulfoton | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Disulfoton sulfone | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | d-Limonene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Endosulfan I | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Endosulfan II | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Endosulfan sulfate | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Endrin | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Endrin aldehyde | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | EPTC | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Ethofumesate | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Ethyl parathion | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Ethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Ethylmethacrylate | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Fecal Coliform | 230 | MPN/100 ml |
| 9/16/2004 | 11:53 | WWR003 | P | Fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Fluorene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Freon 113 | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Gamma - BHC | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Gemfibrozil | < 0.4 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Heptachlor | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Heptachlor epoxide | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Hexachlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Hexachlorobutadiene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Hexachlorocyclopentadiene | < 1 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Hexachloroethane | < 1 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Ibuprofen | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Imidacloprid | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Iodofenphos | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Iprodione | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Isofenphos | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Isopropylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Kelthane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Malaoxon | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Malathion | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Metalaxyl | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Metered Salinity | 26.8 | o/oo |
| 9/16/2004 | 11:53 | WWR003 | P | Methacrylonitrile | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | METHIOCARB | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | METHOMYL | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Methoprene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Methoxychlor | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Methyl isothiocyanate | < 2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Methyl parathion | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Methyl sulfide | 2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Methylene chloride | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Methylmethacrylate | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|------------------------------------|--------|-------|
| 9/16/2004 | 11:53 | WWR003 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Metolachlor | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Metribuzin | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Monomethyltetrachloroterephthalate | < 5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | m-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Naled (Dibrom) | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Naphthalene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Napropamide | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | n-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Nitrate & Nitrite | 0.0688 | mg/L |
| 9/16/2004 | 11:53 | WWR003 | P | n-Propane | < 2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | n-Propylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Ortho-Phosphate | 0.0164 | mg/L |
| 9/16/2004 | 11:53 | WWR003 | P | OXAMYL | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | o-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | p-Diethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Pendimethalin | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Pentachlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Pentachloronitrobenzene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Permethrin | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | pH | 8.7 | N/A |
| 9/16/2004 | 11:53 | WWR003 | P | Phenanthrene | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Piperonyl butoxide | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | p-Isopropyltoluene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Prometon | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Prometryne | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Propachlor | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Propamocarb hydrochloride | < 0.3 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Propiconazole | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | PROPOXUR | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | p-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Pyrene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Resmethrin | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | sec-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Siduron | < 0.3 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Simazine | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Sumithrin | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Tebuthiuron | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Temperature | 22.7 | Deg C |
| 9/16/2004 | 11:53 | WWR003 | P | Terbacil | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Terbufos | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | tert-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Tetrachloroethene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Tetrachloroterephthalic Acid | < 5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Tetrahydrofuran | < 20 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Toluene | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|------------|
| 9/16/2004 | 11:53 | WWR003 | P | Total Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Total Coliform | 800 | MPN/100 ml |
| 9/16/2004 | 11:53 | WWR003 | P | Total Nitrogen | 0.44 | mg/L |
| 9/16/2004 | 11:53 | WWR003 | P | Total Phosphorous | 0.118 | mg/L |
| 9/16/2004 | 11:53 | WWR003 | P | Total Xylene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Triadimefon | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Trichlorfon | < 0.3 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Trichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Trichlorofluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Triclosan | < 0.2 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Trifluralin | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Vinclozolin | < 0.5 | ug/L |
| 9/16/2004 | 11:53 | WWR003 | P | Vinyl chloride | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,1-Dichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,1-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,1-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,2-dibromoethane | < 0.02 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,2-Dichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,2-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,3-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 2,2-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 2,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 2-Butanone (MEK) | < 20 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 2-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 2-Hydroxyatrazine | < 0.3 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 3-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 3-Hydroxycarbofuran | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 4,4 DDD | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 4,4 DDE | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 4,4 DDT | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | 4-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Acenaphthene | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Acenaphthylene | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Acetochlor | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Acrylonitrile | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Alachlor | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 9/16/2004 | 12:05 | WWR002 | P | Alachlor ESA | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Alachlor OA | < 0.4 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | ALDICARB | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Aldicarb sulfone | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Aldicarb sulfoxide | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Aldrin | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Allethrin | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Allyl chloride | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Alpha - BHC | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Ammonia (not distilled) | 0.0112 | mg/L |
| 9/16/2004 | 12:05 | WWR002 | P | A-Naphthol | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Anthracene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Atrazine | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Azoxystrobin | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Benfluralin | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Benzene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Benzo(a)anthracene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Benzo(ghi)perylene | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Benzo-a-pyrene | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Benzophenone | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Benzyl butyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Beta - BHC | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Bloc | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Bromacil | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Bromobenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Bromochloromethane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Bromodichloromethane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Bromoform | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Bromomethane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Butachlor | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Caffeine | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Carbamazepine | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | CARBARYL | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Carbazole | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | CARBOFURAN | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Carbon disulfide | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Carbon tetrachloride | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Carisoprodol | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Chlordane | < 1 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Chlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Chlorodibromomethane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Chlorodifluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Chloroethane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Chlorofenvinphos | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Chloroform | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Chloromethane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Chlorothalonil | < 1 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Chloroxylenol | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|--------------------------|--------|------------|
| 9/16/2004 | 12:05 | WWR002 | P | Chlorpyrifos | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Chrysene | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Cyanazine | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Cyfluthrin | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Cypermethrin | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Dacthal | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Deisopropylatrazine | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Delta - BHC | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Deltamethrin | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Desethylatrazine | < 0.4 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Diazinon | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Dibromomethane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Dibutyl phthalate | < 1 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Dichlorbenil | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Dichlorodifluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Dichlorvos | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Didealkylatrazine | < 0.8 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Dieldrin | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Diethyl ether | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Diethyl phthalate | < 1 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Dimethyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Dimethyldisulfide | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Dinoseb | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Diocetyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Dissolved Nitrogen | < 0.05 | mg/L |
| 9/16/2004 | 12:05 | WWR002 | P | Dissolved Oxygen | 6 | mg/l |
| 9/16/2004 | 12:05 | WWR002 | P | Dissolved Phosphorous | 0.0552 | mg/L |
| 9/16/2004 | 12:05 | WWR002 | P | Disulfoton | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Disulfoton sulfone | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | d-Limonene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Endosulfan I | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Endosulfan II | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Endosulfan Sulfate | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Endrin | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Endrin aldehyde | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | EPTC | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Ethofumesate | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Ethyl parathion | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Ethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Ethylmethacrylate | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Fecal Coliform | 70 | MPN/100 ml |
| 9/16/2004 | 12:05 | WWR002 | P | Fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Fluorene | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Freon 113 | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Gamma - BHC | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Gemfibrozil | < 0.4 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Heptachlor | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Heptachlor epoxide | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Hexachlorobenzene | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|------------------------------------|--------|-------|
| 9/16/2004 | 12:05 | WWR002 | P | Hexachlorobutadiene | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Hexachlorocyclopentadiene | < 1 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Hexachloroethane | < 1 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Ibuprofen | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Imidacloprid | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Iodofenphos | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Iprodione | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Isofenphos | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Isopropylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Kelthane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Malaoxon | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Malathion | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Metalaxyl | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Metered Salinity | 27.8 | o/oo |
| 9/16/2004 | 12:05 | WWR002 | P | Methacrylonitrile | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | METHIOCARB | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | METHOMYL | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Methoprene | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Methoxychlor | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Methyl isothiocyanate | < 2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Methyl parathion | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Methyl sulfide | 1 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Methylene chloride | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Methylmethacrylate | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Metolachlor | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Metribuzin | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Monomethyltetrachloroterephthalate | < 5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | m-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Naled (Dibrom) | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Naphthalene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Napropamide | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | n-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Nitrate & Nitrite | 0.0127 | mg/L |
| 9/16/2004 | 12:05 | WWR002 | P | n-Propane | < 2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | n-Propylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Ortho-Phosphate | 0.0091 | mg/L |
| 9/16/2004 | 12:05 | WWR002 | P | OXAMYL | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | o-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | p-Diethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Pendimethalin | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Pentachlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Pentachloronitrobenzene | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Permethrin | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | pH | 8 | N/A |
| 9/16/2004 | 12:05 | WWR002 | P | Phenanthrene | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|------------------------------|--------|------------|
| 9/16/2004 | 12:05 | WWR002 | P | Piperonyl butoxide | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | p-Isopropyltoluene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Prometon | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Prometryne | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Propachlor | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Propamocarb hydrochloride | < 0.3 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Propiconazole | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | PROPOXUR | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | p-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Pyrene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Resmethrin | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | sec-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Siduron | < 0.3 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Simazine | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Sumithrin | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Tebuthiuron | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Temperature | 22.5 | Deg C |
| 9/16/2004 | 12:05 | WWR002 | P | Terbacil | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Terbufos | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | tert-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Tetrachloroethene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Tetrachloroterephthalic Acid | < 5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Tetrahydrofuran | < 20 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Toluene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Total Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Total Coliform | 170 | MPN/100 ml |
| 9/16/2004 | 12:05 | WWR002 | P | Total Nitrogen | < 0.05 | mg/L |
| 9/16/2004 | 12:05 | WWR002 | P | Total Phosphorous | 0.0691 | mg/L |
| 9/16/2004 | 12:05 | WWR002 | P | Total Xylene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Triadimefon | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Trichlorfon | < 0.3 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Trichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Trichlorofluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Triclosan | < 0.2 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Trifluralin | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Vinclozolin | < 0.5 | ug/L |
| 9/16/2004 | 12:05 | WWR002 | P | Vinyl chloride | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,1,1-Trichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,1,2-Trichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,1-Dichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,1-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,1-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,2,3-Trichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 9/16/2004 | 12:20 | WWR001 | P | 1,2-dibromoethane | < 0.02 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,2-Dichloroethane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,2-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,3-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1,4-Dichlorobutane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 2,2-Dichloropropane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 2,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 2-Butanone (MEK) | < 20 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 2-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 2-Hydroxyatrazine | < 0.3 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 3-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 3-Hydroxycarbofuran | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 4,4 DDD | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 4,4 DDE | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 4,4 DDT | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | 4-Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Acenaphthene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Acenaphthylene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Acetochlor | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Acrylonitrile | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Alachlor | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Alachlor ESA | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Alachlor OA | < 0.4 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | ALDICARB | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Aldicarb sulfone | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Aldicarb sulfoxide | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Aldrin | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Allethrin | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Allyl chloride | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Alpha - BHC | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Ammonia (not distilled) | 0.0096 | mg/L |
| 9/16/2004 | 12:20 | WWR001 | P | A-Naphthol | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Anthracene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Atrazine | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Azoxystrobin | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Benfluralin | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Benzene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Benzo(a)anthracene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Benzo(b)fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Benzo(ghi)perylene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Benzo(k)fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Benzo-a-pyrene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Benzophenone | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Benzyl butyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Beta - BHC | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Bloc | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Bromacil | < 0.5 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|--------------------------|--------|-------|
| 9/16/2004 | 12:20 | WWR001 | P | Bromobenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Bromochloromethane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Bromodichloromethane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Bromoform | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Bromomethane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Butachlor | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Butylated Hydroxyanisole | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Butylated Hydroxytoluene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Caffeine | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Carbamazepine | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | CARBARYL | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Carbazole | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | CARBOFURAN | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Carbon disulfide | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Carbon tetrachloride | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Carisoprodol | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Chlordane | < 1 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Chlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Chlorodibromomethane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Chlorodifluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Chloroethane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Chlorofenvinphos | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Chloroform | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Chloromethane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Chlorothalonil | < 1 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Chloroxylenol | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Chlorpyrifos | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Chrysene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | cis-1,2-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | cis-1,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Cyanazine | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Cyfluthrin | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Cypermethrin | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Dacthal | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Deisopropylatrazine | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Delta - BHC | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Deltamethrin | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Desethylatrazine | < 0.4 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Diazinon | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Dibromomethane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Dibutyl phthalate | < 1 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Dichlorbenil | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Dichlorodifluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Dichlorvos | < 0.6 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Didealkylatrazine | < 0.8 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Dieldrin | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Diethyl ether | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Diethyl phthalate | < 1 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Diethyltoluamide (DEET) | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Dimethyl phthalate | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Dimethyldisulfide | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Dinoseb | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Diocetyl phthalate | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|------------|
| 9/16/2004 | 12:20 | WWR001 | P | Dissolved Nitrogen | < 0.05 | mg/L |
| 9/16/2004 | 12:20 | WWR001 | P | Dissolved Oxygen | 6.7 | mg/l |
| 9/16/2004 | 12:20 | WWR001 | P | Dissolved Phosphorous | 0.0508 | mg/L |
| 9/16/2004 | 12:20 | WWR001 | P | Disulfoton | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Disulfoton sulfone | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | d-Limonene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Endosulfan I | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Endosulfan II | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Endosulfan sulfate | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Endrin | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Endrin aldehyde | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | EPTC | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Ethofumesate | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Ethyl parathion | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Ethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Ethylmethacrylate | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Fecal Coliform | 230 | MPN/100 ml |
| 9/16/2004 | 12:20 | WWR001 | P | Fluoranthene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Fluorene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Freon 113 | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Gamma - BHC | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Gemfibrozil | < 0.4 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Heptachlor | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Heptachlor epoxide | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Hexachlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Hexachlorobutadiene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Hexachlorocyclopentadiene | < 1 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Hexachloroethane | < 1 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Ibuprofen | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Imidacloprid | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Iodofenphos | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Iprodione | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Isofenphos | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Isopropylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Kelthane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | m,p-Dichlorobenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Malaoxon | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Malathion | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Metalaxyl | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Metered Salinity | 25 | o/oo |
| 9/16/2004 | 12:20 | WWR001 | P | Methacrylonitrile | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | METHIOCARB | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | METHOMYL | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Methoprene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Methoxychlor | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Methyl isothiocyanate | < 2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Methyl parathion | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Methyl sulfide | 1 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Methylene chloride | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Methylmethacrylate | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Metolachlor | < 0.2 | ug/L |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|------------------------------------|--------|------------|
| 9/16/2004 | 12:20 | WWR001 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Metribuzin | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Monomethyltetrachloroterephthalate | < 5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | m-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Naled (Dibrom) | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Naphthalene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Napropamide | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | n-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Nitrate & Nitrite | 0.0195 | mg/L |
| 9/16/2004 | 12:20 | WWR001 | P | n-Propane | < 2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | n-Propylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Ortho-Phosphate | 0.0086 | mg/L |
| 9/16/2004 | 12:20 | WWR001 | P | OXAMYL | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | o-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | p-Diethylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Pendimethalin | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Pentachlorobenzene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Pentachloronitrobenzene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Permethrin | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | pH | 8 | N/A |
| 9/16/2004 | 12:20 | WWR001 | P | Phenanthrene | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Piperonyl butoxide | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | p-Isopropyltoluene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Prometon | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Prometryne | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Propachlor | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Propamocarb hydrochloride | < 0.3 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Propiconazole | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | PROPOXUR | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | p-Xylene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Pyrene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Resmethrin | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | sec-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Siduron | < 0.3 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Simazine | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Sumithrin | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Tebuthiuron | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Temperature | 23.1 | Deg C |
| 9/16/2004 | 12:20 | WWR001 | P | Terbacil | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Terbufos | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | tert-Butylbenzene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Tetrachloroethene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Tetrachloroterephthalic Acid | < 5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Tetrahydrofuran | < 20 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Toluene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Total Chlorotoluene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Total Coliform | 230 | MPN/100 ml |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|-----------|-------|------------|---------|-----------------------------|--------|-------|
| 9/16/2004 | 12:20 | WWR001 | P | Total Nitrogen | < 0.05 | mg/L |
| 9/16/2004 | 12:20 | WWR001 | P | Total Phosphorous | 0.0487 | mg/L |
| 9/16/2004 | 12:20 | WWR001 | P | Total Xylene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | trans-1,2-Dichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | trans-1,3-Dichloropropene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Triadimefon | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Trichlorfon | < 0.3 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Trichloroethene | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Trichlorofluoromethane | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Triclosan | < 0.2 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Trifluralin | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Vinclozolin | < 0.5 | ug/L |
| 9/16/2004 | 12:20 | WWR001 | P | Vinyl chloride | < 0.5 | ug/L |
| 03/21/05 | 6:38 | WWR001 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 4,4 DDD | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 4,4 DDE | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 4,4 DDT | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Acenaphthene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Acenaphthylene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Acetochlor | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Acrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Alachlor | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Alachlor ESA | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 03/21/05 | 6:38 | WWR001 | A | Alachlor OA | < 0.4 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Aldrin | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Allethrin | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Allyl chloride | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Alpha - BHC | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Ammonia (not distilled) | 0.1 | mg/l |
| 03/21/05 | 6:38 | WWR001 | A | Anthracene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Atrazine | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Azoxystrobin | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Benfluralin | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Benzene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Benzophenone | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Beta - BHC | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Bisphenol A | < 2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Bloc | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Bromacil | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Bromide | 7.743 | mg/l |
| 03/21/05 | 6:38 | WWR001 | A | Bromobenzene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Bromochloromethane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Bromodichloromethane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Bromoform | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Bromomethane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Butachlor | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Caffeine | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Carbamazepine | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Carbazole | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Carbon disulfide | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Carbon tetrachloride | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Carisoprodol | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Chlordane | < 1 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Chloride | 2679 | mg/l |
| 03/21/05 | 6:38 | WWR001 | A | Chlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Chloroethane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Chlorofenvinphos | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Chloroform | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Chloromethane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Chlorothalonil | < 1 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Chloroxylonol | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Chlorpyrifos | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Chrysene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|---------------------------|---------|------------|
| 03/21/05 | 6:38 | WWR001 | A | Cyanazine | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Cyfluthrin | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Cypermethrin | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Dacthal | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Deisopropylatrazine | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Delta - BHC | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Deltamethrin | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Depth | 6 | ft |
| 03/21/05 | 6:38 | WWR001 | A | Desethylatrazine | < 0.4 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Diazinon | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Dibromomethane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Dibutyl phthalate | < 1 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Dichlorvos | < 0.6 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Didealkylatrazine | < 0.8 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Dieldrin | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Diethyl ether | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Diethyl phthalate | < 1 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Dimethyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Dinoseb | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Diocetyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Dissolved Nitrogen | 0.66 | mg/l |
| 03/21/05 | 6:38 | WWR001 | A | Dissolved Oxygen | 10 | mg/l |
| 03/21/05 | 6:38 | WWR001 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 6:38 | WWR001 | A | Disulfoton | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Disulfoton sulfone | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | d-Limonene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Endosulfan I | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Endosulfan II | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Endrin | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Endrin aldehyde | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | EPTC | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Ethofumesate | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Ethyl parathion | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Ethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Ethylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Fecal Coliform | 20 | MPN/100 ml |
| 03/21/05 | 6:38 | WWR001 | A | Fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Fluorene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Fluoride | < 2 | mg/l |
| 03/21/05 | 6:38 | WWR001 | A | Freon 113 | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Gamma - BHC | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Gemfibrozil | < 0.4 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Heptachlor | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Hexachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Hexachlorobutadiene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Hexachloroethane | < 1 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|------------------------------------|--------|-------|
| 03/21/05 | 6:38 | WWR001 | A | Hexazinone | < 1 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Ibuprofen | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Imidacloprid | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Iodofenphos | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Iprodione | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Isofenphos | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Isopropylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Kelthane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Malaoxon | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Malathion | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Metalaxyl | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Metered Salinity | 23.5 | o/oo |
| 03/21/05 | 6:38 | WWR001 | A | Methacrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Methoprene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Methoxychlor | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Methyl isothiocyanate | < 2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Methyl parathion | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Methyl sulfide | 0.9 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Methylene chloride | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Methylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Metolachlor | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Metribuzin | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | m-Xylene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Naled (Dibrom) | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Naphthalene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Napropamide | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | n-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Nitrate | < 2 | mg/l |
| 03/21/05 | 6:38 | WWR001 | A | Nitrite | < 0.02 | mg/l |
| 03/21/05 | 6:38 | WWR001 | A | n-Propane | < 2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | n-Propylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Ortho-Phosphate | < 2 | mg/l |
| 03/21/05 | 6:38 | WWR001 | A | o-Xylene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Pendimethalin | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Pentachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Permethrin | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Phenanthrene | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Piperonyl butoxide | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Prometon | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Prometryne | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Propachlor | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Propamocarb hydrochloride | < 0.3 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|---------|------------|
| 03/21/05 | 6:38 | WWR001 | A | Propiconazole | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | p-Xylene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Pyrene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Resmethrin | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Ronstar | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Secchi | 5 | ft |
| 03/21/05 | 6:38 | WWR001 | A | Siduron | < 0.3 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Simazine | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Sulfate | 290.8 | mg/l |
| 03/21/05 | 6:38 | WWR001 | A | Sumithrin | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Tebuthiuron | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Temperature | 6.8 | Deg C |
| 03/21/05 | 6:38 | WWR001 | A | Terbacil | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Terbufos | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Tetrachloroethene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Tetrahydrofuran | < 20 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Toluene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Total Coliform | 130 | MPN/100 ml |
| 03/21/05 | 6:38 | WWR001 | A | Total Nitrogen | 0.68 | mg/l |
| 03/21/05 | 6:38 | WWR001 | A | Total Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 6:38 | WWR001 | A | Total Xylene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Triadimefon | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Trichlorfon | < 0.3 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Trichloroethene | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Triclosan | < 0.2 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Trifluralin | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Vinclozolin | < 0.5 | ug/l |
| 03/21/05 | 6:38 | WWR001 | A | Vinyl chloride | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 03/21/05 | 6:52 | WWR005 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 4,4 DDD | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 4,4 DDE | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 4,4 DDT | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Acenaphthene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Acenaphthylene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Acetochlor | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Acrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Alachlor | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Alachlor ESA | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Alachlor OA | < 0.4 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Aldrin | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Allethrin | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Allyl chloride | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Alpha - BHC | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Ammonia (not distilled) | 0.08 | mg/l |
| 03/21/05 | 6:52 | WWR005 | A | Anthracene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Atrazine | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Azoxystrobin | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Benfluralin | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Benzene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Benzophenone | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Beta - BHC | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Bisphenol A | < 2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Bloc | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Bromacil | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Bromide | 11.5 | mg/l |
| 03/21/05 | 6:52 | WWR005 | A | Bromobenzene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Bromochloromethane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Bromodichloromethane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Bromoform | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Bromomethane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Butachlor | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|--------|-------|
| 03/21/05 | 6:52 | WWR005 | A | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Caffeine | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Carbamazepine | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Carbazole | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Carbon disulfide | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Carbon tetrachloride | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Carisoprodol | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Chlordane | < 1 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Chloride | 3799 | mg/l |
| 03/21/05 | 6:52 | WWR005 | A | Chlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Chloroethane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Chlorofenvinphos | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Chloroform | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Chloromethane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Chlorothalonil | < 1 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Chloroxyleneol | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Chlorpyrifos | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Chrysene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Cyanazine | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Cyfluthrin | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Cypermethrin | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Dacthal | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Deisopropylatrazine | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Delta - BHC | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Deltamethrin | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Depth | 3 | ft |
| 03/21/05 | 6:52 | WWR005 | A | Desethylatrazine | < 0.4 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Diazinon | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Dibromomethane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Dibutyl phthalate | < 1 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Dichlorvos | < 0.6 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Didealkylatrazine | < 0.8 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Dieldrin | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Diethyl ether | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Diethyl phthalate | < 1 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Dimethyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Dinoseb | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Diocetyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Dissolved Nitrogen | 0.59 | mg/l |
| 03/21/05 | 6:52 | WWR005 | A | Dissolved Oxygen | 10.1 | mg/l |
| 03/21/05 | 6:52 | WWR005 | A | Dissolved Phosphorous | 1.24 | mg/l |
| 03/21/05 | 6:52 | WWR005 | A | Disulfoton | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Disulfoton sulfone | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | d-Limonene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Endosulfan I | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|------------------------------------|--------|------------|
| 03/21/05 | 6:52 | WWR005 | A | Endosulfan II | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Endrin | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Endrin aldehyde | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | EPTC | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Ethofumesate | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Ethyl parathion | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Ethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Ethylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Fecal Coliform | 20 | MPN/100 ml |
| 03/21/05 | 6:52 | WWR005 | A | Fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Fluorene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Fluoride | < 0.4 | mg/l |
| 03/21/05 | 6:52 | WWR005 | A | Freon 113 | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Gamma - BHC | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Gemfibrozil | < 0.4 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Heptachlor | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Hexachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Hexachlorobutadiene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Hexachloroethane | < 1 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Hexazinone | < 1 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Ibuprofen | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Imidacloprid | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Iodofenphos | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Iprodione | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Isofenphos | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Isopropylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Kelthane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Malaoxon | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Malathion | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Metalaxyl | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Metered Salinity | 22.5 | o/oo |
| 03/21/05 | 6:52 | WWR005 | A | Methacrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Methoprene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Methoxychlor | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Methyl isothiocyanate | < 2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Methyl parathion | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Methyl sulfide | 2.8 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Methylene chloride | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Methylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Metolachlor | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Metribuzin | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|---------------------------|---------|------------|
| 03/21/05 | 6:52 | WWR005 | A | m-Xylene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Naled (Dibrom) | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Naphthalene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Napropamide | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | n-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Nitrate | < 2 | mg/l |
| 03/21/05 | 6:52 | WWR005 | A | Nitrite | < 0.02 | mg/l |
| 03/21/05 | 6:52 | WWR005 | A | n-Propane | < 2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | n-Propylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Ortho-Phosphate | < 2 | mg/l |
| 03/21/05 | 6:52 | WWR005 | A | o-Xylene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Pendimethalin | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Pentachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Permethrin | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Phenanthrene | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Piperonyl butoxide | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Prometon | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Prometryne | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Propachlor | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Propamocarb hydrochloride | < 0.3 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Propiconazole | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | p-Xylene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Pyrene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Resmethrin | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Ronstar | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Secchi | 3 | ft |
| 03/21/05 | 6:52 | WWR005 | A | Siduron | < 0.3 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Simazine | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Sulfate | 503 | mg/l |
| 03/21/05 | 6:52 | WWR005 | A | Sumithrin | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Tebuthiuron | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Temperature | 7.9 | Deg C |
| 03/21/05 | 6:52 | WWR005 | A | Terbacil | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Terbufos | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Tetrachloroethene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Tetrahydrofuran | < 20 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Toluene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Total Coliform | 300 | MPN/100 ml |
| 03/21/05 | 6:52 | WWR005 | A | Total Nitrogen | 0.5 | mg/l |
| 03/21/05 | 6:52 | WWR005 | A | Total Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 6:52 | WWR005 | A | Total Xylene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Triadimefon | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Trichlorfon | < 0.3 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Trichloroethene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 03/21/05 | 6:52 | WWR005 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Triclosan | < 0.2 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Trifluralin | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Vinclozolin | < 0.5 | ug/l |
| 03/21/05 | 6:52 | WWR005 | A | Vinyl chloride | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 4,4 DDD | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 4,4 DDE | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 4,4 DDT | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Acenaphthene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Acenaphthylene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Acetochlor | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Acrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Alachlor | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Alachlor ESA | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Alachlor OA | < 0.4 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Aldrin | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Allethrin | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Allyl chloride | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Alpha - BHC | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Ammonia (not distilled) | 0.06 | mg/l |
| 03/21/05 | 7:10 | WWR002 | A | Anthracene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Atrazine | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 03/21/05 | 7:10 | WWR002 | A | Azoxystrobin | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Benfluralin | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Benzene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Benzophenone | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Beta - BHC | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Bisphenol A | < 2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Bloc | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Bromacil | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Bromide | < 25 | mg/l |
| 03/21/05 | 7:10 | WWR002 | A | Bromobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Bromochloromethane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Bromodichloromethane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Bromoform | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Bromomethane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Butachlor | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Caffeine | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Carbamazepine | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Carbazole | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Carbon disulfide | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Carbon tetrachloride | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Carisoprodol | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Chlordane | < 1 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Chloride | 7535 | mg/l |
| 03/21/05 | 7:10 | WWR002 | A | Chlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Chloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Chlorofenvinphos | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Chloroform | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Chloromethane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Chlorothalonil | < 1 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Chloroxylonol | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Chlorpyrifos | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Chrysene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Cyanazine | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Cyfluthrin | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Cypermethrin | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Dacthal | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Deisopropylatrazine | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Delta - BHC | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Deltamethrin | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Depth | 3 | ft |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|---------------------------|---------|------------|
| 03/21/05 | 7:10 | WWR002 | A | Desethylatrazine | < 0.4 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Diazinon | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Dibromomethane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Dibutyl phthalate | < 1 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Dichlorvos | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Didealkylatrazine | < 0.8 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Dieldrin | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Diethyl ether | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Diethyl phthalate | < 1 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Dimethyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Dinoseb | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Diocetyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Dissolved Nitrogen | 0.46 | mg/l |
| 03/21/05 | 7:10 | WWR002 | A | Dissolved Oxygen | 10.6 | mg/l |
| 03/21/05 | 7:10 | WWR002 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 7:10 | WWR002 | A | Disulfoton | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Disulfoton sulfone | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | d-Limonene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Endosulfan I | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Endosulfan II | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Endosulfan sulfate | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Endrin | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Endrin aldehyde | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | EPTC | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Ethofumesate | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Ethyl parathion | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Ethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Ethylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Fecal Coliform | 40 | MPN/100 ml |
| 03/21/05 | 7:10 | WWR002 | A | Fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Fluorene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Fluoride | < 2 | mg/l |
| 03/21/05 | 7:10 | WWR002 | A | Freon 113 | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Gamma - BHC | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Gemfibrozil | < 0.4 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Heptachlor | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Hexachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Hexachlorobutadiene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Hexachloroethane | < 1 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Hexazinone | < 1 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Ibuprofen | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Imidacloprid | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Iodofenphos | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Iprodione | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Isafenphos | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Isopropylbenzene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|------------------------------------|--------|-------|
| 03/21/05 | 7:10 | WWR002 | A | Kelthane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Malaoxon | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Malathion | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Metalaxyl | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Metered Salinity | 23.8 | o/oo |
| 03/21/05 | 7:10 | WWR002 | A | Methacrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Methoprene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Methoxychlor | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Methyl isothiocyanate | < 2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Methyl parathion | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Methyl sulfide | 3.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Methylene chloride | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Methylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Metolachlor | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Metribuzin | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | m-Xylene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Naled (Dibrom) | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Naphthalene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Napropamide | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | n-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Nitrate | < 2 | mg/l |
| 03/21/05 | 7:10 | WWR002 | A | Nitrite | < 0.02 | mg/l |
| 03/21/05 | 7:10 | WWR002 | A | n-Propane | < 2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | n-Propylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Ortho-Phosphate | < 0.2 | mg/l |
| 03/21/05 | 7:10 | WWR002 | A | o-Xylene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Pendimethalin | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Pentachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Permethrin | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Phenanthrene | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Piperonyl butoxide | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Prometon | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Prometryne | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Propachlor | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Propamocarb hydrochloride | < 0.3 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Propiconazole | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | p-Xylene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Pyrene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Resmethrin | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Ronstar | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Secchi | 3 | ft |
| 03/21/05 | 7:10 | WWR002 | A | Siduron | < 0.3 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|---------|------------|
| 03/21/05 | 7:10 | WWR002 | A | Simazine | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Sulfate | 986 | mg/l |
| 03/21/05 | 7:10 | WWR002 | A | Sumithrin | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Tebuthiuron | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Temperature | 6.2 | Deg C |
| 03/21/05 | 7:10 | WWR002 | A | Terbacil | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Terbufos | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Tetrachloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Tetrahydrofuran | < 20 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Toluene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Total Coliform | 80 | MPN/100 ml |
| 03/21/05 | 7:10 | WWR002 | A | Total Nitrogen | 0.45 | mg/l |
| 03/21/05 | 7:10 | WWR002 | A | Total Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 7:10 | WWR002 | A | Total Xylene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Triadimefon | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Trichlorfon | < 0.3 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Trichloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Triclosan | < 0.2 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Trifluralin | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Vinclozolin | < 0.5 | ug/l |
| 03/21/05 | 7:10 | WWR002 | A | Vinyl chloride | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 03/21/05 | 7:19 | WWR006 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 4,4 DDD | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 4,4 DDE | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 4,4 DDT | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Acenaphthene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Acenaphthylene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Acetochlor | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Acrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Alachlor | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Alachlor ESA | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Alachlor OA | < 0.4 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Aldrin | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Allethrin | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Allyl chloride | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Alpha - BHC | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Ammonia (not distilled) | 0.08 | mg/l |
| 03/21/05 | 7:19 | WWR006 | A | Anthracene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Atrazine | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Azoxystrobin | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Benfluralin | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Benzene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Benzophenone | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Beta - BHC | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Bisphenol A | < 2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Bloc | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Bromacil | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Bromide | 1.964 | mg/l |
| 03/21/05 | 7:19 | WWR006 | A | Bromobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Bromochloromethane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Bromodichloromethane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Bromoform | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Bromomethane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Butachlor | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Caffeine | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Carbamazepine | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Carbazole | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Carbon disulfide | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Carbon tetrachloride | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Carisoprodol | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|---------|-------|
| 03/21/05 | 7:19 | WWR006 | A | Chlordane | < 1 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Chloride | 658 | mg/l |
| 03/21/05 | 7:19 | WWR006 | A | Chlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Chloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Chlorofenvinphos | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Chloroform | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Chloromethane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Chlorothalonil | < 1 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Chloroxylenol | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Chlorpyrifos | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Chrysene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Cyanazine | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Cyfluthrin | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Cypermethrin | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Dacthal | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Deisopropylatrazine | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Delta - BHC | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Deltamethrin | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Depth | 3 | ft |
| 03/21/05 | 7:19 | WWR006 | A | Desethylatrazine | < 0.4 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Diazinon | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Dibromomethane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Dibutyl phthalate | < 1 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Dichlorvos | < 0.6 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Didealkylatrazine | < 0.8 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Dieldrin | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Diethyl ether | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Diethyl phthalate | < 1 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Dimethyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Dinoseb | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Diocetyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Dissolved Nitrogen | 1.4 | mg/l |
| 03/21/05 | 7:19 | WWR006 | A | Dissolved Oxygen | 9.5 | mg/l |
| 03/21/05 | 7:19 | WWR006 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 7:19 | WWR006 | A | Disulfoton | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Disulfoton sulfone | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | d-Limonene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Endosulfan I | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Endosulfan II | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Endrin | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Endrin aldehyde | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | EPTC | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Ethofumesate | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Ethyl parathion | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|------------------------------------|--------|------------|
| 03/21/05 | 7:19 | WWR006 | A | Ethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Ethylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Fecal Coliform | < 20 | MPN/100 ml |
| 03/21/05 | 7:19 | WWR006 | A | Fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Fluorene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Fluoride | < 2 | mg/l |
| 03/21/05 | 7:19 | WWR006 | A | Freon 113 | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Gamma - BHC | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Gemfibrozil | < 0.4 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Heptachlor | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Hexachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Hexachlorobutadiene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Hexachloroethane | < 1 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Hexazinone | < 1 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Ibuprofen | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Imidacloprid | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Iodofenphos | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Iprodione | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Isofenphos | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Isopropylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Kelthane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Malaoxon | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Malathion | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Metalaxyl | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Metered Salinity | 23.4 | o/oo |
| 03/21/05 | 7:19 | WWR006 | A | Methacrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Methoprene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Methoxychlor | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Methyl isothiocyanate | < 2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Methyl parathion | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Methyl sulfide | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Methylene chloride | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Methylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Metolachlor | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Metribuzin | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | m-Xylene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Naled (Dibrom) | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Naphthalene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Napropamide | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | n-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Nitrate | < 2 | mg/l |
| 03/21/05 | 7:19 | WWR006 | A | Nitrite | < 0.02 | mg/l |
| 03/21/05 | 7:19 | WWR006 | A | n-Propane | < 2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|---------------------------|---------|------------|
| 03/21/05 | 7:19 | WWR006 | A | n-Propylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Ortho-Phosphate | < 0.2 | mg/l |
| 03/21/05 | 7:19 | WWR006 | A | o-Xylene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Pendimethalin | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Pentachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Permethrin | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Phenanthrene | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Piperonyl butoxide | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Prometon | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Prometryne | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Propachlor | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Propamocarb hydrochloride | < 0.3 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Propiconazole | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | p-Xylene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Pyrene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Resmethrin | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Ronstar | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Secchi | 2 | ft |
| 03/21/05 | 7:19 | WWR006 | A | Siduron | < 0.3 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Simazine | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Sulfate | 68 | mg/l |
| 03/21/05 | 7:19 | WWR006 | A | Sumithrin | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Tebuthiuron | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Temperature | 6.7 | Deg C |
| 03/21/05 | 7:19 | WWR006 | A | Terbacil | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Terbufos | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Tetrachloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Tetrahydrofuran | < 20 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Toluene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Total Coliform | 700 | MPN/100 ml |
| 03/21/05 | 7:19 | WWR006 | A | Total Nitrogen | 1.3 | mg/l |
| 03/21/05 | 7:19 | WWR006 | A | Total Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 7:19 | WWR006 | A | Total Xylene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Triadimefon | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Trichlorfon | < 0.3 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Trichloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Triclosan | < 0.2 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Trifluralin | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Vinclozolin | < 0.5 | ug/l |
| 03/21/05 | 7:19 | WWR006 | A | Vinyl chloride | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 03/21/05 | 7:34 | WWR003 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 4,4 DDD | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 4,4 DDE | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 4,4 DDT | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Acenaphthene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Acenaphthylene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Acetochlor | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Acrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Alachlor | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Alachlor ESA | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Alachlor OA | < 0.4 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Aldrin | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Allethrin | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Allyl chloride | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Alpha - BHC | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Ammonia (not distilled) | 0.13 | mg/l |
| 03/21/05 | 7:34 | WWR003 | A | Anthracene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Atrazine | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Azoxystrobin | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Benfluralin | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Benzene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Benzo-a-pyrene | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 03/21/05 | 7:34 | WWR003 | A | Benzophenone | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Beta - BHC | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Bisphenol A | < 2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Bloc | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Bromacil | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Bromide | 8.776 | mg/l |
| 03/21/05 | 7:34 | WWR003 | A | Bromobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Bromochloromethane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Bromodichloromethane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Bromoform | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Bromomethane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Butachlor | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Caffeine | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Carbamazepine | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Carbazole | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Carbon disulfide | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Carbon tetrachloride | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Carisoprodol | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Chlordane | < 1 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Chloride | 2870 | mg/l |
| 03/21/05 | 7:34 | WWR003 | A | Chlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Chloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Chlorofenvinphos | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Chloroform | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Chloromethane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Chlorothalonil | < 1 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Chloroxylenol | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Chlorpyrifos | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Chrysene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Cyanazine | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Cyfluthrin | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Cypermethrin | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Dacthal | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Deisopropylatrazine | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Delta - BHC | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Deltamethrin | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Depth | 2 | ft |
| 03/21/05 | 7:34 | WWR003 | A | Desethylatrazine | < 0.4 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Diazinon | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Dibromomethane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Dibutyl phthalate | < 1 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Dichlorvos | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Didealkylatrazine | < 0.8 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|---------------------------|---------|------------|
| 03/21/05 | 7:34 | WWR003 | A | Dieldrin | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Diethyl ether | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Diethyl phthalate | < 1 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Dimethyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Dinoseb | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Diocetyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Dissolved Nitrogen | 0.69 | mg/l |
| 03/21/05 | 7:34 | WWR003 | A | Dissolved Oxygen | 9 | mg/l |
| 03/21/05 | 7:34 | WWR003 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 7:34 | WWR003 | A | Disulfoton | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Disulfoton sulfone | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | d-Limonene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Endosulfan I | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Endosulfan II | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Endosulfan sulfate | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Endrin | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Endrin aldehyde | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | EPTC | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Ethofumesate | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Ethyl parathion | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Ethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Ethylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Fecal Coliform | 800 | MPN/100 ml |
| 03/21/05 | 7:34 | WWR003 | A | Fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Fluorene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Fluoride | < 2 | mg/l |
| 03/21/05 | 7:34 | WWR003 | A | Freon 113 | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Gamma - BHC | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Gemfibrozil | < 0.4 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Heptachlor | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Hexachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Hexachlorobutadiene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Hexachloroethane | < 1 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Hexazinone | < 1 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Ibuprofen | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Imidacloprid | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Iodofenphos | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Iprodione | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Isofenphos | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Isopropylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Kelthane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Malaoxon | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Malathion | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Metalaxyl | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Metered Salinity | 22.6 | o/oo |
| 03/21/05 | 7:34 | WWR003 | A | Methacrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Methoprene | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|------------------------------------|--------|-------|
| 03/21/05 | 7:34 | WWR003 | A | Methoxychlor | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Methyl isothiocyanate | < 2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Methyl parathion | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Methyl sulfide | 1.7 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Methylene chloride | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Methylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Metolachlor | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Metribuzin | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | m-Xylene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Naled (Dibrom) | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Naphthalene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Napropamide | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | n-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Nitrate | < 2 | mg/l |
| 03/21/05 | 7:34 | WWR003 | A | Nitrite | < 0.02 | mg/l |
| 03/21/05 | 7:34 | WWR003 | A | n-Propane | < 2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | n-Propylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Ortho-Phosphate | < 0.2 | mg/l |
| 03/21/05 | 7:34 | WWR003 | A | o-Xylene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Pendimethalin | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Pentachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Permethrin | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Phenanthrene | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Piperonyl butoxide | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Prometon | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Prometryne | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Propachlor | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Propamocarb hydrochloride | < 0.3 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Propiconazole | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | p-Xylene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Pyrene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Resmethrin | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Ronstar | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Secchi | 2 | ft |
| 03/21/05 | 7:34 | WWR003 | A | Siduron | < 0.3 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Simazine | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Sulfate | 416 | mg/l |
| 03/21/05 | 7:34 | WWR003 | A | Sumithrin | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Tebuthiuron | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Temperature | 7.2 | Deg C |
| 03/21/05 | 7:34 | WWR003 | A | Terbacil | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Terbufos | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|---------|------------|
| 03/21/05 | 7:34 | WWR003 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Tetrachloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Tetrahydrofuran | < 20 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Toluene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Total Coliform | 1300 | MPN/100 ml |
| 03/21/05 | 7:34 | WWR003 | A | Total Nitrogen | 0.77 | mg/l |
| 03/21/05 | 7:34 | WWR003 | A | Total Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 7:34 | WWR003 | A | Total Xylene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Triadimefon | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Trichlorfon | < 0.3 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Trichloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Triclosan | < 0.2 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Trifluralin | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Vinclozolin | < 0.5 | ug/l |
| 03/21/05 | 7:34 | WWR003 | A | Vinyl chloride | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 4,4 DDD | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 4,4 DDE | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | 4,4 DDT | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 03/21/05 | 7:46 | WWR004 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Acenaphthene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Acenaphthylene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Acetochlor | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Acrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Alachlor | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Alachlor ESA | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Alachlor OA | < 0.4 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Aldrin | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Allethrin | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Allyl chloride | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Alpha - BHC | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Ammonia (not distilled) | 0.13 | mg/l |
| 03/21/05 | 7:46 | WWR004 | A | Anthracene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Atrazine | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Azoxystrobin | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Benfluralin | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Benzene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Benzophenone | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Beta - BHC | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Bisphenol A | < 2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Bloc | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Bromacil | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Bromide | 7.32 | mg/l |
| 03/21/05 | 7:46 | WWR004 | A | Bromobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Bromochloromethane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Bromodichloromethane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Bromoform | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Bromomethane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Butachlor | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Caffeine | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Carbamazepine | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Carbazole | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Carbon disulfide | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Carbon tetrachloride | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Carisoprodol | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Chlordane | < 1 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Chloride | 2555 | mg/l |
| 03/21/05 | 7:46 | WWR004 | A | Chlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Chloroethane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Chlorofenvinphos | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Chloroform | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|---------|------------|
| 03/21/05 | 7:46 | WWR004 | A | Chloromethane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Chlorothalonil | < 1 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Chloroxylenol | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Chlorpyrifos | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Chrysene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Cyanazine | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Cyfluthrin | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Cypermethrin | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Dacthal | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Deisopropylatrazine | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Delta - BHC | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Deltamethrin | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Depth | 2 | ft |
| 03/21/05 | 7:46 | WWR004 | A | Desethylatrazine | < 0.4 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Diazinon | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Dibromomethane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Dibutyl phthalate | < 1 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Dichlorvos | < 0.6 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Didealkylatrazine | < 0.8 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Dieldrin | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Diethyl ether | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Diethyl phthalate | < 1 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Dimethyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Dinoseb | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Diocetyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Dissolved Nitrogen | 0.77 | mg/l |
| 03/21/05 | 7:46 | WWR004 | A | Dissolved Oxygen | 9.6 | mg/l |
| 03/21/05 | 7:46 | WWR004 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 7:46 | WWR004 | A | Disulfoton | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Disulfoton sulfone | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | d-Limonene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Endosulfan I | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Endosulfan II | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Endrin | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Endrin aldehyde | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | EPTC | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Ethofumesate | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Ethyl parathion | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Ethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Ethylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Fecal Coliform | 40 | MPN/100 ml |
| 03/21/05 | 7:46 | WWR004 | A | Fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Fluorene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Fluoride | < 2 | mg/l |
| 03/21/05 | 7:46 | WWR004 | A | Freon 113 | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Gamma - BHC | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|------------------------------------|--------|-------|
| 03/21/05 | 7:46 | WWR004 | A | Gemfibrozil | < 0.4 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Heptachlor | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Hexachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Hexachlorobutadiene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Hexachloroethane | < 1 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Hexazinone | < 1 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Ibuprofen | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Imidacloprid | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Iodofenphos | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Iprodione | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Isofenphos | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Isopropylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Kelthane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Malaoxon | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Malathion | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Metalaxyl | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Metered Salinity | 20.7 | o/oo |
| 03/21/05 | 7:46 | WWR004 | A | Methacrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Methoprene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Methoxychlor | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Methyl isothiocyanate | < 2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Methyl parathion | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Methyl sulfide | 1.1 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Methylene chloride | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Methylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Metolachlor | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Metribuzin | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | m-Xylene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Naled (Dibrom) | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Naphthalene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Napropamide | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | n-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Nitrate | < 2 | mg/l |
| 03/21/05 | 7:46 | WWR004 | A | Nitrite | < 0.02 | mg/l |
| 03/21/05 | 7:46 | WWR004 | A | n-Propane | < 2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | n-Propylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Ortho-Phosphate | < 0.2 | mg/l |
| 03/21/05 | 7:46 | WWR004 | A | o-Xylene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Pendimethalin | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Pentachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Permethrin | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|----------------------------|---------|------------|
| 03/21/05 | 7:46 | WWR004 | A | Phenanthrene | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Piperonyl butoxide | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Prometon | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Prometryne | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Propachlor | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Propamocarb hydrochloride | < 0.3 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Propiconazole | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | p-Xylene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Pyrene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Resmethrin | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Ronstar | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Secchi | 2 | ft |
| 03/21/05 | 7:46 | WWR004 | A | Siduron | < 0.3 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Simazine | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Sulfate | 286 | mg/l |
| 03/21/05 | 7:46 | WWR004 | A | Sumithrin | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Tebuthiuron | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Temperature | 7.3 | Deg C |
| 03/21/05 | 7:46 | WWR004 | A | Terbacil | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Terbufos | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Tetrachloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Tetrahydrofuran | < 20 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Toluene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Total Coliform | 300 | MPN/100 ml |
| 03/21/05 | 7:46 | WWR004 | A | Total Nitrogen | 0.75 | mg/l |
| 03/21/05 | 7:46 | WWR004 | A | Total Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 7:46 | WWR004 | A | Total Xylene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Triadimefon | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Trichlorfon | < 0.3 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Trichloroethene | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Triclosan | < 0.2 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Trifluralin | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Vinclozolin | < 0.5 | ug/l |
| 03/21/05 | 7:46 | WWR004 | A | Vinyl chloride | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 03/21/05 | 11:06 | WWR001 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 4,4 DDD | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 4,4 DDE | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 4,4 DDT | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Acenaphthene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Acenaphthylene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Acetochlor | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Acrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Alachlor | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Alachlor ESA | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Alachlor OA | < 0.4 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Aldrin | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Allethrin | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Allyl chloride | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Alpha - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Ammonia (not distilled) | 0.05 | mg/l |
| 03/21/05 | 11:06 | WWR001 | P | Anthracene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Atrazine | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Azoxystrobin | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Benfluralin | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Benzene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Benzophenone | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Beta - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Bisphenol A | < 2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Bloc | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Bromacil | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|--------------------------|--------|-------|
| 03/21/05 | 11:06 | WWR001 | P | Bromide | 8.507 | mg/l |
| 03/21/05 | 11:06 | WWR001 | P | Bromobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Bromochloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Bromodichloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Bromoform | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Bromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Butachlor | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Caffeine | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Carbamazepine | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Carbazole | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Carbon disulfide | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Carisoprodol | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Chlordane | < 1 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Chloride | 2478 | mg/l |
| 03/21/05 | 11:06 | WWR001 | P | Chlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Chloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Chloroform | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Chloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Chlorothalonil | < 1 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Chloroxylenol | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Chlorpyrifos | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Chrysene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Cyanazine | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Cyfluthrin | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Cypermethrin | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Dacthal | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Delta - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Deltamethrin | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Depth | 3 | ft |
| 03/21/05 | 11:06 | WWR001 | P | Desethylatrazine | < 0.4 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Diazinon | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Dibromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Dibutyl phthalate | < 1 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Dichlorvos | < 0.6 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Didealkylatrazine | < 0.8 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Dieldrin | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Diethyl ether | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Diethyl phthalate | < 1 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Dinoseb | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Diocetyl phthalate | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|------------|
| 03/21/05 | 11:06 | WWR001 | P | Dissolved Nitrogen | 0.48 | mg/l |
| 03/21/05 | 11:06 | WWR001 | P | Dissolved Oxygen | 11.5 | mg/l |
| 03/21/05 | 11:06 | WWR001 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 11:06 | WWR001 | P | Disulfoton | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | d-Limonene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Endosulfan I | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Endosulfan II | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Endosulfan sulfate | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Endrin | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Endrin aldehyde | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | EPTC | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Ethofumesate | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Ethyl parathion | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Ethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Fecal Coliform | 80 | MPN/100 ml |
| 03/21/05 | 11:06 | WWR001 | P | Fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Fluorene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Fluoride | < 2 | mg/l |
| 03/21/05 | 11:06 | WWR001 | P | Freon 113 | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Gamma - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Gemfibrozil | < 0.4 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Heptachlor | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Hexachlorobutadiene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Hexachloroethane | < 1 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Hexazinone | < 1 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Ibuprofen | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Imidacloprid | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Iodofenphos | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Iprodione | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Isofenphos | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Isopropylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Kelthane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Malaoxon | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Malathion | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Metalaxyl | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Metered Salinity | 20.7 | o/oo |
| 03/21/05 | 11:06 | WWR001 | P | Methacrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Methoprene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Methoxychlor | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Methyl isothiocyanate | < 2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Methyl parathion | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Methyl sulfide | 1 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Methylene chloride | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Methylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Metolachlor | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|--------|------------|
| 03/21/05 | 11:06 | WWR001 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Metribuzin | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | m-Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Naphthalene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Napropamide | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | n-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Nitrate | < 2 | mg/l |
| 03/21/05 | 11:06 | WWR001 | P | Nitrite | < 0.02 | mg/l |
| 03/21/05 | 11:06 | WWR001 | P | n-Propane | < 2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | n-Propylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Ortho-Phosphate | < 2 | mg/l |
| 03/21/05 | 11:06 | WWR001 | P | o-Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Pendimethalin | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Permethrin | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Phenanthrene | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Prometon | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Prometryne | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Propachlor | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Propiconazole | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | p-Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Pyrene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Resmethrin | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Ronstar | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Secchi | 3 | ft |
| 03/21/05 | 11:06 | WWR001 | P | Siduron | < 0.3 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Simazine | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Sulfate | 339 | mg/l |
| 03/21/05 | 11:06 | WWR001 | P | Sumithrin | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Tebuthiuron | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Temperature | 7.4 | Deg C |
| 03/21/05 | 11:06 | WWR001 | P | Terbacil | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Terbufos | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Tetrachloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Tetrahydrofuran | < 20 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Toluene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Total Coliform | 230 | MPN/100 ml |
| 03/21/05 | 11:06 | WWR001 | P | Total Nitrogen | 0.49 | mg/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|-------|
| 03/21/05 | 11:06 | WWR001 | P | Total Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 11:06 | WWR001 | P | Total Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Triadimefon | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Trichlorfon | < 0.3 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Trichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Triclosan | < 0.2 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Trifluralin | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Vinclozolin | < 0.5 | ug/l |
| 03/21/05 | 11:06 | WWR001 | P | Vinyl chloride | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 2,3-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 4,4 DDD | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 4,4 DDE | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 4,4 DDT | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Acenaphthene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Acenaphthylene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Acetochlor | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Acrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Alachlor | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Alachlor ESA | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Alachlor OA | < 0.4 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 03/21/05 | 11:14 | WWR005 | P | Aldrin | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Allethrin | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Allyl chloride | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Alpha - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Ammonia (not distilled) | 0.03 | mg/l |
| 03/21/05 | 11:14 | WWR005 | P | Anthracene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Atrazine | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Azoxystrobin | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Benfluralin | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Benzene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Benzophenone | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Beta - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Bisphenol A | < 2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Bloc | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Bromacil | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Bromide | < 25 | mg/l |
| 03/21/05 | 11:14 | WWR005 | P | Bromobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Bromochloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Bromodichloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Bromoform | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Bromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Butachlor | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Caffeine | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Carbamazepine | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Carbazole | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Carbon disulfide | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Carisoprodol | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Chlordane | < 1 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Chloride | 6002 | mg/l |
| 03/21/05 | 11:14 | WWR005 | P | Chlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Chloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Chloroform | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Chloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Chlorothalonil | < 1 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Chloroxylonol | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Chlorpyrifos | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Chrysene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Cyanazine | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|---------------------------|---------|------------|
| 03/21/05 | 11:14 | WWR005 | P | Cyfluthrin | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Cypermethrin | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Dacthal | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Delta - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Deltamethrin | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Depth | 2 | ft |
| 03/21/05 | 11:14 | WWR005 | P | Desethylatrazine | < 0.4 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Diazinon | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Dibromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Dibutyl phthalate | < 1 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Dichlorvos | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Didealkylatrazine | < 0.8 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Dieldrin | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Diethyl ether | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Diethyl phthalate | < 1 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Dinoseb | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Dissolved Nitrogen | 0.31 | mg/l |
| 03/21/05 | 11:14 | WWR005 | P | Dissolved Oxygen | 10.8 | mg/l |
| 03/21/05 | 11:14 | WWR005 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 11:14 | WWR005 | P | Disulfoton | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | d-Limonene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Endosulfan I | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Endosulfan II | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Endosulfan sulfate | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Endrin | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Endrin aldehyde | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | EPTC | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Ethofumesate | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Ethyl parathion | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Ethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Fecal Coliform | 40 | MPN/100 ml |
| 03/21/05 | 11:14 | WWR005 | P | Fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Fluorene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Fluoride | < 2 | mg/l |
| 03/21/05 | 11:14 | WWR005 | P | Freon 113 | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Gamma - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Gemfibrozil | < 0.4 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Heptachlor | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Hexachlorobutadiene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Hexachloroethane | < 1 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Hexazinone | < 1 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|--------|-------|
| 03/21/05 | 11:14 | WWR005 | P | Ibuprofen | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Imidacloprid | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Iodofenphos | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Iprodione | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Isofenphos | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Isopropylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Kelthane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Malaoxon | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Malathion | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Metalaxyl | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Metered Salinity | 14.6 | o/oo |
| 03/21/05 | 11:14 | WWR005 | P | Methacrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Methoprene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Methoxychlor | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Methyl isothiocyanate | < 2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Methyl parathion | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Methyl sulfide | 10 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Methylene chloride | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Methylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Metolachlor | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Metribuzin | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | m-Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Naphthalene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Napropamide | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | n-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Nitrate | < 2 | mg/l |
| 03/21/05 | 11:14 | WWR005 | P | Nitrite | < 0.02 | mg/l |
| 03/21/05 | 11:14 | WWR005 | P | n-Propane | < 2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | n-Propylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Ortho-Phosphate | < 2 | mg/l |
| 03/21/05 | 11:14 | WWR005 | P | o-Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Pendimethalin | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Permethrin | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Phenanthrene | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Prometon | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Prometryne | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Propachlor | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Propiconazole | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|------------|
| 03/21/05 | 11:14 | WWR005 | P | p-Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Pyrene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Resmethrin | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Ronstar | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Secchi | 2 | ft |
| 03/21/05 | 11:14 | WWR005 | P | Siduron | < 0.3 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Simazine | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Sulfate | 773 | mg/l |
| 03/21/05 | 11:14 | WWR005 | P | Sumithrin | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Tebuthiuron | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Temperature | 7.7 | Deg C |
| 03/21/05 | 11:14 | WWR005 | P | Terbacil | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Terbufos | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Tetrachloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Tetrahydrofuran | < 20 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Toluene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Total Coliform | 1100 | MPN/100 ml |
| 03/21/05 | 11:14 | WWR005 | P | Total Nitrogen | 0.35 | mg/l |
| 03/21/05 | 11:14 | WWR005 | P | Total Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 11:14 | WWR005 | P | Total Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Triadimefon | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Trichlorfon | < 0.3 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Trichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Triclosan | < 0.2 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Trifluralin | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Vinclozolin | < 0.5 | ug/l |
| 03/21/05 | 11:14 | WWR005 | P | Vinyl chloride | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1,3-Dichloropropane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 03/21/05 | 11:23 | WWR002 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 4,4 DDD | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 4,4 DDE | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 4,4 DDT | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Acenaphthene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Acenaphthylene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Acetochlor | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Acrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Alachlor | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Alachlor ESA | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Alachlor OA | < 0.4 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Aldrin | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Allethrin | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Allyl chloride | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Alpha - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Ammonia (not distilled) | 0.09 | mg/l |
| 03/21/05 | 11:23 | WWR002 | P | Anthracene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Atrazine | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Azoxystrobin | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Benfluralin | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Benzene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Benzophenone | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Beta - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Bisphenol A | < 2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Bloc | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Bromacil | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Bromide | 17.1 | mg/l |
| 03/21/05 | 11:23 | WWR002 | P | Bromobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Bromochloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Bromodichloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Bromoform | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Bromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Butachlor | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|--------------------------|---------|-------|
| 03/21/05 | 11:23 | WWR002 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Caffeine | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Carbamazepine | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Carbazole | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Carbon disulfide | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Carisoprodol | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Chlordane | < 1 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Chloride | 4956 | mg/l |
| 03/21/05 | 11:23 | WWR002 | P | Chlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Chloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Chloroform | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Chloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Chlorothalonil | < 1 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Chloroxylenol | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Chlorpyrifos | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Chrysene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Cyanazine | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Cyfluthrin | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Cypermethrin | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Dacthal | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Delta - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Deltamethrin | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Depth | 2 | ft |
| 03/21/05 | 11:23 | WWR002 | P | Desethylatrazine | < 0.4 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Diazinon | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Dibromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Dibutyl phthalate | < 1 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Dichlorvos | < 0.6 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Didealkylatrazine | < 0.8 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Dieldrin | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Diethyl ether | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Diethyl phthalate | < 1 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Dinoseb | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Dissolved Nitrogen | 0.6 | mg/l |
| 03/21/05 | 11:23 | WWR002 | P | Dissolved Oxygen | 8.9 | mg/l |
| 03/21/05 | 11:23 | WWR002 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 11:23 | WWR002 | P | Disulfoton | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | d-Limonene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Endosulfan I | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Endosulfan II | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|--------|------------|
| 03/21/05 | 11:23 | WWR002 | P | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Endrin | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Endrin aldehyde | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | EPTC | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Ethofumesate | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Ethyl parathion | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Ethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Fecal Coliform | < 20 | MPN/100 ml |
| 03/21/05 | 11:23 | WWR002 | P | Fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Fluorene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Fluoride | < 2 | mg/l |
| 03/21/05 | 11:23 | WWR002 | P | Freon 113 | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Gamma - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Gemfibrozil | < 0.4 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Heptachlor | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Hexachlorobutadiene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Hexachloroethane | < 1 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Hexazinone | < 1 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Ibuprofen | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Imidacloprid | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Iodofenphos | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Iprodione | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Isofenphos | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Isopropylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Kelthane | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Malaoxon | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Malathion | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Metalaxyl | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Metered Salinity | 13.8 | o/oo |
| 03/21/05 | 11:23 | WWR002 | P | Methacrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Methoprene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Methoxychlor | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Methyl isothiocyanate | < 2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Methyl parathion | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Methyl sulfide | 2.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Methylene chloride | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Methylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Metolachlor | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Metribuzin | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | m-Xylene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|---------------------------|--------|------------|
| 03/21/05 | 11:23 | WWR002 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Naphthalene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Napropamide | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | n-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Nitrate | < 2 | mg/l |
| 03/21/05 | 11:23 | WWR002 | P | Nitrite | < 0.02 | mg/l |
| 03/21/05 | 11:23 | WWR002 | P | n-Propane | < 2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | n-Propylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Ortho-Phosphate | < 2 | mg/l |
| 03/21/05 | 11:23 | WWR002 | P | o-Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Pendimethalin | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Permethrin | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Phenanthrene | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Prometon | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Prometryne | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Propachlor | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Propiconazole | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | p-Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Pyrene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Resmethrin | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Ronstar | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Secchi | 2 | ft |
| 03/21/05 | 11:23 | WWR002 | P | Siduron | < 0.3 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Simazine | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Sulfate | 627 | mg/l |
| 03/21/05 | 11:23 | WWR002 | P | Sumithrin | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Tebuthiuron | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Temperature | 7.6 | Deg C |
| 03/21/05 | 11:23 | WWR002 | P | Terbacil | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Terbufos | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Tetrachloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Tetrahydrofuran | < 20 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Toluene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Total Coliform | 170 | MPN/100 ml |
| 03/21/05 | 11:23 | WWR002 | P | Total Nitrogen | 0.6 | mg/l |
| 03/21/05 | 11:23 | WWR002 | P | Total Phosphorous | 0.0306 | mg/l |
| 03/21/05 | 11:23 | WWR002 | P | Total Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Triadimefon | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Trichlorfon | < 0.3 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Trichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Trichlorofluoromethane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 03/21/05 | 11:23 | WWR002 | P | Triclosan | < 0.2 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Trifluralin | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Vinclozolin | < 0.5 | ug/l |
| 03/21/05 | 11:23 | WWR002 | P | Vinyl chloride | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 4,4 DDD | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 4,4 DDE | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 4,4 DDT | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Acenaphthene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Acenaphthylene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Acetochlor | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Acrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Alachlor | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Alachlor ESA | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Alachlor OA | < 0.4 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Aldrin | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Allethrin | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Allyl chloride | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Alpha - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Ammonia (not distilled) | 0.07 | mg/l |
| 03/21/05 | 11:32 | WWR006 | P | Anthracene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Atrazine | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Azoxystrobin | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 03/21/05 | 11:32 | WWR006 | P | Benfluralin | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Benzene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Benzophenone | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Beta - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Bisphenol A | < 2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Bloc | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Bromacil | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Bromide | 8.091 | mg/l |
| 03/21/05 | 11:32 | WWR006 | P | Bromobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Bromochloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Bromodichloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Bromoform | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Bromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Butachlor | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Caffeine | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Carbamazepine | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Carbazole | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Carbon disulfide | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Carisoprodol | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Chlordane | < 1 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Chloride | 2669 | mg/l |
| 03/21/05 | 11:32 | WWR006 | P | Chlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Chloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Chloroform | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Chloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Chloroethalonil | < 1 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Chloroxypenol | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Chlorpyrifos | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Chrysene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Cyanazine | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Cyfluthrin | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Cypermethrin | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Dacthal | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Delta - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Deltamethrin | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Depth | 1 | ft |
| 03/21/05 | 11:32 | WWR006 | P | Desethylatrazine | < 0.4 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|---------------------------|---------|------------|
| 03/21/05 | 11:32 | WWR006 | P | Diazinon | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Dibromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Dibutyl phthalate | < 1 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Dichlorvos | < 0.6 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Didealkylatrazine | < 0.8 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Dieldrin | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Diethyl ether | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Diethyl phthalate | < 1 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Dinoseb | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Dissolved Nitrogen | 0.8 | mg/l |
| 03/21/05 | 11:32 | WWR006 | P | Dissolved Oxygen | 8.6 | mg/l |
| 03/21/05 | 11:32 | WWR006 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 11:32 | WWR006 | P | Disulfoton | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | d-Limonene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Endosulfan I | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Endosulfan II | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Endrin | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Endrin aldehyde | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | EPTC | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Ethofumesate | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Ethyl parathion | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Ethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Fecal Coliform | 20 | MPN/100 ml |
| 03/21/05 | 11:32 | WWR006 | P | Fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Fluorene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Fluoride | < 0.2 | mg/l |
| 03/21/05 | 11:32 | WWR006 | P | Freon 113 | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Gamma - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Gemfibrozil | < 0.4 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Heptachlor | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Hexachlorobutadiene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Hexachloroethane | < 1 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Hexazinone | < 1 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Ibuprofen | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Imidacloprid | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Iodofenphos | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Iprodione | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Isofenphos | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Isopropylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Kelthane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|--------|-------|
| 03/21/05 | 11:32 | WWR006 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Malaoxon | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Malathion | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Metalaxyl | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Metered Salinity | 11.5 | o/oo |
| 03/21/05 | 11:32 | WWR006 | P | Methacrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Methoprene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Methoxychlor | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Methyl isothiocyanate | < 2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Methyl parathion | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Methyl sulfide | 1 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Methylene chloride | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Methylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Metolachlor | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Metribuzin | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | m-Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Naphthalene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Napropamide | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | n-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Nitrate | < 2 | mg/l |
| 03/21/05 | 11:32 | WWR006 | P | Nitrite | < 0.02 | mg/l |
| 03/21/05 | 11:32 | WWR006 | P | n-Propane | < 2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | n-Propylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Ortho-Phosphate | < 0.2 | mg/l |
| 03/21/05 | 11:32 | WWR006 | P | o-Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Pendimethalin | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Permethrin | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Phenanthrene | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Prometon | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Prometryne | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Propachlor | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Propiconazole | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | p-Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Pyrene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Resmethrin | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Ronstar | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Secchi | 1 | ft |
| 03/21/05 | 11:32 | WWR006 | P | Siduron | < 0.3 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Simazine | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|------------|
| 03/21/05 | 11:32 | WWR006 | P | Sulfate | 325 | mg/l |
| 03/21/05 | 11:32 | WWR006 | P | Sumithrin | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Tebuthiuron | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Temperature | 7.6 | Deg C |
| 03/21/05 | 11:32 | WWR006 | P | Terbacil | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Terbufos | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Tetrachloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Tetrahydrofuran | < 20 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Toluene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Total Coliform | 358 | MPN/100 ml |
| 03/21/05 | 11:32 | WWR006 | P | Total Nitrogen | 1.2 | mg/l |
| 03/21/05 | 11:32 | WWR006 | P | Total Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 11:32 | WWR006 | P | Total Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Triadimefon | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Trichlorfon | < 0.3 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Trichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Triclosan | < 0.2 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Trifluralin | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Vinclozolin | < 0.5 | ug/l |
| 03/21/05 | 11:32 | WWR006 | P | Vinyl chloride | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 2-Butanone (MEK) | < 20 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 03/21/05 | 11:47 | WWR003 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 4,4 DDD | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 4,4 DDE | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 4,4 DDT | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Acenaphthene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Acenaphthylene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Acetochlor | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Acrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Alachlor | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Alachlor ESA | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Alachlor OA | < 0.4 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Aldrin | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Allethrin | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Allyl chloride | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Alpha - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Ammonia (not distilled) | 0.11 | mg/l |
| 03/21/05 | 11:47 | WWR003 | P | Anthracene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Atrazine | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Azoxystrobin | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Benfluralin | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Benzene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Benzophenone | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Beta - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Bisphenol A | < 2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Bloc | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Bromacil | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Bromide | 19.4 | mg/l |
| 03/21/05 | 11:47 | WWR003 | P | Bromobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Bromochloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Bromodichloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Bromoform | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Bromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Butachlor | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Caffeine | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Carbamazepine | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Carbazole | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Carbon disulfide | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Carisoprodol | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Chlordane | < 1 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|--------------------------|---------|-------|
| 03/21/05 | 11:47 | WWR003 | P | Chloride | 5748 | mg/l |
| 03/21/05 | 11:47 | WWR003 | P | Chlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Chloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Chloroform | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Chloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Chloroethalonil | < 1 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Chloroxylenol | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Chlorpyrifos | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Chrysene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Cyanazine | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Cyfluthrin | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Cypermethrin | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Dacthal | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Delta - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Deltamethrin | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Depth | 1.5 | ft |
| 03/21/05 | 11:47 | WWR003 | P | Desethylatrazine | < 0.4 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Diazinon | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Dibromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Dibutyl phthalate | < 1 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Dichlorvos | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Didealkylatrazine | < 0.8 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Dieldrin | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Diethyl ether | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Diethyl phthalate | < 1 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Dinoseb | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Dissolved Nitrogen | 0.43 | mg/l |
| 03/21/05 | 11:47 | WWR003 | P | Dissolved Oxygen | 10 | mg/l |
| 03/21/05 | 11:47 | WWR003 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 11:47 | WWR003 | P | Disulfoton | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | d-Limonene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Endosulfan I | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Endosulfan II | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Endosulfan sulfate | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Endrin | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Endrin aldehyde | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | EPTC | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Ethofumesate | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Ethyl parathion | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Ethylbenzene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|--------|------------|
| 03/21/05 | 11:47 | WWR003 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Fecal Coliform | 110 | MPN/100 ml |
| 03/21/05 | 11:47 | WWR003 | P | Fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Fluorene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Fluoride | < 2 | mg/l |
| 03/21/05 | 11:47 | WWR003 | P | Freon 113 | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Gamma - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Gemfibrozil | < 0.4 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Heptachlor | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Hexachlorobutadiene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Hexachloroethane | < 1 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Hexazinone | < 1 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Ibuprofen | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Imidacloprid | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Iodofenphos | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Iprodione | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Isofenphos | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Isopropylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Kelthane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Malaoxon | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Malathion | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Metalaxyl | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Metered Salinity | 10 | o/oo |
| 03/21/05 | 11:47 | WWR003 | P | Methacrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Methoprene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Methoxychlor | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Methyl isothiocyanate | < 2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Methyl parathion | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Methyl sulfide | 2.8 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Methylene chloride | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Methylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Metolachlor | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Metribuzin | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | m-Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Naphthalene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Napropamide | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | n-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Nitrate | < 2 | mg/l |
| 03/21/05 | 11:47 | WWR003 | P | Nitrite | < 0.02 | mg/l |
| 03/21/05 | 11:47 | WWR003 | P | n-Propane | < 2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | n-Propylbenzene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|---------------------------|---------|------------|
| 03/21/05 | 11:47 | WWR003 | P | Ortho-Phosphate | < 2 | mg/l |
| 03/21/05 | 11:47 | WWR003 | P | o-Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Pendimethalin | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Permethrin | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Phenanthrene | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Prometon | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Prometryne | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Propachlor | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Propiconazole | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | p-Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Pyrene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Resmethrin | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Ronstar | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Secchi | 1.5 | ft |
| 03/21/05 | 11:47 | WWR003 | P | Siduron | < 0.3 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Simazine | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Sulfate | 732 | mg/l |
| 03/21/05 | 11:47 | WWR003 | P | Sumithrin | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Tebuthiuron | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Temperature | 7.8 | Deg C |
| 03/21/05 | 11:47 | WWR003 | P | Terbacil | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Terbufos | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Tetrachloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Tetrahydrofuran | < 20 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Toluene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Total Coliform | 500 | MPN/100 ml |
| 03/21/05 | 11:47 | WWR003 | P | Total Nitrogen | 0.53 | mg/l |
| 03/21/05 | 11:47 | WWR003 | P | Total Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 11:47 | WWR003 | P | Total Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Triadimefon | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Trichlorfon | < 0.3 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Trichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Triclosan | < 0.2 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Trifluralin | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Vinclozolin | < 0.5 | ug/l |
| 03/21/05 | 11:47 | WWR003 | P | Vinyl chloride | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 03/21/05 | 11:58 | WWR004 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 4,4 DDD | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 4,4 DDE | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 4,4 DDT | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Acenaphthene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Acenaphthylene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Acetochlor | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Acrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Alachlor | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Alachlor ESA | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Alachlor OA | < 0.4 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Aldrin | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Allethrin | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Allyl chloride | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Alpha - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Ammonia (not distilled) | 0.13 | mg/l |
| 03/21/05 | 11:58 | WWR004 | P | Anthracene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Atrazine | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Azoxystrobin | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Benfluralin | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Benzene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Benzophenone | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 03/21/05 | 11:58 | WWR004 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Beta - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Bisphenol A | < 2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Bloc | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Bromacil | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Bromide | 9.625 | mg/l |
| 03/21/05 | 11:58 | WWR004 | P | Bromobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Bromochloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Bromodichloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Bromoform | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Bromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Butachlor | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Caffeine | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Carbamazepine | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Carbazole | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Carbon disulfide | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Carisoprodol | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Chlordane | < 1 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Chloride | 3180 | mg/l |
| 03/21/05 | 11:58 | WWR004 | P | Chlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Chloroethane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Chloroform | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Chloromethane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Chlorothalonil | < 1 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Chloroxylenol | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Chlorpyrifos | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Chrysene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Cyanazine | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Cyfluthrin | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Cypermethrin | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Dacthal | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Delta - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Deltamethrin | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Depth | 1 | ft |
| 03/21/05 | 11:58 | WWR004 | P | Desethylatrazine | < 0.4 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Diazinon | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Dibromomethane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Dibutyl phthalate | < 1 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Dichlorvos | < 0.6 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Didealkylatrazine | < 0.8 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Dieldrin | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|---------------------------|---------|------------|
| 03/21/05 | 11:58 | WWR004 | P | Diethyl ether | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Diethyl phthalate | < 1 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Dinoseb | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Dissolved Nitrogen | 0.6 | mg/l |
| 03/21/05 | 11:58 | WWR004 | P | Dissolved Oxygen | 10.5 | mg/l |
| 03/21/05 | 11:58 | WWR004 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 11:58 | WWR004 | P | Disulfoton | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | d-Limonene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Endosulfan I | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Endosulfan II | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Endrin | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Endrin aldehyde | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | EPTC | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Ethofumesate | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Ethyl parathion | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Ethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Fecal Coliform | < 20 | MPN/100 ml |
| 03/21/05 | 11:58 | WWR004 | P | Fluoranthene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Fluorene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Fluoride | < 2 | mg/l |
| 03/21/05 | 11:58 | WWR004 | P | Freon 113 | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Gamma - BHC | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Gemfibrozil | < 0.4 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Heptachlor | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Hexachlorobutadiene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Hexachloroethane | < 1 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Hexazinone | < 1 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Ibuprofen | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Imidacloprid | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Iodofenphos | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Iprodione | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Isofenphos | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Isopropylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Kelthane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Malaoxon | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Malathion | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Metalaxyl | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Metered Salinity | 6.6 | o/oo |
| 03/21/05 | 11:58 | WWR004 | P | Methacrylonitrile | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Methoprene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Methoxychlor | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|--------|-------|
| 03/21/05 | 11:58 | WWR004 | P | Methyl isothiocyanate | < 2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Methyl parathion | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Methyl sulfide | 1.6 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Methylene chloride | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Methylmethacrylate | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Metolachlor | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Metribuzin | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | m-Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Naphthalene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Napropamide | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | n-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Nitrate | < 2 | mg/l |
| 03/21/05 | 11:58 | WWR004 | P | Nitrite | < 0.02 | mg/l |
| 03/21/05 | 11:58 | WWR004 | P | n-Propane | < 2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | n-Propylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Ortho-Phosphate | < 2 | mg/l |
| 03/21/05 | 11:58 | WWR004 | P | o-Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Pendimethalin | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Permethrin | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Phenanthrene | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Prometon | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Prometryne | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Propachlor | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Propiconazole | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | p-Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Pyrene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Resmethrin | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Ronstar | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Secchi | 1 | ft |
| 03/21/05 | 11:58 | WWR004 | P | Siduron | < 0.3 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Simazine | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Sulfate | 393 | mg/l |
| 03/21/05 | 11:58 | WWR004 | P | Sumithrin | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Tebuthiuron | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Temperature | 8 | Deg C |
| 03/21/05 | 11:58 | WWR004 | P | Terbacil | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Terbufos | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | tert-Butylbenzene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|------------|
| 03/21/05 | 11:58 | WWR004 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Tetrachloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Tetrahydrofuran | < 20 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Toluene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Total Coliform | 110 | MPN/100 ml |
| 03/21/05 | 11:58 | WWR004 | P | Total Nitrogen | 0.74 | mg/l |
| 03/21/05 | 11:58 | WWR004 | P | Total Phosphorous | < 0.025 | mg/l |
| 03/21/05 | 11:58 | WWR004 | P | Total Xylene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Triadimefon | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Trichlorfon | < 0.3 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Trichloroethene | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Triclosan | < 0.2 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Trifluralin | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Vinclozolin | < 0.5 | ug/l |
| 03/21/05 | 11:58 | WWR004 | P | Vinyl chloride | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 1-Methylnaphthalene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 2-Methylnaphthalene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 4,4 DDD | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 4,4 DDE | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 4,4 DDT | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | 4-Chlorotoluene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/23/05 | 7:25 | WWR001 | A | Acenaphthene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Acenaphthylene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Acetochlor | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Acrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Alachlor | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Alachlor ESA | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Alachlor OA | < 0.4 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Aldrin | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Allethrin | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Allyl chloride | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Alpha - BHC | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Ammonia (not distilled) | 0.0375 | mg/l |
| 06/23/05 | 7:25 | WWR001 | A | Anthracene | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Atrazine | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Azoxystrobin | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Benfluralin | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Benzene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Benzo(a)anthracene | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Benzo(b)fluoranthene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Benzo(ghi)perylene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Benzo(k)fluoranthene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Benzo-a-pyrene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Benzophenone | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Benzyl butyl phthalate | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Beta - BHC | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | bis(2-ethylhexyl) adipate | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | bis(2-ethylhexyl) phthalate | < 10 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Bisphenol A | < 10 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Bloc | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Bromacil | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Bromobenzene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Bromochloromethane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Bromodichloromethane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Bromoform | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Bromomethane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Butachlor | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Butylated Hydroxyanisole | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Butylated Hydroxytoluene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Caffeine | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Carbamazepine | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Carbazole | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Carbon disulfide | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Carbon tetrachloride | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Carisoprodol | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Chlordane | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Chlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Chloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Chlorofenvinphos | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Chloroform | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Chloromethane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Chlorothalonil | < 5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Chloroxylonol | < 1 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|--------|------------|
| 06/23/05 | 7:25 | WWR001 | A | Chlorpyrifos | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Chrysene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Cyanazine | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Cyfluthrin | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Cypermethrin | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Dacthal | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Deisopropylatrazine | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Delta - BHC | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Deltamethrin | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Depth | 1.5 | ft |
| 06/23/05 | 7:25 | WWR001 | A | Desethylatrazine | < 0.4 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Diazinon | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Dibenzo(a,h)anthracene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Dibromomethane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Dibutyl phthalate | < 5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Dichlorbenil | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Dichlorvos | < 0.6 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Didealkylatrazine | < 0.8 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Dieldrin | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Diethyl ether | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Diethyl phthalate | < 5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Diethyltoluamide (DEET) | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Dimethyl phthalate | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Dinoseb | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Diocetyl phthalate | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Dissolved Nitrogen | 0.6 | mg/l |
| 06/23/05 | 7:25 | WWR001 | A | Dissolved Oxygen | 1.3 | mg/l |
| 06/23/05 | 7:25 | WWR001 | A | Dissolved Phosphorous | 0.0361 | mg/l |
| 06/23/05 | 7:25 | WWR001 | A | Disulfoton | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Disulfoton sulfone | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | d-Limonene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Endosulfan I | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Endosulfan II | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Endrin | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Endrin aldehyde | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | EPTC | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Ethofumesate | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Ethyl parathion | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Ethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Ethylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Fecal Coliform | 1700 | MPN/100 ml |
| 06/23/05 | 7:25 | WWR001 | A | Fluoranthene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Fluorene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Freon 113 | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Gamma - BHC | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Gemfibrozil | < 0.4 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Heptachlor | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Heptachlor epoxide | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|------------------------------------|--------|-------|
| 06/23/05 | 7:25 | WWR001 | A | Hexachlorobenzene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Hexachlorobutadiene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Hexachlorocyclopentadiene | < 5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Hexachloroethane | < 5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Hexazinone | < 5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Ibuprofen | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Imidacloprid | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Indeno(1,2,3-cd)pyrene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Iodofenphos | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Iprodione | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Isofenphos | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Isopropylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Kelthane | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Malaoxon | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Malathion | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Metalaxyl | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Metered Salinity | 17.5 | o/oo |
| 06/23/05 | 7:25 | WWR001 | A | Methacrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Methoprene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Methoxychlor | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Methyl isothiocyanate | < 2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Methyl parathion | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Methyl sulfide | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Methylene chloride | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Methylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Metolachlor | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Metribuzin | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | m-Xylene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Naled (Dibrom) | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Naphthalene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Napropamide | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | n-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Nitrate & Nitrite | 0.0862 | mg/l |
| 06/23/05 | 7:25 | WWR001 | A | n-Propane | < 2 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | n-Propylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Ortho-Phosphate | 0.0124 | mg/l |
| 06/23/05 | 7:25 | WWR001 | A | o-Xylene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Pendimethalin | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Pentachlorobenzene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Pentachloronitrobenzene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Permethrin | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Phenanthrene | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Piperonyl butoxide | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Prometon | < 2.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|---------|------------|
| 06/23/05 | 7:25 | WWR001 | A | Prometryne | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Propachlor | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Propamocarb hydrochloride | < 0.3 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Propiconazole | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | p-Xylene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Pyrene | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Resmethrin | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Ronstar | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Siduron | < 0.3 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Simazine | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Sumithrin | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Tebuthiuron | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Temperature | 18 | Deg C |
| 06/23/05 | 7:25 | WWR001 | A | Terbacil | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Terbufos | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Tetrachloroethene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Tetrahydrofuran | < 20 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Toluene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Total Coliform | 3000 | MPN/100 ml |
| 06/23/05 | 7:25 | WWR001 | A | Total Nitrogen | 0.64 | mg/l |
| 06/23/05 | 7:25 | WWR001 | A | Total Phosphorous | < 0.025 | mg/l |
| 06/23/05 | 7:25 | WWR001 | A | Total Xylene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Triadimefon | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Trichlorfon | < 0.3 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Trichloroethene | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Triclosan | < 1 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Trifluralin | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Vinclozolin | < 2.5 | ug/l |
| 06/23/05 | 7:25 | WWR001 | A | Vinyl chloride | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,2-Dichloropropane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/23/05 | 7:35 | WWR005 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 1-Methylnaphthalene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 2-Methylnaphthalene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 4,4 DDD | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 4,4 DDE | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 4,4 DDT | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Acenaphthene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Acenaphthylene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Acetochlor | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Acrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Alachlor | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Alachlor ESA | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Alachlor OA | < 0.4 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Aldrin | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Allethrin | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Allyl chloride | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Alpha - BHC | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Ammonia (not distilled) | 0.038 | mg/l |
| 06/23/05 | 7:35 | WWR005 | A | Anthracene | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Atrazine | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Azoxystrobin | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Benfluralin | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Benzene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Benzo(a)anthracene | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Benzo(b)fluoranthene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Benzo(ghi)perylene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Benzo(k)fluoranthene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Benzo-a-pyrene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Benzophenone | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Benzyl butyl phthalate | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Beta - BHC | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | bis(2-ethylhexyl) adipate | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | bis(2-ethylhexyl) phthalate | < 10 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Bisphenol A | < 10 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Bloc | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Bromacil | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Bromobenzene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Bromochloromethane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Bromodichloromethane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Bromoform | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Bromomethane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Butachlor | < 1 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|---------|-------|
| 06/23/05 | 7:35 | WWR005 | A | Butylated Hydroxyanisole | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Butylated Hydroxytoluene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Caffeine | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Carbamazepine | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Carbazole | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Carbon disulfide | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Carbon tetrachloride | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Carisoprodol | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Chlordane | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Chlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Chloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Chlorofenvinphos | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Chloroform | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Chloromethane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Chlorothalonil | < 5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Chloroxylenol | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Chlorpyrifos | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Chrysene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Cyanazine | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Cyfluthrin | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Cypermethrin | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Dacthal | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Deisopropylatrazine | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Delta - BHC | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Deltamethrin | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Depth | 1 | ft |
| 06/23/05 | 7:35 | WWR005 | A | Desethylatrazine | < 0.4 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Diazinon | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Dibenzo(a,h)anthracene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Dibromomethane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Dibutyl phthalate | < 5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Dichlorbenil | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Dichlorvos | < 0.6 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Didealkylatrazine | < 0.8 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Dieldrin | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Diethyl ether | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Diethyl phthalate | < 5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Diethyltoluamide (DEET) | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Dimethyl phthalate | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Dinoseb | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Diocetyl phthalate | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Dissolved Nitrogen | 0.62 | mg/l |
| 06/23/05 | 7:35 | WWR005 | A | Dissolved Oxygen | 1.3 | mg/l |
| 06/23/05 | 7:35 | WWR005 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 06/23/05 | 7:35 | WWR005 | A | Disulfoton | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Disulfoton sulfone | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | d-Limonene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Endosulfan I | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|------------------------------------|--------|------------|
| 06/23/05 | 7:35 | WWR005 | A | Endosulfan II | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Endrin | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Endrin aldehyde | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | EPTC | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Ethofumesate | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Ethyl parathion | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Ethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Ethylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Fecal Coliform | 1700 | MPN/100 ml |
| 06/23/05 | 7:35 | WWR005 | A | Fluoranthene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Fluorene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Freon 113 | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Gamma - BHC | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Gemfibrozil | < 0.4 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Heptachlor | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Hexachlorobenzene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Hexachlorobutadiene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Hexachlorocyclopentadiene | < 5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Hexachloroethane | < 5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Hexazinone | < 5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Ibuprofen | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Imidacloprid | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Indeno(1,2,3-cd)pyrene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Iodofenphos | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Iprodione | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Isofenphos | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Isopropylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Kelthane | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Malaoxon | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Malathion | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Metalaxyl | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Metered Salinity | 17.1 | o/oo |
| 06/23/05 | 7:35 | WWR005 | A | Methacrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Methoprene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Methoxychlor | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Methyl isothiocyanate | < 2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Methyl parathion | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Methyl sulfide | 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Methylene chloride | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Methylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Metolachlor | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Metribuzin | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | m-Xylene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|---------------------------|---------|------------|
| 06/23/05 | 7:35 | WWR005 | A | Naled (Dibrom) | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Naphthalene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Napropamide | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | n-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Nitrate & Nitrite | 0.0691 | mg/l |
| 06/23/05 | 7:35 | WWR005 | A | n-Propane | < 2 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | n-Propylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Ortho-Phosphate | < 0.005 | mg/l |
| 06/23/05 | 7:35 | WWR005 | A | o-Xylene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Pendimethalin | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Pentachlorobenzene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Pentachloronitrobenzene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Permethrin | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Phenanthrene | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Piperonyl butoxide | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Prometon | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Prometryne | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Propachlor | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Propamocarb hydrochloride | < 0.3 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Propiconazole | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | p-Xylene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Pyrene | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Resmethrin | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Ronstar | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Siduron | < 0.3 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Simazine | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Sumithrin | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Tebuthiuron | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Temperature | 17.7 | Deg C |
| 06/23/05 | 7:35 | WWR005 | A | Terbacil | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Terbufos | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Tetrachloroethene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Tetrahydrofuran | < 20 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Toluene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Total Coliform | 3000 | MPN/100 ml |
| 06/23/05 | 7:35 | WWR005 | A | Total Nitrogen | 0.74 | mg/l |
| 06/23/05 | 7:35 | WWR005 | A | Total Phosphorous | 0.0292 | mg/l |
| 06/23/05 | 7:35 | WWR005 | A | Total Xylene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Triadimefon | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Trichlorfon | < 0.3 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Trichloroethene | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Triclosan | < 1 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Trifluralin | < 2.5 | ug/l |
| 06/23/05 | 7:35 | WWR005 | A | Vinclozolin | < 2.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/23/05 | 7:35 | WWR005 | A | Vinyl chloride | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 1-Methylnaphthalene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 2-Methylnaphthalene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 4,4 DDD | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 4,4 DDE | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 4,4 DDT | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Acenaphthene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Acenaphthylene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Acetochlor | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Acrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Alachlor | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Alachlor ESA | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Alachlor OA | < 0.4 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Aldrin | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Allethrin | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Allyl chloride | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Alpha - BHC | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Ammonia (not distilled) | 0.0173 | mg/l |
| 06/23/05 | 7:55 | WWR002 | A | Anthracene | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Atrazine | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Azoxystrobin | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Benfluralin | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Benzene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Benzo(a)anthracene | < 2.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/23/05 | 7:55 | WWR002 | A | Benzo(b)fluoranthene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Benzo(ghi)perylene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Benzo(k)fluoranthene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Benzo-a-pyrene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Benzophenone | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Benzyl butyl phthalate | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Beta - BHC | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | bis(2-ethylhexyl) adipate | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | bis(2-ethylhexyl) phthalate | < 10 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Bisphenol A | < 10 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Bloc | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Bromacil | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Bromobenzene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Bromochloromethane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Bromodichloromethane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Bromoform | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Bromomethane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Butachlor | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Butylated Hydroxyanisole | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Butylated Hydroxytoluene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Caffeine | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Carbamazepine | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Carbazole | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Carbon disulfide | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Carbon tetrachloride | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Carisoprodol | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Chlordane | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Chlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Chloroethane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Chlorofenvinphos | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Chloroform | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Chloromethane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Chlorothalonil | < 5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Chloroxylenol | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Chlorpyrifos | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Chrysene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Cyanazine | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Cyfluthrin | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Cypermethrin | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Dacthal | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Deisopropylatrazine | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Delta - BHC | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Deltamethrin | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Depth | 1 | ft |
| 06/23/05 | 7:55 | WWR002 | A | Desethylatrazine | < 0.4 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Diazinon | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Dibenzo(a,h)anthracene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Dibromomethane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Dibutyl phthalate | < 5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Dichlorbenil | < 1 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|---------------------------|---------|------------|
| 06/23/05 | 7:55 | WWR002 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Dichlorvos | < 0.6 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Didealkylatrazine | < 0.8 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Dieldrin | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Diethyl ether | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Diethyl phthalate | < 5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Diethyltoluamide (DEET) | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Dimethyl phthalate | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Dinoseb | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Diocetyl phthalate | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Dissolved Nitrogen | 0.48 | mg/l |
| 06/23/05 | 7:55 | WWR002 | A | Dissolved Oxygen | 1.9 | mg/l |
| 06/23/05 | 7:55 | WWR002 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 06/23/05 | 7:55 | WWR002 | A | Disulfoton | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Disulfoton sulfone | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | d-Limonene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Endosulfan I | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Endosulfan II | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Endrin | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Endrin aldehyde | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | EPTC | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Ethofumesate | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Ethyl parathion | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Ethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Ethylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Fecal Coliform | 5000 | MPN/100 ml |
| 06/23/05 | 7:55 | WWR002 | A | Fluoranthene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Fluorene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Freon 113 | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Gamma - BHC | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Gemfibrozil | < 0.4 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Heptachlor | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Hexachlorobenzene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Hexachlorobutadiene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Hexachlorocyclopentadiene | < 5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Hexachloroethane | < 5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Hexazinone | < 5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Ibuprofen | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Imidacloprid | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Indeno(1,2,3-cd)pyrene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Iodofenphos | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Iprodione | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Isofenphos | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Isopropylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Kelthane | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Malaoxon | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Malathion | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Metalaxyl | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Metered Salinity | 13.5 | o/oo |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|------------------------------------|--------|-------|
| 06/23/05 | 7:55 | WWR002 | A | Methacrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Methoprene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Methoxychlor | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Methyl isothiocyanate | < 2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Methyl parathion | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Methyl sulfide | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Methylene chloride | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Methylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Metolachlor | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Metribuzin | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | m-Xylene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Naled (Dibrom) | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Naphthalene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Napropamide | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | n-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Nitrate & Nitrite | 0.129 | mg/l |
| 06/23/05 | 7:55 | WWR002 | A | n-Propane | < 2 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | n-Propylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Ortho-Phosphate | 0.0118 | mg/l |
| 06/23/05 | 7:55 | WWR002 | A | o-Xylene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Pendimethalin | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Pentachlorobenzene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Pentachloronitrobenzene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Permethrin | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Phenanthrene | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Piperonyl butoxide | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Prometon | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Prometryne | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Propachlor | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Propamocarb hydrochloride | < 0.3 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Propiconazole | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | p-Xylene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Pyrene | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Resmethrin | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Ronstar | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Siduron | < 0.3 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Simazine | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Sumithrin | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Tebuthiuron | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Temperature | 19.5 | Deg C |
| 06/23/05 | 7:55 | WWR002 | A | Terbacil | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Terbufos | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | tert-Butylbenzene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|------------|
| 06/23/05 | 7:55 | WWR002 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Tetrachloroethene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Tetrahydrofuran | < 20 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Toluene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Total Coliform | 5000 | MPN/100 ml |
| 06/23/05 | 7:55 | WWR002 | A | Total Nitrogen | 0.68 | mg/l |
| 06/23/05 | 7:55 | WWR002 | A | Total Phosphorous | 0.0309 | mg/l |
| 06/23/05 | 7:55 | WWR002 | A | Total Xylene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Triadimefon | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Trichlorfon | < 0.3 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Trichloroethene | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Triclosan | < 1 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Trifluralin | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Vinclozolin | < 2.5 | ug/l |
| 06/23/05 | 7:55 | WWR002 | A | Vinyl chloride | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 1-Methylnaphthalene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 2-Methylnaphthalene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 4,4 DDD | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 4,4 DDE | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 4,4 DDT | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | 4-Chlorotoluene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/23/05 | 8:06 | WWR006 | A | Acenaphthene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Acenaphthylene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Acetochlor | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Acrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Alachlor | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Alachlor ESA | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Alachlor OA | < 0.4 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Aldrin | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Allethrin | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Allyl chloride | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Alpha - BHC | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Ammonia (not distilled) | 0.0713 | mg/l |
| 06/23/05 | 8:06 | WWR006 | A | Anthracene | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Atrazine | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Azoxystrobin | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Benfluralin | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Benzene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Benzo(a)anthracene | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Benzo(b)fluoranthene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Benzo(ghi)perylene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Benzo(k)fluoranthene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Benzo-a-pyrene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Benzophenone | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Benzyl butyl phthalate | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Beta - BHC | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | bis(2-ethylhexyl) adipate | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | bis(2-ethylhexyl) phthalate | < 10 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Bisphenol A | < 10 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Bloc | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Bromacil | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Bromobenzene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Bromochloromethane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Bromodichloromethane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Bromoform | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Bromomethane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Butachlor | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Butylated Hydroxyanisole | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Butylated Hydroxytoluene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Caffeine | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Carbamazepine | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Carbazole | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Carbon disulfide | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Carbon tetrachloride | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Carisoprodol | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Chlordane | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Chlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Chloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Chlorofenvinphos | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Chloroform | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Chloromethane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Chloroethalonil | < 5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Chloroxylonol | < 1 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|---------|------------|
| 06/23/05 | 8:06 | WWR006 | A | Chlorpyrifos | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Chrysene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Cyanazine | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Cyfluthrin | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Cypermethrin | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Dacthal | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Deisopropylatrazine | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Delta - BHC | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Deltamethrin | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Depth | 1 | ft |
| 06/23/05 | 8:06 | WWR006 | A | Desethylatrazine | < 0.4 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Diazinon | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Dibenzo(a,h)anthracene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Dibromomethane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Dibutyl phthalate | < 5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Dichlorbenil | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Dichlorvos | < 0.6 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Didealkylatrazine | < 0.8 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Dieldrin | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Diethyl ether | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Diethyl phthalate | < 5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Diethyltoluamide (DEET) | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Dimethyl phthalate | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Dinoseb | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Diocetyl phthalate | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Dissolved Nitrogen | 0.65 | mg/l |
| 06/23/05 | 8:06 | WWR006 | A | Dissolved Oxygen | 2.7 | mg/l |
| 06/23/05 | 8:06 | WWR006 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 06/23/05 | 8:06 | WWR006 | A | Disulfoton | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Disulfoton sulfone | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | d-Limonene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Endosulfan I | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Endosulfan II | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Endrin | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Endrin aldehyde | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | EPTC | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Ethofumesate | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Ethyl parathion | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Ethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Ethylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Fecal Coliform | 2400 | MPN/100 ml |
| 06/23/05 | 8:06 | WWR006 | A | Fluoranthene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Fluorene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Freon 113 | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Gamma - BHC | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Gemfibrozil | < 0.4 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Heptachlor | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Heptachlor epoxide | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|------------------------------------|--------|-------|
| 06/23/05 | 8:06 | WWR006 | A | Hexachlorobenzene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Hexachlorobutadiene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Hexachlorocyclopentadiene | < 5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Hexachloroethane | < 5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Hexazinone | < 5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Ibuprofen | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Imidacloprid | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Indeno(1,2,3-cd)pyrene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Iodofenphos | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Iprodione | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Isofenphos | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Isopropylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Kelthane | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Malaoxon | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Malathion | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Metalaxyl | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Metered Salinity | 9.8 | o/oo |
| 06/23/05 | 8:06 | WWR006 | A | Methacrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Methoprene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Methoxychlor | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Methyl isothiocyanate | < 2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Methyl parathion | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Methyl sulfide | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Methylene chloride | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Methylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Metolachlor | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Metribuzin | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | m-Xylene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Naled (Dibrom) | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Naphthalene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Napropamide | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | n-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Nitrate & Nitrite | 0.123 | mg/l |
| 06/23/05 | 8:06 | WWR006 | A | n-Propane | < 2 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | n-Propylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Ortho-Phosphate | 0.0131 | mg/l |
| 06/23/05 | 8:06 | WWR006 | A | o-Xylene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Pendimethalin | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Pentachlorobenzene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Pentachloronitrobenzene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Permethrin | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Phenanthrene | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Piperonyl butoxide | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Prometon | < 2.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|------------|
| 06/23/05 | 8:06 | WWR006 | A | Prometryne | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Propachlor | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Propamocarb hydrochloride | < 0.3 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Propiconazole | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | p-Xylene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Pyrene | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Resmethrin | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Ronstar | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Siduron | < 0.3 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Simazine | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Sumithrin | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Tebuthiuron | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Temperature | 18.6 | Deg C |
| 06/23/05 | 8:06 | WWR006 | A | Terbacil | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Terbufos | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Tetrachloroethene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Tetrahydrofuran | < 20 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Toluene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Total Coliform | 3000 | MPN/100 ml |
| 06/23/05 | 8:06 | WWR006 | A | Total Nitrogen | 0.65 | mg/l |
| 06/23/05 | 8:06 | WWR006 | A | Total Phosphorous | 0.0418 | mg/l |
| 06/23/05 | 8:06 | WWR006 | A | Total Xylene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Triadimefon | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Trichlorfon | < 0.3 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Trichloroethene | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Triclosan | < 1 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Trifluralin | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Vinclozolin | < 2.5 | ug/l |
| 06/23/05 | 8:06 | WWR006 | A | Vinyl chloride | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,2-Dichloropropane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/23/05 | 8:20 | WWR003 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 1-Methylnaphthalene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 2-Methylnaphthalene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 4,4 DDD | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 4,4 DDE | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 4,4 DDT | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Acenaphthene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Acenaphthylene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Acetochlor | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Acrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Alachlor | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Alachlor ESA | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Alachlor OA | < 0.4 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Aldrin | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Allethrin | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Allyl chloride | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Alpha - BHC | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Ammonia (not distilled) | 0.0162 | mg/l |
| 06/23/05 | 8:20 | WWR003 | A | Anthracene | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Atrazine | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Azoxystrobin | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Benfluralin | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Benzene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Benzo(a)anthracene | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Benzo(b)fluoranthene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Benzo(ghi)perylene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Benzo(k)fluoranthene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Benzo-a-pyrene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Benzophenone | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Benzyl butyl phthalate | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Beta - BHC | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | bis(2-ethylhexyl) adipate | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | bis(2-ethylhexyl) phthalate | < 10 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Bisphenol A | < 10 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Bloc | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Bromacil | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Bromobenzene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Bromochloromethane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Bromodichloromethane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Bromoform | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Bromomethane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Butachlor | < 1 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|---------|-------|
| 06/23/05 | 8:20 | WWR003 | A | Butylated Hydroxyanisole | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Butylated Hydroxytoluene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Caffeine | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Carbamazepine | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Carbazole | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Carbon disulfide | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Carbon tetrachloride | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Carisoprodol | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Chlordane | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Chlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Chloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Chlorofenvinphos | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Chloroform | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Chloromethane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Chlorothalonil | < 5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Chloroxylenol | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Chlorpyrifos | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Chrysene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Cyanazine | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Cyfluthrin | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Cypermethrin | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Dacthal | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Deisopropylatrazine | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Delta - BHC | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Deltamethrin | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Depth | 1 | ft |
| 06/23/05 | 8:20 | WWR003 | A | Desethylatrazine | < 0.4 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Diazinon | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Dibenzo(a,h)anthracene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Dibromomethane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Dibutyl phthalate | < 5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Dichlorbenil | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Dichlorvos | < 0.6 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Didealkylatrazine | < 0.8 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Dieldrin | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Diethyl ether | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Diethyl phthalate | < 5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Diethyltoluamide (DEET) | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Dimethyl phthalate | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Dinoseb | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Diocetyl phthalate | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Dissolved Nitrogen | 0.64 | mg/l |
| 06/23/05 | 8:20 | WWR003 | A | Dissolved Oxygen | 6 | mg/l |
| 06/23/05 | 8:20 | WWR003 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 06/23/05 | 8:20 | WWR003 | A | Disulfoton | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Disulfoton sulfone | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | d-Limonene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Endosulfan I | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|------------------------------------|--------|------------|
| 06/23/05 | 8:20 | WWR003 | A | Endosulfan II | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Endrin | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Endrin aldehyde | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | EPTC | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Ethofumesate | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Ethyl parathion | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Ethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Ethylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Fecal Coliform | 2400 | MPN/100 ml |
| 06/23/05 | 8:20 | WWR003 | A | Fluoranthene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Fluorene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Freon 113 | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Gamma - BHC | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Gemfibrozil | < 0.4 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Heptachlor | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Hexachlorobenzene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Hexachlorobutadiene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Hexachlorocyclopentadiene | < 5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Hexachloroethane | < 5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Hexazinone | < 5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Ibuprofen | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Imidacloprid | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Indeno(1,2,3-cd)pyrene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Iodofenphos | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Iprodione | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Isofenphos | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Isopropylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Kelthane | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Malaaxon | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Malathion | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Metalaxyl | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Metered Salinity | 6.2 | o/oo |
| 06/23/05 | 8:20 | WWR003 | A | Methacrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Methoprene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Methoxychlor | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Methyl isothiocyanate | < 2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Methyl parathion | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Methyl sulfide | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Methylene chloride | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Methylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Metolachlor | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Metribuzin | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | m-Xylene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|---------------------------|---------|------------|
| 06/23/05 | 8:20 | WWR003 | A | Naled (Dibrom) | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Naphthalene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Napropamide | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | n-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Nitrate & Nitrite | 0.363 | mg/l |
| 06/23/05 | 8:20 | WWR003 | A | n-Propane | < 2 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | n-Propylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Ortho-Phosphate | < 0.005 | mg/l |
| 06/23/05 | 8:20 | WWR003 | A | o-Xylene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Pendimethalin | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Pentachlorobenzene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Pentachloronitrobenzene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Permethrin | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Phenanthrene | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Piperonyl butoxide | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Prometon | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Prometryne | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Propachlor | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Propamocarb hydrochloride | < 0.3 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Propiconazole | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | p-Xylene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Pyrene | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Resmethrin | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Ronstar | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Siduron | < 0.3 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Simazine | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Sumithrin | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Tebuthiuron | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Temperature | 20.8 | Deg C |
| 06/23/05 | 8:20 | WWR003 | A | Terbacil | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Terbufos | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Tetrachloroethene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Tetrahydrofuran | < 20 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Toluene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Total Coliform | 2400 | MPN/100 ml |
| 06/23/05 | 8:20 | WWR003 | A | Total Nitrogen | 0.89 | mg/l |
| 06/23/05 | 8:20 | WWR003 | A | Total Phosphorous | 0.026 | mg/l |
| 06/23/05 | 8:20 | WWR003 | A | Total Xylene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Triadimefon | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Trichlorfon | < 0.3 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Trichloroethene | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Triclosan | < 1 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Trifluralin | < 2.5 | ug/l |
| 06/23/05 | 8:20 | WWR003 | A | Vinclozolin | < 2.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/23/05 | 8:20 | WWR003 | A | Vinyl chloride | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 1-Methylnaphthalene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 2-Methylnaphthalene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 4,4 DDD | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 4,4 DDE | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 4,4 DDT | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Acenaphthene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Acenaphthylene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Acetochlor | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Acrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Alachlor | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Alachlor ESA | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Alachlor OA | < 0.4 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Aldrin | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Allethrin | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Allyl chloride | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Alpha - BHC | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Ammonia (not distilled) | 0.0091 | mg/l |
| 06/23/05 | 8:30 | WWR004 | A | Anthracene | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Atrazine | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Azoxystrobin | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Benfluralin | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Benzene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Benzo(a)anthracene | < 2.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/23/05 | 8:30 | WWR004 | A | Benzo(b)fluoranthene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Benzo(ghi)perylene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Benzo(k)fluoranthene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Benzo-a-pyrene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Benzophenone | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Benzyl butyl phthalate | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Beta - BHC | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | bis(2-ethylhexyl) adipate | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | bis(2-ethylhexyl) phthalate | < 10 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Bisphenol A | < 10 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Bloc | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Bromacil | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Bromobenzene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Bromochloromethane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Bromodichloromethane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Bromoform | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Bromomethane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Butachlor | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Butylated Hydroxyanisole | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Butylated Hydroxytoluene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Caffeine | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Carbamazepine | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Carbazole | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Carbon disulfide | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Carbon tetrachloride | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Carisoprodol | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Chlordane | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Chlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Chloroethane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Chlorofenvinphos | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Chloroform | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Chloromethane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Chlorothalonil | < 5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Chloroxylenol | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Chlorpyrifos | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Chrysene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Cyanazine | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Cyfluthrin | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Cypermethrin | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Dacthal | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Deisopropylatrazine | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Delta - BHC | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Deltamethrin | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Depth | 1 | ft |
| 06/23/05 | 8:30 | WWR004 | A | Desethylatrazine | < 0.4 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Diazinon | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Dibenzo(a,h)anthracene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Dibromomethane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Dibutyl phthalate | < 5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Dichlorbenil | < 1 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|---------------------------|---------|------------|
| 06/23/05 | 8:30 | WWR004 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Dichlorvos | < 0.6 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Didealkylatrazine | < 0.8 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Dieldrin | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Diethyl ether | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Diethyl phthalate | < 5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Diethyltoluamide (DEET) | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Dimethyl phthalate | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Dinoseb | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Diocetyl phthalate | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Dissolved Nitrogen | 0.71 | mg/l |
| 06/23/05 | 8:30 | WWR004 | A | Dissolved Oxygen | 6.8 | mg/l |
| 06/23/05 | 8:30 | WWR004 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 06/23/05 | 8:30 | WWR004 | A | Disulfoton | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Disulfoton sulfone | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | d-Limonene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Endosulfan I | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Endosulfan II | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Endrin | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Endrin aldehyde | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | EPTC | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Ethofumesate | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Ethyl parathion | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Ethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Ethylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Fecal Coliform | 9000 | MPN/100 ml |
| 06/23/05 | 8:30 | WWR004 | A | Fluoranthene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Fluorene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Freon 113 | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Gamma - BHC | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Gemfibrozil | < 0.4 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Heptachlor | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Hexachlorobenzene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Hexachlorobutadiene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Hexachlorocyclopentadiene | < 5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Hexachloroethane | < 5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Hexazinone | < 5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Ibuprofen | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Imidacloprid | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Indeno(1,2,3-cd)pyrene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Iodofenphos | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Iprodione | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Isofenphos | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Isopropylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Kelthane | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Malaoxon | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Malathion | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Metalaxyl | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Metered Salinity | 3.6 | o/oo |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|------------------------------------|--------|-------|
| 06/23/05 | 8:30 | WWR004 | A | Methacrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Methoprene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Methoxychlor | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Methyl isothiocyanate | < 2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Methyl parathion | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Methyl sulfide | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Methylene chloride | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Methylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Metolachlor | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Metribuzin | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | m-Xylene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Naled (Dibrom) | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Naphthalene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Napropamide | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | n-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Nitrate & Nitrite | 0.554 | mg/l |
| 06/23/05 | 8:30 | WWR004 | A | n-Propane | < 2 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | n-Propylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Ortho-Phosphate | 0.0144 | mg/l |
| 06/23/05 | 8:30 | WWR004 | A | o-Xylene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Pendimethalin | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Pentachlorobenzene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Pentachloronitrobenzene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Permethrin | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Phenanthrene | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Piperonyl butoxide | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Prometon | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Prometryne | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Propachlor | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Propamocarb hydrochloride | < 0.3 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Propiconazole | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | p-Xylene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Pyrene | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Resmethrin | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Ronstar | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Siduron | < 0.3 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Simazine | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Sumithrin | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Tebuthiuron | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Temperature | 20.6 | Deg C |
| 06/23/05 | 8:30 | WWR004 | A | Terbacil | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Terbufos | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | tert-Butylbenzene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|------------|
| 06/23/05 | 8:30 | WWR004 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Tetrachloroethene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Tetrahydrofuran | < 20 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Toluene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Total Coliform | 16000 | MPN/100 ml |
| 06/23/05 | 8:30 | WWR004 | A | Total Nitrogen | 0.82 | mg/l |
| 06/23/05 | 8:30 | WWR004 | A | Total Phosphorous | 0.0317 | mg/l |
| 06/23/05 | 8:30 | WWR004 | A | Total Xylene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Triadimefon | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Trichlorfon | < 0.3 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Trichloroethene | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Triclosan | < 1 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Trifluralin | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Vinclozolin | < 2.5 | ug/l |
| 06/23/05 | 8:30 | WWR004 | A | Vinyl chloride | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 4,4 DDD | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 4,4 DDE | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 4,4 DDT | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | 4-Chlorotoluene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|-------|
| 06/23/05 | 11:20 | WWR004 | P | Acenaphthene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Acenaphthylene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Acetochlor | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Acrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Alachlor | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Alachlor ESA | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Alachlor OA | < 0.4 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Aldrin | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Allethrin | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Allyl chloride | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Alpha - BHC | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Ammonia (not distilled) | < 0.005 | mg/l |
| 06/23/05 | 11:20 | WWR004 | P | Anthracene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Atrazine | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Azoxystrobin | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Benfluralin | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Benzene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Benzophenone | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Beta - BHC | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Bisphenol A | < 2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Bloc | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Bromacil | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Bromobenzene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Bromochloromethane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Bromodichloromethane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Bromoform | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Bromomethane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Butachlor | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Caffeine | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Carbamazepine | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Carbazole | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Carbon disulfide | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Carisoprodol | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Chlordane | < 1 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Chlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Chloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Chloroform | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Chloromethane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Chloroethalonil | < 1 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Chloroxylonol | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|--------------------------|---------|------------|
| 06/23/05 | 11:20 | WWR004 | P | Chlorpyrifos | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Chrysene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Cyanazine | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Cyfluthrin | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Cypermethrin | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Dacthal | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Delta - BHC | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Deltamethrin | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Depth | 2 | ft |
| 06/23/05 | 11:20 | WWR004 | P | Desethylatrazine | < 0.4 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Diazinon | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Dibromomethane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Dibutyl phthalate | < 1 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Dichlorbenil | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Dichlorvos | < 0.6 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Didealkylatrazine | < 0.8 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Dieldrin | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Diethyl ether | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Diethyl phthalate | < 1 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Dinoseb | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Dissolved Nitrogen | 0.5 | mg/l |
| 06/23/05 | 11:20 | WWR004 | P | Dissolved Oxygen | 8.6 | mg/l |
| 06/23/05 | 11:20 | WWR004 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 06/23/05 | 11:20 | WWR004 | P | Disulfoton | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | d-Limonene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Endosulfan I | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Endosulfan II | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Endosulfan sulfate | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Endrin | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Endrin aldehyde | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | EPTC | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Ethofumesate | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Ethyl parathion | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Ethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Fecal Coliform | 5000 | MPN/100 ml |
| 06/23/05 | 11:20 | WWR004 | P | Fluoranthene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Fluorene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Freon 113 | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Gamma - BHC | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Gemfibrozil | < 0.4 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Heptachlor | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Heptachlor epoxide | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|--------|-------|
| 06/23/05 | 11:20 | WWR004 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Hexachlorobutadiene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Hexachloroethane | < 1 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Hexazinone | < 1 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Ibuprofen | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Imidacloprid | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Iodofenphos | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Iprodione | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Isofenphos | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Isopropylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Kelthane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Malaoxon | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Malathion | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Metalaxyl | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Metered Salinity | 7.8 | o/oo |
| 06/23/05 | 11:20 | WWR004 | P | Methacrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Methoprene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Methoxychlor | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Methyl isothiocyanate | < 2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Methyl parathion | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Methyl sulfide | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Methylene chloride | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Methylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Metolachlor | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Metribuzin | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | m-Xylene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Naphthalene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Napropamide | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | n-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Nitrate & Nitrite | 0.202 | mg/l |
| 06/23/05 | 11:20 | WWR004 | P | n-Propane | < 2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | n-Propylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Ortho-Phosphate | 0.0115 | mg/l |
| 06/23/05 | 11:20 | WWR004 | P | o-Xylene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Pendimethalin | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Permethrin | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Phenanthrene | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Prometon | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|------------|
| 06/23/05 | 11:20 | WWR004 | P | Prometryne | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Propachlor | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Propiconazole | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | p-Xylene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Pyrene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Resmethrin | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Ronstar | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Siduron | < 0.3 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Simazine | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Sumithrin | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Tebuthiuron | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Temperature | 23.3 | Deg C |
| 06/23/05 | 11:20 | WWR004 | P | Terbacil | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Terbufos | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Tetrachloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Tetrahydrofuran | < 20 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Toluene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Total Coliform | 5000 | MPN/100 ml |
| 06/23/05 | 11:20 | WWR004 | P | Total Nitrogen | 0.6 | mg/l |
| 06/23/05 | 11:20 | WWR004 | P | Total Phosphorous | < 0.025 | mg/l |
| 06/23/05 | 11:20 | WWR004 | P | Total Xylene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Triadimefon | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Trichlorfon | < 0.3 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Trichloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Triclosan | < 0.2 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Trifluralin | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Vinclozolin | < 0.5 | ug/l |
| 06/23/05 | 11:20 | WWR004 | P | Vinyl chloride | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,2-Dichloropropane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 06/23/05 | 11:30 | WWR003 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 4,4 DDD | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 4,4 DDE | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 4,4 DDT | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Acenaphthene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Acenaphthylene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Acetochlor | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Acrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Alachlor | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Alachlor ESA | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Alachlor OA | < 0.4 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Aldrin | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Allethrin | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Allyl chloride | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Alpha - BHC | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Ammonia (not distilled) | 0.0063 | mg/l |
| 06/23/05 | 11:30 | WWR003 | P | Anthracene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Atrazine | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Azoxystrobin | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Benfluralin | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Benzene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Benzophenone | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Beta - BHC | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Bisphenol A | < 2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Bloc | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Bromacil | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Bromobenzene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Bromochloromethane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Bromodichloromethane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Bromoform | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Bromomethane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Butachlor | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|--------------------------|---------|-------|
| 06/23/05 | 11:30 | WWR003 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Caffeine | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Carbamazepine | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Carbazole | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Carbon disulfide | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Carisoprodol | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Chlordane | < 1 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Chlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Chloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Chloroform | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Chloromethane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Chlorothalonil | < 1 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Chloroxylenol | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Chlorpyrifos | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Chrysene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Cyanazine | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Cyfluthrin | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Cypermethrin | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Dacthal | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Delta - BHC | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Deltamethrin | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Depth | 2 | ft |
| 06/23/05 | 11:30 | WWR003 | P | Desethylatrazine | < 0.4 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Diazinon | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Dibromomethane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Dibutyl phthalate | < 1 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Dichlorbenil | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Dichlorvos | < 0.6 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Didealkylatrazine | < 0.8 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Dieldrin | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Diethyl ether | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Diethyl phthalate | < 1 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Dinoseb | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Dissolved Nitrogen | 0.25 | mg/l |
| 06/23/05 | 11:30 | WWR003 | P | Dissolved Oxygen | 7.7 | mg/l |
| 06/23/05 | 11:30 | WWR003 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 06/23/05 | 11:30 | WWR003 | P | Disulfoton | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | d-Limonene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Endosulfan I | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|--------|------------|
| 06/23/05 | 11:30 | WWR003 | P | Endosulfan II | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Endosulfan sulfate | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Endrin | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Endrin aldehyde | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | EPTC | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Ethofumesate | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Ethyl parathion | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Ethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Fecal Coliform | 2400 | MPN/100 ml |
| 06/23/05 | 11:30 | WWR003 | P | Fluoranthene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Fluorene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Freon 113 | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Gamma - BHC | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Gemfibrozil | < 0.4 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Heptachlor | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Hexachlorobutadiene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Hexachloroethane | < 1 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Hexazinone | < 1 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Ibuprofen | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Imidacloprid | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Iodofenphos | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Iprodione | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Isofenphos | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Isopropylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Kelthane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Malaoxon | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Malathion | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Metalaxyl | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Metered Salinity | 11 | o/oo |
| 06/23/05 | 11:30 | WWR003 | P | Methacrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Methoprene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Methoxychlor | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Methyl isothiocyanate | < 2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Methyl parathion | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Methyl sulfide | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Methylene chloride | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Methylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Metolachlor | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Metribuzin | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | m-Xylene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|---------------------------|---------|------------|
| 06/23/05 | 11:30 | WWR003 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Naphthalene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Napropamide | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | n-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Nitrate & Nitrite | 0.0684 | mg/l |
| 06/23/05 | 11:30 | WWR003 | P | n-Propane | < 2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | n-Propylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Ortho-Phosphate | 0.0163 | mg/l |
| 06/23/05 | 11:30 | WWR003 | P | o-Xylene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Pendimethalin | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Permethrin | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Phenanthrene | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Prometon | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Prometryne | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Propachlor | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Propiconazole | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | p-Xylene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Pyrene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Resmethrin | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Ronstar | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Siduron | < 0.3 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Simazine | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Sumithrin | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Tebuthiuron | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Temperature | 23.5 | Deg C |
| 06/23/05 | 11:30 | WWR003 | P | Terbacil | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Terbufos | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Tetrachloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Tetrahydrofuran | < 20 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Toluene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Total Coliform | 2400 | MPN/100 ml |
| 06/23/05 | 11:30 | WWR003 | P | Total Nitrogen | 0.58 | mg/l |
| 06/23/05 | 11:30 | WWR003 | P | Total Phosphorous | < 0.025 | mg/l |
| 06/23/05 | 11:30 | WWR003 | P | Total Xylene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Triadimefon | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Trichlorfon | < 0.3 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Trichloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Triclosan | < 0.2 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Trifluralin | < 0.5 | ug/l |
| 06/23/05 | 11:30 | WWR003 | P | Vinclozolin | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|-------|
| 06/23/05 | 11:30 | WWR003 | P | Vinyl chloride | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,2,4-Trichlorobenzene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 1-Methylnaphthalene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 2-Methylnaphthalene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 4,4 DDD | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 4,4 DDE | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 4,4 DDT | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Acenaphthene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Acenaphthylene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Acetochlor | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Acrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Alachlor | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Alachlor ESA | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Alachlor OA | < 0.4 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Aldrin | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Allethrin | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Allyl chloride | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Alpha - BHC | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Ammonia (not distilled) | < 0.005 | mg/l |
| 06/23/05 | 11:41 | WWR002 | P | Anthracene | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Atrazine | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Azoxystrobin | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Benfluralin | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Benzene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Benzo(a)anthracene | < 2.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 06/23/05 | 11:41 | WWR002 | P | Benzo(b)fluoranthene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Benzo(ghi)perylene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Benzo(k)fluoranthene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Benzo-a-pyrene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Benzophenone | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Benzyl butyl phthalate | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Beta - BHC | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | bis(2-ethylhexyl) adipate | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | bis(2-ethylhexyl) phthalate | < 10 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Bisphenol A | < 10 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Bloc | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Bromacil | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Bromobenzene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Bromochloromethane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Bromodichloromethane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Bromoform | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Bromomethane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Butachlor | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Butylated Hydroxyanisole | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Butylated Hydroxytoluene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Caffeine | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Carbamazepine | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Carbazole | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Carbon disulfide | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Carisoprodol | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Chlordane | < 5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Chlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Chloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Chlorofenvinphos | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Chloroform | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Chloromethane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Chlorothalonil | < 5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Chloroxylenol | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Chlorpyrifos | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Chrysene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Cyanazine | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Cyfluthrin | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Cypermethrin | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Dacthal | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Delta - BHC | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Deltamethrin | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Depth | 2.5 | ft |
| 06/23/05 | 11:41 | WWR002 | P | Desethylatrazine | < 0.4 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Diazinon | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Dibenzo(a,h)anthracene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Dibromomethane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Dibutyl phthalate | < 5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Dichlorbenil | < 1 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|---------------------------|---------|------------|
| 06/23/05 | 11:41 | WWR002 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Dichlorvos | < 0.6 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Didealkylatrazine | < 0.8 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Dieldrin | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Diethyl ether | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Diethyl phthalate | < 5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Diethyltoluamide (DEET) | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Dimethyl phthalate | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Dinoseb | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Diocetyl phthalate | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Dissolved Nitrogen | 0.3 | mg/l |
| 06/23/05 | 11:41 | WWR002 | P | Dissolved Oxygen | 6.9 | mg/l |
| 06/23/05 | 11:41 | WWR002 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 06/23/05 | 11:41 | WWR002 | P | Disulfoton | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Disulfoton sulfone | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | d-Limonene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Endosulfan I | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Endosulfan II | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Endosulfan sulfate | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Endrin | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Endrin aldehyde | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | EPTC | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Ethofumesate | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Ethyl parathion | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Ethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Fecal Coliform | 1100 | MPN/100 ml |
| 06/23/05 | 11:41 | WWR002 | P | Fluoranthene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Fluorene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Freon 113 | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Gamma - BHC | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Gemfibrozil | < 0.4 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Heptachlor | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Hexachlorobenzene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Hexachlorobutadiene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Hexachlorocyclopentadiene | < 5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Hexachloroethane | < 5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Hexazinone | < 5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Ibuprofen | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Imidacloprid | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Indeno(1,2,3-cd)pyrene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Iodofenphos | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Iprodione | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Isofenphos | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Isopropylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Kelthane | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Malaoxon | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Malathion | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Metalaxyl | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Metered Salinity | 18 | o/oo |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|---------|-------|
| 06/23/05 | 11:41 | WWR002 | P | Methacrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Methoprene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Methoxychlor | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Methyl isothiocyanate | < 2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Methyl parathion | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Methyl sulfide | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Methylene chloride | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Methylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Metolachlor | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Metribuzin | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | m-Xylene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Naled (Dibrom) | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Naphthalene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Napropamide | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | n-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Nitrate & Nitrite | 0.0252 | mg/l |
| 06/23/05 | 11:41 | WWR002 | P | n-Propane | < 2 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | n-Propylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Ortho-Phosphate | < 0.005 | mg/l |
| 06/23/05 | 11:41 | WWR002 | P | o-Xylene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Pendimethalin | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Pentachlorobenzene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Pentachloronitrobenzene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Permethrin | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Phenanthrene | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Piperonyl butoxide | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Prometon | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Prometryne | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Propachlor | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Propiconazole | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | p-Xylene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Pyrene | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Resmethrin | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Ronstar | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Siduron | < 0.3 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Simazine | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Sumithrin | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Tebuthiuron | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Temperature | 23.7 | Deg C |
| 06/23/05 | 11:41 | WWR002 | P | Terbacil | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Terbufos | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | tert-Butylbenzene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|------------|
| 06/23/05 | 11:41 | WWR002 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Tetrachloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Tetrahydrofuran | < 20 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Toluene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Total Coliform | 3000 | MPN/100 ml |
| 06/23/05 | 11:41 | WWR002 | P | Total Nitrogen | 0.56 | mg/l |
| 06/23/05 | 11:41 | WWR002 | P | Total Phosphorous | 0.0275 | mg/l |
| 06/23/05 | 11:41 | WWR002 | P | Total Xylene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Triadimefon | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Trichlorfon | < 0.3 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Trichloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Triclosan | < 1 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Trifluralin | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Vinclozolin | < 2.5 | ug/l |
| 06/23/05 | 11:41 | WWR002 | P | Vinyl chloride | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 4,4 DDD | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 4,4 DDE | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 4,4 DDT | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | 4-Chlorotoluene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 06/23/05 | 11:52 | WWR006 | P | Acenaphthene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Acenaphthylene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Acetochlor | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Acrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Alachlor | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Alachlor ESA | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Alachlor OA | < 0.4 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Aldrin | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Allethrin | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Allyl chloride | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Alpha - BHC | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Ammonia (not distilled) | 0.0098 | mg/l |
| 06/23/05 | 11:52 | WWR006 | P | Anthracene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Atrazine | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Azoxystrobin | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Benfluralin | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Benzene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Benzophenone | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Beta - BHC | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Bisphenol A | < 2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Bloc | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Bromacil | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Bromobenzene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Bromochloromethane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Bromodichloromethane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Bromoform | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Bromomethane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Butachlor | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Caffeine | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Carbamazepine | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Carbazole | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Carbon disulfide | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Carisoprodol | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Chlordane | < 1 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Chlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Chloroethane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Chloroform | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Chloromethane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Chlorothonil | < 1 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Chloroxylenol | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|--------------------------|---------|------------|
| 06/23/05 | 11:52 | WWR006 | P | Chlorpyrifos | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Chrysene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Cyanazine | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Cyfluthrin | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Cypermethrin | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Dacthal | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Delta - BHC | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Deltamethrin | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Depth | 2 | ft |
| 06/23/05 | 11:52 | WWR006 | P | Desethylatrazine | < 0.4 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Diazinon | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Dibromomethane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Dibutyl phthalate | < 1 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Dichlorbenil | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Dichlorvos | < 0.6 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Didealkylatrazine | < 0.8 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Dieldrin | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Diethyl ether | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Diethyl phthalate | < 1 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Dinoseb | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Dissolved Nitrogen | 0.46 | mg/l |
| 06/23/05 | 11:52 | WWR006 | P | Dissolved Oxygen | 7.1 | mg/l |
| 06/23/05 | 11:52 | WWR006 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 06/23/05 | 11:52 | WWR006 | P | Disulfoton | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | d-Limonene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Endosulfan I | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Endosulfan II | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Endosulfan sulfate | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Endrin | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Endrin aldehyde | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | EPTC | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Ethofumesate | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Ethyl parathion | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Ethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Fecal Coliform | 1300 | MPN/100 ml |
| 06/23/05 | 11:52 | WWR006 | P | Fluoranthene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Fluorene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Freon 113 | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Gamma - BHC | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Gemfibrozil | < 0.4 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Heptachlor | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Heptachlor epoxide | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|--------|-------|
| 06/23/05 | 11:52 | WWR006 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Hexachlorobutadiene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Hexachloroethane | < 1 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Hexazinone | < 1 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Ibuprofen | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Imidacloprid | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Iodofenphos | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Iprodione | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Isofenphos | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Isopropylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Kelthane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Malaoxon | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Malathion | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Metalaxyl | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Metered Salinity | 15.3 | o/oo |
| 06/23/05 | 11:52 | WWR006 | P | Methacrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Methoprene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Methoxychlor | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Methyl isothiocyanate | < 2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Methyl parathion | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Methyl sulfide | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Methylene chloride | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Methylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Metolachlor | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Metribuzin | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | m-Xylene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Naphthalene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Napropamide | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | n-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Nitrate & Nitrite | 0.054 | mg/l |
| 06/23/05 | 11:52 | WWR006 | P | n-Propane | < 2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | n-Propylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Ortho-Phosphate | 0.0086 | mg/l |
| 06/23/05 | 11:52 | WWR006 | P | o-Xylene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Pendimethalin | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Permethrin | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Phenanthrene | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Prometon | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|------------|
| 06/23/05 | 11:52 | WWR006 | P | Prometryne | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Propachlor | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Propiconazole | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | p-Xylene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Pyrene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Resmethrin | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Ronstar | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Siduron | < 0.3 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Simazine | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Sumithrin | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Tebuthiuron | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Temperature | 23.6 | Deg C |
| 06/23/05 | 11:52 | WWR006 | P | Terbacil | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Terbufos | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Tetrachloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Tetrahydrofuran | < 20 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Toluene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Total Coliform | 9000 | MPN/100 ml |
| 06/23/05 | 11:52 | WWR006 | P | Total Nitrogen | 0.5 | mg/l |
| 06/23/05 | 11:52 | WWR006 | P | Total Phosphorous | < 0.025 | mg/l |
| 06/23/05 | 11:52 | WWR006 | P | Total Xylene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Triadimefon | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Trichlorfon | < 0.3 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Trichloroethene | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Triclosan | < 0.2 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Trifluralin | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Vinclozolin | < 0.5 | ug/l |
| 06/23/05 | 11:52 | WWR006 | P | Vinyl chloride | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,2,4-Trichlorobenzene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,2-Dichloropropane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 06/23/05 | 12:06 | WWR001 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 1-Methylnaphthalene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 2-Methylnaphthalene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 4,4 DDD | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 4,4 DDE | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 4,4 DDT | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Acenaphthene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Acenaphthylene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Acetochlor | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Acrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Alachlor | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Alachlor ESA | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Alachlor OA | < 0.4 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Aldrin | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Allethrin | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Allyl chloride | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Alpha - BHC | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Ammonia (not distilled) | 0.0075 | mg/l |
| 06/23/05 | 12:06 | WWR001 | P | Anthracene | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Atrazine | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Azoxystrobin | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Benfluralin | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Benzene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Benzo(a)anthracene | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Benzo(b)fluoranthene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Benzo(ghi)perylene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Benzo(k)fluoranthene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Benzo-a-pyrene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Benzophenone | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Benzyl butyl phthalate | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Beta - BHC | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | bis(2-ethylhexyl) adipate | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | bis(2-ethylhexyl) phthalate | < 10 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Bisphenol A | < 10 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Bloc | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Bromacil | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Bromobenzene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Bromochloromethane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Bromodichloromethane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Bromoform | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Bromomethane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Butachlor | < 1 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|--------------------------|---------|-------|
| 06/23/05 | 12:06 | WWR001 | P | Butylated Hydroxyanisole | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Butylated Hydroxytoluene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Caffeine | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Carbamazepine | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Carbazole | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Carbon disulfide | 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Carisoprodol | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Chlordane | < 5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Chlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Chloroethane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Chlorofenvinphos | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Chloroform | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Chloromethane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Chlorothalonil | < 5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Chloroxylenol | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Chlorpyrifos | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Chrysene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Cyanazine | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Cyfluthrin | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Cypermethrin | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Dacthal | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Delta - BHC | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Deltamethrin | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Depth | 3 | ft |
| 06/23/05 | 12:06 | WWR001 | P | Desethylatrazine | < 0.4 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Diazinon | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Dibenzo(a,h)anthracene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Dibromomethane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Dibutyl phthalate | < 5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Dichlorbenil | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Dichlorvos | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Didealkylatrazine | < 0.8 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Dieldrin | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Diethyl ether | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Diethyl phthalate | < 5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Diethyltoluamide (DEET) | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Dimethyl phthalate | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Dinoseb | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Diocetyl phthalate | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Dissolved Nitrogen | 0.4 | mg/l |
| 06/23/05 | 12:06 | WWR001 | P | Dissolved Oxygen | 6.3 | mg/l |
| 06/23/05 | 12:06 | WWR001 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 06/23/05 | 12:06 | WWR001 | P | Disulfoton | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Disulfoton sulfone | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | d-Limonene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Endosulfan I | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|--------|------------|
| 06/23/05 | 12:06 | WWR001 | P | Endosulfan II | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Endosulfan sulfate | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Endrin | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Endrin aldehyde | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | EPTC | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Ethofumesate | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Ethyl parathion | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Ethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Fecal Coliform | 210 | MPN/100 ml |
| 06/23/05 | 12:06 | WWR001 | P | Fluoranthene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Fluorene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Freon 113 | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Gamma - BHC | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Gemfibrozil | < 0.4 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Heptachlor | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Hexachlorobenzene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Hexachlorobutadiene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Hexachlorocyclopentadiene | < 5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Hexachloroethane | < 5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Hexazinone | < 5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Ibuprofen | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Imidacloprid | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Indeno(1,2,3-cd)pyrene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Iodofenphos | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Iprodione | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Isofenphos | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Isopropylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Kelthane | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Malaoxon | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Malathion | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Metalaxyl | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Metered Salinity | 21.5 | o/oo |
| 06/23/05 | 12:06 | WWR001 | P | Methacrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Methoprene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Methoxychlor | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Methyl isothiocyanate | < 2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Methyl parathion | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Methyl sulfide | 0.8 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Methylene chloride | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Methylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Metolachlor | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Metribuzin | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | m-Xylene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|---------------------------|---------|------------|
| 06/23/05 | 12:06 | WWR001 | P | Naled (Dibrom) | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Naphthalene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Napropamide | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | n-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Nitrate & Nitrite | 0.00943 | mg/l |
| 06/23/05 | 12:06 | WWR001 | P | n-Propane | < 2 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | n-Propylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Ortho-Phosphate | 0.0085 | mg/l |
| 06/23/05 | 12:06 | WWR001 | P | o-Xylene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Pendimethalin | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Pentachlorobenzene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Pentachloronitrobenzene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Permethrin | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Phenanthrene | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Piperonyl butoxide | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Prometon | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Prometryne | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Propachlor | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Propiconazole | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | p-Xylene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Pyrene | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Resmethrin | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Ronstar | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Siduron | < 0.3 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Simazine | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Sumithrin | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Tebuthiuron | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Temperature | 23.7 | Deg C |
| 06/23/05 | 12:06 | WWR001 | P | Terbacil | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Terbufos | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Tetrachloroethene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Tetrahydrofuran | < 20 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Toluene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Total Coliform | 1100 | MPN/100 ml |
| 06/23/05 | 12:06 | WWR001 | P | Total Nitrogen | 0.69 | mg/l |
| 06/23/05 | 12:06 | WWR001 | P | Total Phosphorous | 0.044 | mg/l |
| 06/23/05 | 12:06 | WWR001 | P | Total Xylene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Triadimefon | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Trichlorfon | < 0.3 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Trichloroethene | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Triclosan | < 1 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Trifluralin | < 2.5 | ug/l |
| 06/23/05 | 12:06 | WWR001 | P | Vinclozolin | < 2.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|-------|
| 06/23/05 | 12:06 | WWR001 | P | Vinyl chloride | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 4,4 DDD | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 4,4 DDE | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 4,4 DDT | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Acenaphthene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Acenaphthylene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Acetochlor | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Acrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Alachlor | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Alachlor ESA | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Alachlor OA | < 0.4 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Aldrin | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Allethrin | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Allyl chloride | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Alpha - BHC | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Ammonia (not distilled) | < 0.005 | mg/l |
| 06/23/05 | 12:15 | WWR005 | P | Anthracene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Atrazine | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Azoxystrobin | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Benfluralin | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Benzene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Benzo(a)anthracene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 06/23/05 | 12:15 | WWR005 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Benzophenone | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Beta - BHC | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Bisphenol A | < 2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Bloc | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Bromacil | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Bromobenzene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Bromochloromethane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Bromodichloromethane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Bromoform | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Bromomethane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Butachlor | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Caffeine | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Carbamazepine | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Carbazole | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Carbon disulfide | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Carisoprodol | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Chlordane | < 1 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Chlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Chloroethane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Chloroform | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Chloromethane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Chlorothalonil | < 1 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Chloroxylenol | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Chlorpyrifos | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Chrysene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Cyanazine | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Cyfluthrin | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Cypermethrin | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Dacthal | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Delta - BHC | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Deltamethrin | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Depth | 2 | ft |
| 06/23/05 | 12:15 | WWR005 | P | Desethylatrazine | < 0.4 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Diazinon | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Dibromomethane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Dibutyl phthalate | < 1 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Dichlorbenil | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|---------------------------|---------|------------|
| 06/23/05 | 12:15 | WWR005 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Dichlorvos | < 0.6 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Didealkylatrazine | < 0.8 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Dieldrin | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Diethyl ether | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Diethyl phthalate | < 1 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Dinoseb | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Dissolved Nitrogen | 0.36 | mg/l |
| 06/23/05 | 12:15 | WWR005 | P | Dissolved Oxygen | 4.8 | mg/l |
| 06/23/05 | 12:15 | WWR005 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 06/23/05 | 12:15 | WWR005 | P | Disulfoton | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | d-Limonene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Endosulfan I | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Endosulfan II | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Endosulfan sulfate | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Endrin | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Endrin aldehyde | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | EPTC | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Ethofumesate | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Ethyl parathion | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Ethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Fecal Coliform | 2400 | MPN/100 ml |
| 06/23/05 | 12:15 | WWR005 | P | Fluoranthene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Fluorene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Freon 113 | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Gamma - BHC | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Gemfibrozil | < 0.4 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Heptachlor | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Hexachlorobutadiene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Hexachloroethane | < 1 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Hexazinone | < 1 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Ibuprofen | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Imidacloprid | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Iodofenphos | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Iprodione | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Isofenphos | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Isopropylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Kelthane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Malaaxon | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Malathion | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Metalaxyl | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Metered Salinity | 16.5 | o/oo |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|--------|-------|
| 06/23/05 | 12:15 | WWR005 | P | Methacrylonitrile | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Methoprene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Methoxychlor | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Methyl isothiocyanate | < 2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Methyl parathion | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Methyl sulfide | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Methylene chloride | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Methylmethacrylate | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Metolachlor | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Metribuzin | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | m-Xylene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Naphthalene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Napropamide | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | n-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Nitrate & Nitrite | 0.0163 | mg/l |
| 06/23/05 | 12:15 | WWR005 | P | n-Propane | < 2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | n-Propylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Ortho-Phosphate | 0.0072 | mg/l |
| 06/23/05 | 12:15 | WWR005 | P | o-Xylene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Pendimethalin | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Permethrin | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Phenanthrene | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Prometon | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Prometryne | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Propachlor | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Propiconazole | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | p-Xylene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Pyrene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Resmethrin | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Ronstar | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Siduron | < 0.3 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Simazine | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Sumithrin | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Tebuthiuron | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Temperature | 23.4 | Deg C |
| 06/23/05 | 12:15 | WWR005 | P | Terbacil | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Terbufos | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | tert-Butylbenzene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|---------------------------|--------|------------|
| 06/23/05 | 12:15 | WWR005 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Tetrachloroethene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Tetrahydrofuran | < 20 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Toluene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Total Coliform | 5000 | MPN/100 ml |
| 06/23/05 | 12:15 | WWR005 | P | Total Nitrogen | 0.48 | mg/l |
| 06/23/05 | 12:15 | WWR005 | P | Total Phosphorous | 0.0264 | mg/l |
| 06/23/05 | 12:15 | WWR005 | P | Total Xylene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Triadimefon | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Trichlorfon | < 0.3 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Trichloroethene | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Triclosan | < 0.2 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Trifluralin | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Vinclozolin | < 0.5 | ug/l |
| 06/23/05 | 12:15 | WWR005 | P | Vinyl chloride | < 0.5 | ug/l |
| 09/20/05 | 6:35 | WWR001 | A | Depth | 3.5 | ft |
| 09/20/05 | 6:35 | WWR001 | A | Dissolved Oxygen | 1.3 | mg/l |
| 09/20/05 | 6:35 | WWR001 | A | Metered Salinity | 21.2 | o/oo |
| 09/20/05 | 6:35 | WWR001 | A | Secchi | 3 | ft |
| 09/20/05 | 6:35 | WWR001 | A | Temperature | 22.9 | Deg C |
| 09/20/05 | 6:45 | WWR005 | A | Depth | 1.5 | ft |
| 09/20/05 | 6:45 | WWR005 | A | Dissolved Oxygen | 1.2 | mg/l |
| 09/20/05 | 6:45 | WWR005 | A | Metered Salinity | 20.3 | o/oo |
| 09/20/05 | 6:45 | WWR005 | A | Secchi | 1.5 | ft |
| 09/20/05 | 6:45 | WWR005 | A | Temperature | 22.2 | Deg C |
| 09/20/05 | 7:00 | WWR002 | A | Depth | 2.5 | ft |
| 09/20/05 | 7:00 | WWR002 | A | Dissolved Oxygen | 3.5 | mg/l |
| 09/20/05 | 7:00 | WWR002 | A | Metered Salinity | 19.3 | o/oo |
| 09/20/05 | 7:00 | WWR002 | A | Secchi | 2.5 | ft |
| 09/20/05 | 7:00 | WWR002 | A | Temperature | 23.5 | Deg C |
| 09/20/05 | 7:09 | WWR006 | A | Depth | 1 | ft |
| 09/20/05 | 7:09 | WWR006 | A | Dissolved Oxygen | 1.5 | mg/l |
| 09/20/05 | 7:09 | WWR006 | A | Metered Salinity | 17.7 | o/oo |
| 09/20/05 | 7:09 | WWR006 | A | Secchi | 1 | ft |
| 09/20/05 | 7:09 | WWR006 | A | Temperature | 22.5 | Deg C |
| 09/20/05 | 7:17 | WWR003 | A | Depth | 1.5 | ft |
| 09/20/05 | 7:17 | WWR003 | A | Dissolved Oxygen | 3.4 | mg/l |
| 09/20/05 | 7:17 | WWR003 | A | Metered Salinity | 9.8 | o/oo |
| 09/20/05 | 7:17 | WWR003 | A | Secchi | 1.5 | ft |
| 09/20/05 | 7:17 | WWR003 | A | Temperature | 22.7 | Deg C |
| 09/20/05 | 7:28 | WWR004 | A | Depth | 1 | ft |
| 09/20/05 | 7:28 | WWR004 | A | Dissolved Oxygen | 6.2 | mg/l |
| 09/20/05 | 7:28 | WWR004 | A | Metered Salinity | 6.2 | o/oo |
| 09/20/05 | 7:28 | WWR004 | A | Secchi | 1 | ft |
| 09/20/05 | 7:28 | WWR004 | A | Temperature | 22.5 | Deg C |
| 09/20/05 | 11:49 | WWR004 | P | Depth | 2.5 | ft |
| 09/20/05 | 11:49 | WWR004 | P | Dissolved Oxygen | 5.8 | mg/l |
| 09/20/05 | 11:49 | WWR004 | P | Metered Salinity | 17.6 | o/oo |
| 09/20/05 | 11:49 | WWR004 | P | Secchi | 2.5 | ft |
| 09/20/05 | 11:49 | WWR004 | P | Temperature | 24.4 | Deg C |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 09/20/05 | 12:00 | WWR003 | P | Depth | 3 | ft |
| 09/20/05 | 12:00 | WWR003 | P | Dissolved Oxygen | 5.8 | mg/l |
| 09/20/05 | 12:00 | WWR003 | P | Metered Salinity | 19.7 | o/oo |
| 09/20/05 | 12:00 | WWR003 | P | Secchi | 2.5 | ft |
| 09/20/05 | 12:00 | WWR003 | P | Temperature | 24.3 | Deg C |
| 09/20/05 | 12:10 | WWR002 | P | Depth | 3 | ft |
| 09/20/05 | 12:10 | WWR002 | P | Dissolved Oxygen | 5.2 | mg/l |
| 09/20/05 | 12:10 | WWR002 | P | Metered Salinity | 23.4 | o/oo |
| 09/20/05 | 12:10 | WWR002 | P | Secchi | 3 | ft |
| 09/20/05 | 12:10 | WWR002 | P | Temperature | 24.6 | Deg C |
| 09/20/05 | 12:16 | WWR006 | P | Depth | 3 | ft |
| 09/20/05 | 12:16 | WWR006 | P | Dissolved Oxygen | 5.5 | mg/l |
| 09/20/05 | 12:16 | WWR006 | P | Metered Salinity | 18.5 | o/oo |
| 09/20/05 | 12:16 | WWR006 | P | Secchi | 3 | ft |
| 09/20/05 | 12:16 | WWR006 | P | Temperature | 24.4 | Deg C |
| 09/20/05 | 12:37 | WWR001 | P | Depth | 6 | ft |
| 09/20/05 | 12:37 | WWR001 | P | Dissolved Oxygen | 5.1 | mg/l |
| 09/20/05 | 12:37 | WWR001 | P | Metered Salinity | 22.8 | o/oo |
| 09/20/05 | 12:37 | WWR001 | P | Secchi | 2.5 | ft |
| 09/20/05 | 12:37 | WWR001 | P | Temperature | 24.8 | Deg C |
| 09/20/05 | 12:45 | WWR005 | P | Depth | 4 | ft |
| 09/20/05 | 12:45 | WWR005 | P | Dissolved Oxygen | 5 | mg/l |
| 09/20/05 | 12:45 | WWR005 | P | Metered Salinity | 22.2 | o/oo |
| 09/20/05 | 12:45 | WWR005 | P | Secchi | 2 | ft |
| 09/20/05 | 12:45 | WWR005 | P | Temperature | 24.7 | Deg C |
| 12/05/05 | 7:15 | WWR001 | A | Depth | 2.0 | ft |
| 12/05/05 | 7:15 | WWR001 | A | Dissolved Oxygen | 5.7 | mg/l |
| 12/05/05 | 7:15 | WWR001 | A | Metered Salinity | 5.6 | psu |
| 12/05/05 | 7:15 | WWR001 | A | Secchi | 2.0 | ft |
| 12/05/05 | 7:15 | WWR001 | A | Temperature | 2.4 | deg C |
| 12/05/05 | 7:30 | WWR005 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 1-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 2,3-Dichloropropene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 12/05/05 | 7:30 | WWR005 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 2-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 4,4 DDD | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 4,4 DDE | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 4,4 DDT | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Acenaphthene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Acenaphthylene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Acetochlor | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Acrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Alachlor | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Alachlor ESA | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Alachlor OA | < 0.4 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Aldrin | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Allethrin | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Allyl chloride | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Alpha - BHC | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Ammonia | 0.155 | mg/l |
| 12/05/05 | 7:30 | WWR005 | A | Anthracene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Atrazine | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Azoxystrobin | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Benfluralin | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Benzene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Benzo(a)anthracene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Benzo(ghi)perylene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Benzo-a-pyrene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Benzophenone | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Benzyl butyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Beta - BHC | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Bisphenol A | < 2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Bloc | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Bromacil | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Bromobenzene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Bromochloromethane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Bromodichloromethane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Bromoform | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Bromomethane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Butachlor | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Caffeine | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Carbamazepine | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Carbazole | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Carbon disulfide | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Carbon tetrachloride | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-------------------------|---------|-------|
| 12/05/05 | 7:30 | WWR005 | A | Carisoprodol | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Chlordane | < 1 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Chlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Chloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Chlorofenvinphos | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Chloroform | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Chloromethane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Chlorothalonil | < 1 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Chloroxylenol | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Chlorpyrifos | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Chrysene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Cyanazine | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Cyfluthrin | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Cypermethrin | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Dacthal | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Deisopropylatrazine | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Delta - BHC | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Deltamethrin | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Depth | 1.0 | ft |
| 12/05/05 | 7:30 | WWR005 | A | Desethylatrazine | < 0.4 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Diazinon | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Dibromomethane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Dibutyl phthalate | < 1 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Dichlobenil | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Dichlorvos | < 0.6 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Didealkylatrazine | < 0.8 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Dieldrin | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Diethyl ether | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Diethyl phthalate | < 1 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Dimethyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Dinoseb | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Diocetyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Dissolved Nitrogen | 0.75 | mg/l |
| 12/05/05 | 7:30 | WWR005 | A | Dissolved Oxygen | 4.0 | mg/l |
| 12/05/05 | 7:30 | WWR005 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 7:30 | WWR005 | A | Disulfoton | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Disulfoton sulfone | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | d-Limonene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Endosulfan I | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Endosulfan II | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Endrin | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Endrin aldehyde | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | EPTC | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Ethnylbenzene (Styrene) | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Ethofumesate | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|------------------------------------|--------|------------|
| 12/05/05 | 7:30 | WWR005 | A | Ethyl parathion | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Ethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Ethylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Fecal Coliform | 110 | mpn/100 ml |
| 12/05/05 | 7:30 | WWR005 | A | Fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Fluorene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Freon 113 | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Gamma - BHC | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Gemfibrozil | < 0.4 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Heptachlor | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Hexachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Hexachlorobutadiene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Hexachlorocyclopentadiene | < 1 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Hexachloroethane | < 1 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Hexazinone | < 1 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Ibuprofen | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Imidacloprid | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Iodofenphos | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Iprodione | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Isofenphos | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Isopropylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Kelthane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Malaoxon | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Malathion | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Metalaxyl | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Metered Salinity | 5.1 | psu |
| 12/05/05 | 7:30 | WWR005 | A | Methacrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Methoprene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Methoxychlor | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Methyl isothiocyanate | < 2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Methyl parathion | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Methyl sulfide | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Methylene chloride | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Methylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Metolachlor | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Metribuzin | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | m-Xylene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Naled (Dibrom) | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Naphthalene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Napropamide | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | n-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Nitrate & Nitrite | 0.509 | mg/l |
| 12/05/05 | 7:30 | WWR005 | A | n-Propane | < 2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | n-Propylbenzene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|---------------------------|---------|------------|
| 12/05/05 | 7:30 | WWR005 | A | Ortho-Phosphate | 0.016 | mg/l |
| 12/05/05 | 7:30 | WWR005 | A | o-Xylene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Pendimethalin | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Pentachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Pentachloronitrobenzene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Permethrin | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | pH | 6.8 | |
| 12/05/05 | 7:30 | WWR005 | A | Phenanthrene | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Piperonyl butoxide | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Prometon | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Prometryne | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Propachlor | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Propamocarb hydrochloride | < 0.3 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Propiconazole (TILT) | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | p-Xylene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Pyrene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Resmethrin | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Ronstar | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Secchi | 1.0 | ft |
| 12/05/05 | 7:30 | WWR005 | A | Siduron | < 0.3 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Simazine | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Sumithrin | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Tebuthiuron | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Temperature | 4.0 | deg C |
| 12/05/05 | 7:30 | WWR005 | A | Terbacil | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Terbufos | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Tetrachloroethene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Tetrahydrofuran | < 20 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Toluene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Total Coliform | 500 | mpn/100 ml |
| 12/05/05 | 7:30 | WWR005 | A | Total Nitrogen | 0.950 | mg/l |
| 12/05/05 | 7:30 | WWR005 | A | Total Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 7:30 | WWR005 | A | Total Xylene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Triadimefon | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Trichlorfon | < 0.3 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Trichloroethene | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Triclosan | < 0.2 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Trifluralin | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Vinclozolin | < 0.5 | ug/l |
| 12/05/05 | 7:30 | WWR005 | A | Vinyl chloride | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 12/05/05 | 7:42 | WWR002 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 1-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 2-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 4,4 DDD | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 4,4 DDE | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 4,4 DDT | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Acenaphthene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Acenaphthylene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Acetochlor | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Acrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Alachlor | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Alachlor ESA | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Alachlor OA | < 0.4 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Aldrin | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Allethrin | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Allyl chloride | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Alpha - BHC | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Ammonia | 0.192 | mg/l |
| 12/05/05 | 7:42 | WWR002 | A | Anthracene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Atrazine | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Azoxystrobin | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Benfluralin | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Benzene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Benzo(a)anthracene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Benzo(ghi)perylene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Benzo-a-pyrene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Benzophenone | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 12/05/05 | 7:42 | WWR002 | A | Benzyl butyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Beta - BHC | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Bisphenol A | < 2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Bloc | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Bromacil | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Bromobenzene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Bromochloromethane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Bromodichloromethane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Bromoform | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Bromomethane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Butachlor | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Caffeine | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Carbamazepine | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Carbazole | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Carbon disulfide | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Carbon tetrachloride | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Carisoprodol | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Chlordane | < 1 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Chlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Chloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Chlorofenvinphos | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Chloroform | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Chloromethane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Chlorothonil | < 1 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Chloroxylenol | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Chlorpyrifos | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Chrysene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Cyanazine | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Cyfluthrin | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Cypermethrin | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Dacthal | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Deisopropylatrazine | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Delta - BHC | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Deltamethrin | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Depth | 2.0 | ft |
| 12/05/05 | 7:42 | WWR002 | A | Desethylatrazine | < 0.4 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Diazinon | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Dibromomethane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Dibutyl phthalate | < 1 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Dichlobenil | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Dichlorvos | < 0.6 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Didealkylatrazine | < 0.8 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Dieldrin | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Diethyl ether | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|---------------------------|---------|------------|
| 12/05/05 | 7:42 | WWR002 | A | Diethyl phthalate | < 1 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Dimethyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Dinoseb | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Diocetyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Dissolved Nitrogen | 0.63 | mg/l |
| 12/05/05 | 7:42 | WWR002 | A | Dissolved Oxygen | 3.5 | mg/l |
| 12/05/05 | 7:42 | WWR002 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 7:42 | WWR002 | A | Disulfoton | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Disulfoton sulfone | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | d-Limonene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Endosulfan I | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Endosulfan II | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Endrin | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Endrin aldehyde | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | EPTC | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Ethynylbenzene (Styrene) | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Ethofumesate | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Ethyl parathion | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Ethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Ethylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Fecal Coliform | 110 | mpn/100 ml |
| 12/05/05 | 7:42 | WWR002 | A | Fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Fluorene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Freon 113 | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Gamma - BHC | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Gemfibrozil | < 0.4 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Heptachlor | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Hexachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Hexachlorobutadiene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Hexachlorocyclopentadiene | < 1 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Hexachloroethane | < 1 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Hexazinone | < 1 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Ibuprofen | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Imidacloprid | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Iodofenphos | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Iprodione | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Isofenphos | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Isopropylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Kelthane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Malaoxon | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Malathion | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Metalaxyl | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Metered Salinity | 7.4 | psu |
| 12/05/05 | 7:42 | WWR002 | A | Methacrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Methoprene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Methoxychlor | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Methyl isothiocyanate | < 2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Methyl parathion | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|------------------------------------|--------|-------|
| 12/05/05 | 7:42 | WWR002 | A | Methyl sulfide | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Methylene chloride | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Methylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Metolachlor | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Metribuzin | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | m-Xylene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Naled (Dibrom) | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Naphthalene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Napropamide | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | n-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Nitrate & Nitrite | 0.816 | mg/l |
| 12/05/05 | 7:42 | WWR002 | A | n-Propane | < 2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | n-Propylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Ortho-Phosphate | 0.011 | mg/l |
| 12/05/05 | 7:42 | WWR002 | A | o-Xylene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Pendimethalin | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Pentachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Pentachloronitrobenzene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Permethrin | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | pH | 6.8 | |
| 12/05/05 | 7:42 | WWR002 | A | Phenanthrene | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Piperonyl butoxide | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Prometon | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Prometryne | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Propachlor | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Propamocarb hydrochloride | < 0.3 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Propiconazole (TILT) | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | p-Xylene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Pyrene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Resmethrin | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Ronstar | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Secchi | 2.0 | ft |
| 12/05/05 | 7:42 | WWR002 | A | Siduron | < 0.3 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Simazine | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Sumithrin | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Tebuthiuron | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Temperature | 2.4 | deg C |
| 12/05/05 | 7:42 | WWR002 | A | Terbacil | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Terbufos | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Tetrachloroethene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Tetrahydrofuran | < 20 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|---------|------------|
| 12/05/05 | 7:42 | WWR002 | A | Toluene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Total Coliform | 220 | mpn/100 ml |
| 12/05/05 | 7:42 | WWR002 | A | Total Nitrogen | 0.240 | mg/l |
| 12/05/05 | 7:42 | WWR002 | A | Total Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 7:42 | WWR002 | A | Total Xylene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Triadimefon | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Trichlorfon | < 0.3 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Trichloroethene | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Triclosan | < 0.2 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Trifluralin | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Vinclozolin | < 0.5 | ug/l |
| 12/05/05 | 7:42 | WWR002 | A | Vinyl chloride | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 1-Methylnaphthalene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 2-Methylnaphthalene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 4,4 DDD | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 4,4 DDE | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 4,4 DDT | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Acenaphthene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Acenaphthylene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Acetochlor | < 0.4 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 12/05/05 | 7:55 | WWR006 | A | Acrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Alachlor | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Alachlor ESA | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Alachlor OA | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Aldrin | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Allethrin | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Allyl chloride | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Alpha - BHC | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Ammonia | 0.161 | mg/l |
| 12/05/05 | 7:55 | WWR006 | A | Anthracene | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Atrazine | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Azoxystrobin | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Benfluralin | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Benzene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Benzo(a)anthracene | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Benzo(b)fluoranthene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Benzo(ghi)perylene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Benzo(k)fluoranthene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Benzo-a-pyrene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Benzophenone | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Benzyl butyl phthalate | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Beta - BHC | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | bis(2-ethylhexyl) adipate | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | bis(2-ethylhexyl) phthalate | < 4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Bisphenol A | < 4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Bloc | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Bromacil | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Bromobenzene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Bromochloromethane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Bromodichloromethane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Bromoform | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Bromomethane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Butachlor | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Butylated Hydroxyanisole | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Butylated Hydroxytoluene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Caffeine | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Carbamazepine | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Carbazole | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Carbon disulfide | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Carbon tetrachloride | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Carisoprodol | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Chlordane | < 2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Chlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Chloroethane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Chlorofenvinphos | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Chloroform | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Chloromethane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Chlorothalonil | < 2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Chloroxylonol | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Chlorpyrifos | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Chrysene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|---------------------------|---------|------------|
| 12/05/05 | 7:55 | WWR006 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Cyanazine | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Cyfluthrin | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Cypermethrin | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Dacthal | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Deisopropylatrazine | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Delta - BHC | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Deltamethrin | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Depth | 1.0 | ft |
| 12/05/05 | 7:55 | WWR006 | A | Desethylatrazine | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Diazinon | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Dibenzo(a,h)anthracene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Dibromomethane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Dibutyl phthalate | < 2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Dichlobenil | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Dichlorvos | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Didealkylatrazine | < 0.8 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Dieldrin | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Diethyl ether | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Diethyl phthalate | < 2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Diethyltoluamide (DEET) | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Dimethyl phthalate | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Dinoseb | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Diocetyl phthalate | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Dissolved Nitrogen | 1.90 | mg/l |
| 12/05/05 | 7:55 | WWR006 | A | Dissolved Oxygen | 7.1 | mg/l |
| 12/05/05 | 7:55 | WWR006 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 7:55 | WWR006 | A | Disulfoton | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Disulfoton sulfone | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | d-Limonene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Endosulfan I | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Endosulfan II | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Endosulfan sulfate | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Endrin | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Endrin aldehyde | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | EPTC | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Ethofumesate | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Ethyl parathion | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Ethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Ethylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Fecal Coliform | 500 | mpn/100 ml |
| 12/05/05 | 7:55 | WWR006 | A | Fluoranthene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Fluorene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Freon 113 | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Gamma - BHC | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Gemfibrozil | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Heptachlor | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Hexachlorobenzene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Hexachlorobutadiene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Hexachlorocyclopentadiene | < 2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|------------------------------------|--------|-------|
| 12/05/05 | 7:55 | WWR006 | A | Hexachloroethane | < 2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Hexazinone | < 2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Ibuprofen | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Imidacloprid | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Indeno(1,2,3-cd)pyrene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Iodofenphos | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Iprodione | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Isofenphos | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Isopropylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Kelthane | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Malaoxon | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Malathion | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Metalaxyl | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Metered Salinity | 2.7 | psu |
| 12/05/05 | 7:55 | WWR006 | A | Methacrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Methoprene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Methoxychlor | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Methyl isothiocyanate | < 2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Methyl parathion | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Methyl sulfide | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Methylene chloride | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Methylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Metolachlor | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Metribuzin | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | m-Xylene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Naled (Dibrom) | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Naphthalene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Napropamide | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | n-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Nitrate & Nitrite | 0.672 | mg/l |
| 12/05/05 | 7:55 | WWR006 | A | n-Propane | < 2 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | n-Propylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Ortho-Phosphate | 0.023 | mg/l |
| 12/05/05 | 7:55 | WWR006 | A | o-Xylene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Pendimethalin | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Pentachlorobenzene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Pentachloronitrobenzene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Permethrin | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | pH | 6.7 | |
| 12/05/05 | 7:55 | WWR006 | A | Phenanthrene | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Piperonyl butoxide | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Prometon | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Prometryne | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Propachlor | < 0.4 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|---------|------------|
| 12/05/05 | 7:55 | WWR006 | A | Propamocarb hydrochloride | < 0.3 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Propiconazole (TILT) | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | p-Xylene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Pyrene | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Resmethrin | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Ronstar | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Secchi | 1.0 | ft |
| 12/05/05 | 7:55 | WWR006 | A | Siduron | < 0.3 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Simazine | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Sumithrin | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Tebuthiuron | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Temperature | 2.3 | deg C |
| 12/05/05 | 7:55 | WWR006 | A | Terbacil | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Terbufos | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Tetrachloroethene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Tetrahydrofuran | < 20 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Toluene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Total Coliform | 800 | mpn/100 ml |
| 12/05/05 | 7:55 | WWR006 | A | Total Nitrogen | 1.900 | mg/l |
| 12/05/05 | 7:55 | WWR006 | A | Total Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 7:55 | WWR006 | A | Total Xylene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Triadimefon | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Trichlorfon | < 0.3 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Trichloroethene | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Triclosan | < 0.4 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Trifluralin | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Vinclozolin | < 1 | ug/l |
| 12/05/05 | 7:55 | WWR006 | A | Vinyl chloride | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 12/05/05 | 8:05 | WWR003 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 1-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 2-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 4,4 DDD | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 4,4 DDE | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 4,4 DDT | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Acenaphthene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Acenaphthylene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Acetochlor | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Acrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Alachlor | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Alachlor ESA | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Alachlor OA | < 0.4 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Aldrin | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Allethrin | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Allyl chloride | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Alpha - BHC | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Ammonia | 0.125 | mg/l |
| 12/05/05 | 8:05 | WWR003 | A | Anthracene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Atrazine | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Azoxystrobin | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Benfluralin | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Benzene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Benzo(a)anthracene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Benzo(ghi)perylene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Benzo-a-pyrene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Benzophenone | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Benzyl butyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Beta - BHC | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Bisphenol A | < 2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Bloc | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Bromacil | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Bromobenzene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Bromochloromethane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Bromodichloromethane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Bromoform | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Bromomethane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Butachlor | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Butylated Hydroxyanisole | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|---------|-------|
| 12/05/05 | 8:05 | WWR003 | A | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Caffeine | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Carbamazepine | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Carbazole | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Carbon disulfide | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Carbon tetrachloride | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Carisoprodol | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Chlordane | < 1 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Chlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Chloroethane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Chlorofenvinphos | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Chloroform | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Chloromethane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Chlorothalonil | < 1 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Chloroxyleneol | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Chlorpyrifos | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Chrysene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Cyanazine | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Cyfluthrin | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Cypermethrin | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Dacthal | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Deisopropylatrazine | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Delta - BHC | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Deltamethrin | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Depth | 1.0 | ft |
| 12/05/05 | 8:05 | WWR003 | A | Desethylatrazine | < 0.4 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Diazinon | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Dibromomethane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Dibutyl phthalate | < 1 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Dichlobenil | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Dichlorvos | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Didealkylatrazine | < 0.8 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Dieldrin | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Diethyl ether | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Diethyl phthalate | < 1 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Dimethyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Dinoseb | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Diocetyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Dissolved Nitrogen | 1.20 | mg/l |
| 12/05/05 | 8:05 | WWR003 | A | Dissolved Oxygen | 9.9 | mg/l |
| 12/05/05 | 8:05 | WWR003 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 8:05 | WWR003 | A | Disulfoton | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Disulfoton sulfone | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | d-Limonene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Endosulfan I | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Endosulfan II | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|------------------------------------|--------|------------|
| 12/05/05 | 8:05 | WWR003 | A | Endosulfan sulfate | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Endrin | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Endrin aldehyde | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | EPTC | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Ethofumesate | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Ethyl parathion | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Ethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Ethylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Fecal Coliform | 20 | mpn/100 ml |
| 12/05/05 | 8:05 | WWR003 | A | Fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Fluorene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Freon 113 | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Gamma - BHC | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Gemfibrozil | < 0.4 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Heptachlor | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Hexachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Hexachlorobutadiene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Hexachlorocyclopentadiene | < 1 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Hexachloroethane | < 1 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Hexazinone | < 1 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Ibuprofen | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Imidacloprid | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Iodofenphos | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Iprodione | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Isofenphos | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Isopropylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Kelthane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Malaoxon | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Malathion | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Metalaxyl | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Metered Salinity | 4.7 | psu |
| 12/05/05 | 8:05 | WWR003 | A | Methacrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Methoprene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Methoxychlor | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Methyl isothiocyanate | < 2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Methyl parathion | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Methyl sulfide | 0.600 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Methylene chloride | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Methylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Metolachlor | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Metribuzin | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | m-Xylene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Naled (Dibrom) | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|---------------------------|---------|------------|
| 12/05/05 | 8:05 | WWR003 | A | Naphthalene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Napropamide | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | n-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Nitrate & Nitrite | 1.020 | mg/l |
| 12/05/05 | 8:05 | WWR003 | A | n-Propane | < 2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | n-Propylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Ortho-Phosphate | 0.011 | mg/l |
| 12/05/05 | 8:05 | WWR003 | A | o-Xylene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Pendimethalin | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Pentachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Pentachloronitrobenzene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Permethrin | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | pH | 7.1 | |
| 12/05/05 | 8:05 | WWR003 | A | Phenanthrene | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Piperonyl butoxide | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Prometon | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Prometryne | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Propachlor | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Propamocarb hydrochloride | < 0.3 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Propiconazole (TILT) | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | p-Xylene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Pyrene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Resmethrin | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Ronstar | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Secchi | 1.0 | ft |
| 12/05/05 | 8:05 | WWR003 | A | Siduron | < 0.3 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Simazine | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Sumithrin | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Tebuthiuron | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Temperature | 2.8 | deg C |
| 12/05/05 | 8:05 | WWR003 | A | Terbacil | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Terbufos | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Tetrachloroethene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Tetrahydrofuran | < 20 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Toluene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Total Coliform | 230 | mpn/100 ml |
| 12/05/05 | 8:05 | WWR003 | A | Total Nitrogen | 1.300 | mg/l |
| 12/05/05 | 8:05 | WWR003 | A | Total Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 8:05 | WWR003 | A | Total Xylene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Triadimefon | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Trichlorfon | < 0.3 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Trichloroethene | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Triclosan | < 0.2 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Trifluralin | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 12/05/05 | 8:05 | WWR003 | A | Vinclozolin | < 0.5 | ug/l |
| 12/05/05 | 8:05 | WWR003 | A | Vinyl chloride | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 1-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 2-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 4,4 DDD | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 4,4 DDE | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 4,4 DDT | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Acenaphthene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Acenaphthylene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Acetochlor | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Acrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Alachlor | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Alachlor ESA | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Alachlor OA | < 0.4 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Aldrin | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Allethrin | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Allyl chloride | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Alpha - BHC | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Ammonia | 0.082 | mg/l |
| 12/05/05 | 8:15 | WWR004 | A | Anthracene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Atrazine | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Azoxystrobin | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Benfluralin | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Benzene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 12/05/05 | 8:15 | WWR004 | A | Benzo(a)anthracene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Benzo(ghi)perylene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Benzo-a-pyrene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Benzophenone | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Benzyl butyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Beta - BHC | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Bisphenol A | < 2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Bloc | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Bromacil | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Bromobenzene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Bromochloromethane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Bromodichloromethane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Bromoform | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Bromomethane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Butachlor | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Caffeine | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Carbamazepine | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Carbazole | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Carbon disulfide | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Carbon tetrachloride | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Carisoprodol | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Chlordane | < 1 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Chlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Chloroethane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Chlorofenvinphos | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Chloroform | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Chloromethane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Chlorothalonil | < 1 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Chloroxilenol | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Chlorpyrifos | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Chrysene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Cyanazine | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Cyfluthrin | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Cypermethrin | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Dacthal | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Deisopropylatrazine | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Delta - BHC | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Deltamethrin | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Depth | 1.0 | ft |
| 12/05/05 | 8:15 | WWR004 | A | Desethylatrazine | < 0.4 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Diazinon | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Dibromomethane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Dibutyl phthalate | < 1 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|---------------------------|---------|------------|
| 12/05/05 | 8:15 | WWR004 | A | Dichlobenil | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Dichlorvos | < 0.6 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Didealkylatrazine | < 0.8 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Dieldrin | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Diethyl ether | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Diethyl phthalate | < 1 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Dimethyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Dinoseb | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Diocetyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Dissolved Nitrogen | 1.70 | mg/l |
| 12/05/05 | 8:15 | WWR004 | A | Dissolved Oxygen | 7.8 | mg/l |
| 12/05/05 | 8:15 | WWR004 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 8:15 | WWR004 | A | Disulfoton | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Disulfoton sulfone | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | d-Limonene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Endosulfan I | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Endosulfan II | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Endrin | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Endrin aldehyde | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | EPTC | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Ethofumesate | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Ethyl parathion | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Ethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Ethylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Fecal Coliform | 70 | mpn/100 ml |
| 12/05/05 | 8:15 | WWR004 | A | Fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Fluorene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Freon 113 | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Gamma - BHC | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Gemfibrozil | < 0.4 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Heptachlor | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Hexachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Hexachlorobutadiene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Hexachlorocyclopentadiene | < 1 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Hexachloroethane | < 1 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Hexazinone | < 1 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Ibuprofen | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Imidacloprid | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Iodofenphos | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Iprodione | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Isofenphos | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Isopropylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Kelthane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Malaaxon | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Malathion | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Metalaxyl | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|------------------------------------|--------|-------|
| 12/05/05 | 8:15 | WWR004 | A | Metered Salinity | 2.3 | psu |
| 12/05/05 | 8:15 | WWR004 | A | Methacrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Methoprene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Methoxychlor | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Methyl isothiocyanate | < 2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Methyl parathion | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Methyl sulfide | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Methylene chloride | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Methylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Metolachlor | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Metribuzin | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | m-Xylene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Naled (Dibrom) | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Naphthalene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Napropamide | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | n-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Nitrate & Nitrite | 1.280 | mg/l |
| 12/05/05 | 8:15 | WWR004 | A | n-Propane | < 2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | n-Propylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Ortho-Phosphate | 0.014 | mg/l |
| 12/05/05 | 8:15 | WWR004 | A | o-Xylene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Pendimethalin | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Pentachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Pentachloronitrobenzene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Permethrin | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | pH | 7.0 | |
| 12/05/05 | 8:15 | WWR004 | A | Phenanthrene | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Piperonyl butoxide | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Prometon | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Prometryne | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Propachlor | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Propamocarb hydrochloride | < 0.3 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Propiconazole (TILT) | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | p-Xylene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Pyrene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Resmethrin | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Ronstar | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Secchi | 1.0 | ft |
| 12/05/05 | 8:15 | WWR004 | A | Siduron | < 0.3 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Simazine | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Sumithrin | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Tebuthiuron | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Temperature | 3.3 | deg C |
| 12/05/05 | 8:15 | WWR004 | A | Terbacil | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|------------|
| 12/05/05 | 8:15 | WWR004 | A | Terbufos | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Tetrachloroethene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Tetrahydrofuran | < 20 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Toluene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Total Coliform | 270 | mpn/100 ml |
| 12/05/05 | 8:15 | WWR004 | A | Total Nitrogen | 1.700 | mg/l |
| 12/05/05 | 8:15 | WWR004 | A | Total Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 8:15 | WWR004 | A | Total Xylene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Triadimefon | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Trichlorfon | < 0.3 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Trichloroethene | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Triclosan | < 0.2 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Trifluralin | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Vinclozolin | < 0.5 | ug/l |
| 12/05/05 | 8:15 | WWR004 | A | Vinyl chloride | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 4,4 DDD | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 12/05/05 | 11:45 | WWR005 | P | 4,4 DDE | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 4,4 DDT | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Acenaphthene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Acenaphthylene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Acetochlor | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Acrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Alachlor | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Alachlor ESA | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Alachlor OA | < 0.4 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Aldrin | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Allethrin | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Allyl chloride | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Alpha - BHC | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Ammonia | 0.201 | mg/l |
| 12/05/05 | 11:45 | WWR005 | P | Anthracene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Atrazine | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Azoxystrobin | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Benfluralin | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Benzene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Benzophenone | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Beta - BHC | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Bisphenol A | < 2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Bloc | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Bromacil | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Bromobenzene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Bromochloromethane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Bromodichloromethane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Bromoform | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Bromomethane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Butachlor | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Caffeine | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Carbamazepine | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Carbazole | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Carbon disulfide | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Carisoprodol | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Chlordane | < 1 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Chlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Chloroethane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Chloroform | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|--------------------------|---------|------------|
| 12/05/05 | 11:45 | WWR005 | P | Chloromethane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Chlorothalonil | < 1 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Chloroxylenol | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Chlorpyrifos | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Chrysene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Cyanazine | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Cyfluthrin | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Cypermethrin | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Dacthal | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Delta - BHC | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Deltamethrin | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Depth | 2.0 | ft |
| 12/05/05 | 11:45 | WWR005 | P | Desethylatrazine | < 0.4 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Diazinon | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Dibromomethane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Dibutyl phthalate | < 1 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Dichlobenil | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Dichlorvos | < 0.6 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Didealkylatrazine | < 0.8 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Dieldrin | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Diethyl ether | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Diethyl phthalate | < 1 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Dinoseb | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Dissolved Nitrogen | 1.20 | mg/l |
| 12/05/05 | 11:45 | WWR005 | P | Dissolved Oxygen | 7.8 | mg/l |
| 12/05/05 | 11:45 | WWR005 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 11:45 | WWR005 | P | Disulfoton | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | d-Limonene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Endosulfan I | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Endosulfan II | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Endosulfan Sulfate | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Endrin | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Endrin aldehyde | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | EPTC | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Ethofumesate | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Ethyl parathion | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Ethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Fecal Coliform | 230 | mpn/100 ml |
| 12/05/05 | 11:45 | WWR005 | P | Fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Fluorene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Freon 113 | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Gamma - BHC | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|--------|-------|
| 12/05/05 | 11:45 | WWR005 | P | Gemfibrozil | < 0.4 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Heptachlor | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Hexachlorobutadiene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Hexachloroethane | < 1 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Hexazinone | < 1 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Ibuprofen | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Imidacloprid | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Iodofenphos | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Iprodione | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Isofenphos | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Isopropylbenzene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Kelthane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Malaoxon | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Malathion | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Metalaxyl | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Metered Salinity | 18.1 | psu |
| 12/05/05 | 11:45 | WWR005 | P | Methacrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Methoprene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Methoxychlor | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Methyl isothiocyanate | < 2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Methyl parathion | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Methyl sulfide | 0.700 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Methylene chloride | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Methylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Metolachlor | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Metribuzin | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | m-Xylene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Naphthalene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Napropamide | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | n-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Nitrate & Nitrite | 0.418 | mg/l |
| 12/05/05 | 11:45 | WWR005 | P | n-Propane | < 2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | n-Propylbenzene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Ortho-Phosphate | 0.042 | mg/l |
| 12/05/05 | 11:45 | WWR005 | P | o-Xylene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Pendimethalin | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Permethrin | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | pH | 6.9 | |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|----------------------------|---------|------------|
| 12/05/05 | 11:45 | WWR005 | P | Phenanthrene | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Prometon | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Prometryne | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Propachlor | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Propiconazole (TILT) | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | p-Xylene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Pyrene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Resmethrin | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Ronstar | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Secchi | 2.0 | ft |
| 12/05/05 | 11:45 | WWR005 | P | Siduron | < 0.3 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Simazine | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Sumithrin | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Tebuthiuron | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Temperature | 4.1 | deg C |
| 12/05/05 | 11:45 | WWR005 | P | Terbacil | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Terbufos | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Tetrachloroethene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Tetrahydrofuran | < 20 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Toluene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Total Coliform | 300 | mpn/100 ml |
| 12/05/05 | 11:45 | WWR005 | P | Total Nitrogen | 1.200 | mg/l |
| 12/05/05 | 11:45 | WWR005 | P | Total Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 11:45 | WWR005 | P | Total Xylene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Triadimefon | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Trichlorfon | < 0.3 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Trichloroethene | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Triclosan | < 0.2 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Trifluralin | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Vinclozolin | < 0.5 | ug/l |
| 12/05/05 | 11:45 | WWR005 | P | Vinyl chloride | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 12/05/05 | 12:00 | WWR001 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 4,4 DDD | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 4,4 DDE | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 4,4 DDT | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Acenaphthene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Acenaphthylene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Acetochlor | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Acrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Alachlor | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Alachlor ESA | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Alachlor OA | < 0.4 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Aldrin | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Allethrin | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Allyl chloride | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Alpha - BHC | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Ammonia | 0.162 | mg/l |
| 12/05/05 | 12:00 | WWR001 | P | Anthracene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Atrazine | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Azoxystrobin | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Benfluralin | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Benzene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Benzophenone | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Beta - BHC | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Bisphenol A | < 2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Bloc | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Bromacil | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Bromobenzene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|--------------------------|--------|-------|
| 12/05/05 | 12:00 | WWR001 | P | Bromochloromethane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Bromodichloromethane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Bromoform | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Bromomethane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Butachlor | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Caffeine | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Carbamazepine | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Carbazole | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Carbon disulfide | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Carisoprodol | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Chlordane | < 1 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Chlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Chloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Chloroform | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Chloromethane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Chlorothonil | < 1 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Chloroxylenol | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Chlorpyrifos | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Chrysene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Cyanazine | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Cyfluthrin | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Cypermethrin | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Dacthal | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Delta - BHC | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Deltamethrin | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Depth | 3.0 | ft |
| 12/05/05 | 12:00 | WWR001 | P | Desethylatrazine | < 0.4 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Diazinon | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Dibromomethane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Dibutyl phthalate | < 1 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Dichlobenil | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Dichlorvos | < 0.6 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Didealkylatrazine | < 0.8 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Dieldrin | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Diethyl ether | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Diethyl phthalate | < 1 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Dinoseb | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Dissolved Nitrogen | 1.40 | mg/l |
| 12/05/05 | 12:00 | WWR001 | P | Dissolved Oxygen | 9.3 | mg/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|---------|------------|
| 12/05/05 | 12:00 | WWR001 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 12:00 | WWR001 | P | Disulfoton | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | d-Limonene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Endosulfan I | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Endosulfan II | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Endosulfan Sulfate | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Endrin | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Endrin aldehyde | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | EPTC | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Ethynylbenzene (Styrene) | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Ethofumesate | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Ethyl parathion | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Ethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Fecal Coliform | 80 | mpn/100 ml |
| 12/05/05 | 12:00 | WWR001 | P | Fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Fluorene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Freon 113 | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Gamma - BHC | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Gemfibrozil | < 0.4 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Heptachlor | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Hexachlorobutadiene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Hexachloroethane | < 1 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Hexazinone | < 1 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Ibuprofen | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Imidacloprid | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Iodofenphos | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Iprodione | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Isofenphos | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Isopropylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Kelthane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Malaoxon | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Malathion | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Metalaxyl | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Metered Salinity | 23.7 | psu |
| 12/05/05 | 12:00 | WWR001 | P | Methacrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Methoprene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Methoxychlor | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Methyl isothiocyanate | < 2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Methyl parathion | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Methyl sulfide | 0.700 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Methylene chloride | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Methylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Metolachlor | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|---------|------------|
| 12/05/05 | 12:00 | WWR001 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Metribuzin | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | m-Xylene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Naphthalene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Napropamide | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | n-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Nitrate & Nitrite | 0.675 | mg/l |
| 12/05/05 | 12:00 | WWR001 | P | n-Propane | < 2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | n-Propylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Ortho-Phosphate | 0.025 | mg/l |
| 12/05/05 | 12:00 | WWR001 | P | o-Xylene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Pendimethalin | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Permethrin | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | pH | 7.2 | |
| 12/05/05 | 12:00 | WWR001 | P | Phenanthrene | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Prometon | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Prometryne | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Propachlor | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Propiconazole (TILT) | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | p-Xylene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Pyrene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Resmethrin | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Ronstar | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Secchi | 3.0 | ft |
| 12/05/05 | 12:00 | WWR001 | P | Siduron | < 0.3 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Simazine | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Sumithrin | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Tebuthiuron | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Temperature | 4.2 | deg C |
| 12/05/05 | 12:00 | WWR001 | P | Terbacil | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Terbufos | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Tetrachloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Tetrahydrofuran | < 20 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Toluene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Total Coliform | 700 | mpn/100 ml |
| 12/05/05 | 12:00 | WWR001 | P | Total Nitrogen | 1.400 | mg/l |
| 12/05/05 | 12:00 | WWR001 | P | Total Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 12:00 | WWR001 | P | Total Xylene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 12/05/05 | 12:00 | WWR001 | P | Triadimefon | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Trichlorfon | < 0.3 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Trichloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Triclosan | < 0.2 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Trifluralin | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Vinclozolin | < 0.5 | ug/l |
| 12/05/05 | 12:00 | WWR001 | P | Vinyl chloride | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 4,4 DDD | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 4,4 DDE | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 4,4 DDT | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Acenaphthene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Acenaphthylene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Acetochlor | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Acrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Alachlor | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Alachlor ESA | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Alachlor OA | < 0.4 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Aldrin | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Allethrin | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Allyl chloride | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Alpha - BHC | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 12/05/05 | 12:15 | WWR006 | P | Ammonia | 0.155 | mg/l |
| 12/05/05 | 12:15 | WWR006 | P | Anthracene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Atrazine | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Azoxystrobin | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Benfluralin | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Benzene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Benzophenone | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Beta - BHC | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Bisphenol A | < 2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Bloc | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Bromacil | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Bromobenzene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Bromochloromethane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Bromodichloromethane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Bromoform | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Bromomethane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Butachlor | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Caffeine | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Carbamazepine | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Carbazole | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Carbon disulfide | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Carisoprodol | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Chlordane | < 1 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Chlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Chloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Chloroform | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Chloromethane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Chlorothalonil | < 1 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Chloroxylenol | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Chlorpyrifos | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Chrysene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Cyanazine | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Cyfluthrin | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Cypermethrin | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Dacthal | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Delta - BHC | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Deltamethrin | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|---------------------------|---------|------------|
| 12/05/05 | 12:15 | WWR006 | P | Depth | 2.0 | ft |
| 12/05/05 | 12:15 | WWR006 | P | Desethylatrazine | < 0.4 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Diazinon | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Dibromomethane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Dibutyl phthalate | < 1 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Dichlobenil | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Dichlorvos | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Didealkylatrazine | < 0.8 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Dieldrin | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Diethyl ether | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Diethyl phthalate | < 1 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Dinoseb | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Dissolved Nitrogen | 1.40 | mg/l |
| 12/05/05 | 12:15 | WWR006 | P | Dissolved Oxygen | 7.9 | mg/l |
| 12/05/05 | 12:15 | WWR006 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 12:15 | WWR006 | P | Disulfoton | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | d-Limonene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Endosulfan I | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Endosulfan II | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Endosulfan sulfate | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Endrin | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Endrin aldehyde | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | EPTC | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Ethofumesate | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Ethyl parathion | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Ethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Fecal Coliform | 130 | mpn/100 ml |
| 12/05/05 | 12:15 | WWR006 | P | Fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Fluorene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Freon 113 | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Gamma - BHC | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Gemfibrozil | < 0.4 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Heptachlor | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Hexachlorobutadiene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Hexachloroethane | < 1 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Hexazinone | < 1 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Ibuprofen | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Imidacloprid | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Iodofenphos | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Iprodione | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Isofenphos | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|--------|-------|
| 12/05/05 | 12:15 | WWR006 | P | Isopropylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Kelthane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Malaoxon | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Malathion | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Metalaxyl | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Metered Salinity | 23.6 | psu |
| 12/05/05 | 12:15 | WWR006 | P | Methacrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Methoprene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Methoxychlor | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Methyl isothiocyanate | < 2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Methyl parathion | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Methyl sulfide | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Methylene chloride | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Methylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Metolachlor | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Metribuzin | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | m-Xylene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Naphthalene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Napropamide | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | n-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Nitrate & Nitrite | 0.647 | mg/l |
| 12/05/05 | 12:15 | WWR006 | P | n-Propane | < 2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | n-Propylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Ortho-Phosphate | 0.011 | mg/l |
| 12/05/05 | 12:15 | WWR006 | P | o-Xylene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Pendimethalin | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Permethrin | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | pH | 6.8 | |
| 12/05/05 | 12:15 | WWR006 | P | Phenanthrene | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Prometon | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Prometryne | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Propachlor | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Propiconazole (TILT) | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | p-Xylene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Pyrene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Resmethrin | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Ronstar | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Secchi | 2.0 | ft |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|------------|
| 12/05/05 | 12:15 | WWR006 | P | Siduron | < 0.3 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Simazine | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Sumithrin | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Tebuthiuron | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Temperature | 4.0 | deg C |
| 12/05/05 | 12:15 | WWR006 | P | Terbacil | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Terbufos | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Tetrachloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Tetrahydrofuran | < 20 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Toluene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Total Coliform | 500 | mpn/100 ml |
| 12/05/05 | 12:15 | WWR006 | P | Total Nitrogen | 1.300 | mg/l |
| 12/05/05 | 12:15 | WWR006 | P | Total Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 12:15 | WWR006 | P | Total Xylene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Triadimefon | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Trichlorfon | < 0.3 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Trichloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Triclosan | < 0.2 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Trifluralin | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Vinclozolin | < 0.5 | ug/l |
| 12/05/05 | 12:15 | WWR006 | P | Vinyl chloride | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 12/05/05 | 12:30 | WWR002 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 4,4 DDD | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 4,4 DDE | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 4,4 DDT | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Acenaphthene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Acenaphthylene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Acetochlor | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Acrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Alachlor | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Alachlor ESA | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Alachlor OA | < 0.4 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Aldrin | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Allethrin | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Allyl chloride | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Alpha - BHC | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Ammonia | 0.122 | mg/l |
| 12/05/05 | 12:30 | WWR002 | P | Anthracene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Atrazine | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Azoxystrobin | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Benfluralin | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Benzene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Benzophenone | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Beta - BHC | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Bisphenol A | < 2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Bloc | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Bromacil | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Bromobenzene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Bromochloromethane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Bromodichloromethane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Bromoform | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Bromomethane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Butachlor | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Caffeine | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Carbamazepine | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Carbazole | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Carbon disulfide | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Carisoprodol | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Chlordane | < 1 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|--------------------------|---------|-------|
| 12/05/05 | 12:30 | WWR002 | P | Chlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Chloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Chloroform | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Chloromethane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Chlorothalonil | < 1 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Chloroxylenol | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Chlorpyrifos | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Chrysene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Cyanazine | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Cyfluthrin | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Cypermethrin | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Dacthal | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Delta - BHC | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Deltamethrin | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Depth | 3.0 | ft |
| 12/05/05 | 12:30 | WWR002 | P | Desethylatrazine | < 0.4 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Diazinon | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Dibromomethane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Dibutyl phthalate | < 1 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Dichlobenil | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Dichlorvos | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Didealkylatrazine | < 0.8 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Dieldrin | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Diethyl ether | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Diethyl phthalate | < 1 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Dinoseb | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Dissolved Nitrogen | 1.50 | mg/l |
| 12/05/05 | 12:30 | WWR002 | P | Dissolved Oxygen | 10.1 | mg/l |
| 12/05/05 | 12:30 | WWR002 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 12:30 | WWR002 | P | Disulfoton | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | d-Limonene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Endosulfan I | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Endosulfan II | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Endosulfan sulfate | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Endrin | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Endrin aldehyde | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | EPTC | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Ethofumesate | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Ethyl parathion | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Ethylbenzene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|--------|------------|
| 12/05/05 | 12:30 | WWR002 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Fecal Coliform | 20 | mpn/100 ml |
| 12/05/05 | 12:30 | WWR002 | P | Fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Fluorene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Freon 113 | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Gamma - BHC | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Gemfibrozil | < 0.4 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Heptachlor | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Hexachlorobutadiene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Hexachloroethane | < 1 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Hexazinone | < 1 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Ibuprofen | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Imidacloprid | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Iodofenphos | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Iprodione | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Isofenphos | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Isopropylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Kelthane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Malaoxon | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Malathion | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Metalaxyl | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Metered Salinity | 24.0 | psu |
| 12/05/05 | 12:30 | WWR002 | P | Methacrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Methoprene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Methoxychlor | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Methyl isothiocyanate | < 2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Methyl parathion | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Methyl sulfide | 0.500 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Methylene chloride | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Methylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Metolachlor | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Metribuzin | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | m-Xylene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Naphthalene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Napropamide | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | n-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Nitrate & Nitrite | 0.788 | mg/l |
| 12/05/05 | 12:30 | WWR002 | P | n-Propane | < 2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | n-Propylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Ortho-Phosphate | 0.009 | mg/l |
| 12/05/05 | 12:30 | WWR002 | P | o-Xylene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|---------------------------|---------|------------|
| 12/05/05 | 12:30 | WWR002 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Pendimethalin | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Permethrin | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | pH | 7.4 | |
| 12/05/05 | 12:30 | WWR002 | P | Phenanthrene | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Prometon | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Prometryne | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Propachlor | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Propiconazole (TILT) | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | p-Xylene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Pyrene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Resmethrin | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Ronstar | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Secchi | 3.0 | ft |
| 12/05/05 | 12:30 | WWR002 | P | Siduron | < 0.3 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Simazine | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Sumithrin | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Tebuthiuron | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Temperature | 4.0 | deg C |
| 12/05/05 | 12:30 | WWR002 | P | Terbacil | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Terbufos | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Tetrachloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Tetrahydrofuran | < 20 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Toluene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Total Coliform | 300 | mpn/100 ml |
| 12/05/05 | 12:30 | WWR002 | P | Total Nitrogen | 1.900 | mg/l |
| 12/05/05 | 12:30 | WWR002 | P | Total Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 12:30 | WWR002 | P | Total Xylene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Triadimefon | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Trichlorfon | < 0.3 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Trichloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Triclosan | < 0.2 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Trifluralin | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Vinclozolin | < 0.5 | ug/l |
| 12/05/05 | 12:30 | WWR002 | P | Vinyl chloride | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,1-Dichloroethene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 12/05/05 | 12:45 | WWR003 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,2,4-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 4,4 DDD | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 4,4 DDE | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 4,4 DDT | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Acenaphthene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Acenaphthylene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Acetochlor | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Acrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Alachlor | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Alachlor ESA | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Alachlor OA | < 0.4 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Aldrin | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Allethrin | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Allyl chloride | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Alpha - BHC | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Ammonia | 0.224 | mg/l |
| 12/05/05 | 12:45 | WWR003 | P | Anthracene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Atrazine | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Azoxystrobin | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Benfluralin | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Benzene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Benzophenone | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Beta - BHC | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 12/05/05 | 12:45 | WWR003 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Bisphenol A | < 2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Bloc | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Bromacil | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Bromobenzene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Bromochloromethane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Bromodichloromethane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Bromoform | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Bromomethane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Butachlor | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Caffeine | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Carbamazepine | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Carbazole | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Carbon disulfide | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Carisoprodol | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Chlordane | < 1 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Chlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Chloroethane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Chloroform | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Chloromethane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Chlorothalonil | < 1 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Chloroxylenol | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Chlorpyrifos | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Chrysene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Cyanazine | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Cyfluthrin | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Cypermethrin | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Dacthal | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Delta - BHC | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Deltamethrin | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Depth | 2.0 | ft |
| 12/05/05 | 12:45 | WWR003 | P | Desethylatrazine | < 0.4 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Diazinon | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Dibromomethane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Dibutyl phthalate | < 1 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Dichlobenil | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Dichlorvos | < 0.6 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Didealkylatrazine | < 0.8 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Dieldrin | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Diethyl ether | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Diethyl phthalate | < 1 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|---------------------------|---------|------------|
| 12/05/05 | 12:45 | WWR003 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Dinoseb | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Dissolved Nitrogen | 1.20 | mg/l |
| 12/05/05 | 12:45 | WWR003 | P | Dissolved Oxygen | 9.0 | mg/l |
| 12/05/05 | 12:45 | WWR003 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 12:45 | WWR003 | P | Disulfoton | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | d-Limonene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Endosulfan I | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Endosulfan II | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Endosulfan Sulfate | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Endrin | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Endrin aldehyde | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | EPTC | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Ethofumesate | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Ethyl parathion | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Ethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Fecal Coliform | 40 | mpn/100 ml |
| 12/05/05 | 12:45 | WWR003 | P | Fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Fluorene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Freon 113 | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Gamma - BHC | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Gemfibrozil | < 0.4 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Heptachlor | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Hexachlorobutadiene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Hexachloroethane | < 1 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Hexazinone | < 1 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Ibuprofen | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Imidacloprid | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Iodofenphos | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Iprodione | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Isofenphos | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Isopropylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Kelthane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Malaoxon | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Malathion | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Metalaxyl | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Metered Salinity | 23.0 | psu |
| 12/05/05 | 12:45 | WWR003 | P | Methacrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Methoprene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Methoxychlor | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Methyl isothiocyanate | < 2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Methyl parathion | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Methyl sulfide | 0.700 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Methylene chloride | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|--------|-------|
| 12/05/05 | 12:45 | WWR003 | P | Methylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Metolachlor | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Metribuzin | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | m-Xylene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Naphthalene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Napropamide | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | n-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Nitrate & Nitrite | 0.950 | mg/l |
| 12/05/05 | 12:45 | WWR003 | P | n-Propane | < 2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | n-Propylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Ortho-Phosphate | 0.063 | mg/l |
| 12/05/05 | 12:45 | WWR003 | P | o-Xylene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Pendimethalin | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Permethrin | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | pH | 7.3 | |
| 12/05/05 | 12:45 | WWR003 | P | Phenanthrene | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Prometon | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Prometryne | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Propachlor | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Propiconazole (TILT) | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | p-Xylene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Pyrene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Resmethrin | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Ronstar | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Secchi | 2.0 | ft |
| 12/05/05 | 12:45 | WWR003 | P | Siduron | < 0.3 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Simazine | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Sumithrin | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Tebuthiuron | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Temperature | 4.6 | deg C |
| 12/05/05 | 12:45 | WWR003 | P | Terbacil | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Terbufos | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Tetrachloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Tetrahydrofuran | < 20 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Toluene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Total Chlorotoluene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|------------|
| 12/05/05 | 12:45 | WWR003 | P | Total Coliform | 170 | mpn/100 ml |
| 12/05/05 | 12:45 | WWR003 | P | Total Nitrogen | 1.400 | mg/l |
| 12/05/05 | 12:45 | WWR003 | P | Total Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 12:45 | WWR003 | P | Total Xylene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Triadimefon | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Trichlorfon | < 0.3 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Trichloroethene | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Triclosan | < 0.2 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Trifluralin | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Vinclozolin | < 0.5 | ug/l |
| 12/05/05 | 12:45 | WWR003 | P | Vinyl chloride | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 2,6-Dichlorobenzamide | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 2-Hydroxyatrazine | < 0.3 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 4,4 DDD | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 4,4 DDE | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 4,4 DDT | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Acenaphthene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Acenaphthylene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Acetochlor | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Acrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Alachlor | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 12/05/05 | 13:00 | WWR004 | P | Alachlor ESA | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Alachlor OA | < 0.4 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Aldrin | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Allethrin | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Allyl chloride | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Alpha - BHC | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Ammonia | 0.120 | mg/l |
| 12/05/05 | 13:00 | WWR004 | P | Anthracene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Atrazine | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Azoxystrobin | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Benfluralin | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Benzene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Benzophenone | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Beta - BHC | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Bisphenol A | < 2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Bloc | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Bromacil | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Bromobenzene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Bromochloromethane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Bromodichloromethane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Bromoform | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Bromomethane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Butachlor | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Caffeine | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Carbamazepine | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Carbazole | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Carbon disulfide | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Carbon tetrachloride | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Carisoprodol | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Chlordane | < 1 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Chlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Chloroethane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Chloroform | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Chloromethane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Chlorothalonil | < 1 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Chloroxylonol | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Chlorpyrifos | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Chrysene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Cyanazine | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|---------------------------|---------|------------|
| 12/05/05 | 13:00 | WWR004 | P | Cyfluthrin | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Cypermethrin | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Dacthal | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Deisopropylatrazine | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Delta - BHC | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Deltamethrin | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Depth | 1.5 | ft |
| 12/05/05 | 13:00 | WWR004 | P | Desethylatrazine | < 0.4 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Diazinon | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Dibromomethane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Dibutyl phthalate | < 1 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Dichlobenil | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Dichlorvos | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Didealkylatrazine | < 0.8 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Dieldrin | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Diethyl ether | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Diethyl phthalate | < 1 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Dinoseb | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Dissolved Nitrogen | 1.30 | mg/l |
| 12/05/05 | 13:00 | WWR004 | P | Dissolved Oxygen | 10.3 | mg/l |
| 12/05/05 | 13:00 | WWR004 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 13:00 | WWR004 | P | Disulfoton | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | d-Limonene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Endosulfan I | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Endosulfan II | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Endosulfan sulfate | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Endrin | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Endrin aldehyde | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | EPTC | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Ethofumesate | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Ethyl parathion | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Ethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Ethylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Fecal Coliform | 40 | mpn/100 ml |
| 12/05/05 | 13:00 | WWR004 | P | Fluoranthene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Fluorene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Freon 113 | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Gamma - BHC | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Gemfibrozil | < 0.4 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Heptachlor | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Hexachlorobutadiene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Hexachloroethane | < 1 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Hexazinone | < 1 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|------------------------------------|--------|-------|
| 12/05/05 | 13:00 | WWR004 | P | Ibuprofen | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Imidacloprid | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Iodofenphos | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Iprodione | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Isofenphos | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Isopropylbenzene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Kelthane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Malaoxon | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Malathion | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Metalaxyl | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Metered Salinity | 4.4 | psu |
| 12/05/05 | 13:00 | WWR004 | P | Methacrylonitrile | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Methoprene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Methoxychlor | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Methyl isothiocyanate | < 2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Methyl parathion | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Methyl sulfide | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Methylene chloride | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Methylmethacrylate | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Metolachlor | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Metolachlor ESA (CGA-354743) | < 0.3 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Metolachlor Metabolite (CGA-37735) | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Metolachlor Metabolite (CGA-40172) | < 0.3 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Metolachlor Metabolite (CGA-41638) | < 0.3 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Metolachlor Metabolite (CGA-67125) | < 0.3 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Metolachlor OA (CGA-51202) | < 0.3 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Metribuzin | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | m-Xylene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Naphthalene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Napropamide | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | n-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Nitrate & Nitrite | 1.130 | mg/l |
| 12/05/05 | 13:00 | WWR004 | P | n-Propane | < 2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | n-Propylbenzene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Ortho-Phosphate | 0.025 | mg/l |
| 12/05/05 | 13:00 | WWR004 | P | o-Xylene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Pendimethalin | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Permethrin | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | pH | 7.1 | |
| 12/05/05 | 13:00 | WWR004 | P | Phenanthrene | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Prometon | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Prometryne | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Propachlor | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Propamocarb hydrochloride | < 0.3 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Propiconazole (TILT) | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|------------|
| 12/05/05 | 13:00 | WWR004 | P | p-Xylene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Pyrene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Resmethrin | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Ronstar | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Secchi | 1.5 | ft |
| 12/05/05 | 13:00 | WWR004 | P | Siduron | < 0.3 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Simazine | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Sumithrin | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Tebuthiuron | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Temperature | 3.6 | deg C |
| 12/05/05 | 13:00 | WWR004 | P | Terbacil | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Terbufos | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Tetrachloroethene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Tetrahydrofuran | < 20 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Toluene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Total Coliform | 330 | mpn/100 ml |
| 12/05/05 | 13:00 | WWR004 | P | Total Nitrogen | 1.500 | mg/l |
| 12/05/05 | 13:00 | WWR004 | P | Total Phosphorous | < 0.025 | mg/l |
| 12/05/05 | 13:00 | WWR004 | P | Total Xylene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Triadimefon | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Trichlorfon | < 0.3 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Trichloroethene | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Triclosan | < 0.2 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Trifluralin | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Vinclozolin | < 0.5 | ug/l |
| 12/05/05 | 13:00 | WWR004 | P | Vinyl chloride | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 03/20/06 | 7:12 | WWR001 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 4,4 DDD | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 4,4 DDE | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 4,4 DDT | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Acenaphthene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Acenaphthylene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Acetochlor | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Acrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Alachlor | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Aldrin | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Allethrin | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Allyl chloride | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Alpha - BHC | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Ammonia | 0.083 | mg/l |
| 03/20/06 | 7:12 | WWR001 | A | Anthracene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Atrazine | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Azoxystrobin | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Benfluralin | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Benzene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Benzophenone | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Beta - BHC | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Bisphenol A | < 2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Bloc | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Bromacil | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Bromobenzene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Bromochloromethane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Bromodichloromethane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Bromoform | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Bromomethane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Butachlor | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Caffeine | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Carbamazepine | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Carbazole | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Carbon disulfide | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Carbon tetrachloride | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|---------|-------|
| 03/20/06 | 7:12 | WWR001 | A | Carisoprodol | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Chlordane | < 1 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Chlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Chloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Chlorofenvinphos | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Chloroform | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Chloromethane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Chlorothalonil | < 1 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Chloroxylenol | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Chlorpyrifos | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Chrysene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Cyanazine | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Cyfluthrin | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Cypermethrin | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Dacthal | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Delta - BHC | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Deltamethrin | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Depth | 2.5 | ft |
| 03/20/06 | 7:12 | WWR001 | A | Diazinon | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Dibromomethane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Dibutyl phthalate | < 1 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Dichlobenil | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Dichlorvos | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Dieldrin | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Diethyl ether | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Diethyl phthalate | < 1 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Dimethyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Dinoseb | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Diocetyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Dissolved Nitrogen | 0.83 | mg/l |
| 03/20/06 | 7:12 | WWR001 | A | Dissolved Oxygen | 7.9 | mg/l |
| 03/20/06 | 7:12 | WWR001 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 7:12 | WWR001 | A | Disulfoton | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Disulfoton sulfone | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | d-Limonene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Endosulfan I | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Endosulfan II | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Endrin | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Endrin aldehyde | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | EPTC | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Ethofumesate | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Ethyl parathion | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Ethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Ethylmethacrylate | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|------------|
| 03/20/06 | 7:12 | WWR001 | A | Fecal Coliform | 170 | mpn/100 ml |
| 03/20/06 | 7:12 | WWR001 | A | Fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Fluorene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Freon 113 | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Gamma - BHC | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Heptachlor | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Hexachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Hexachlorobutadiene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Hexachloroethane | < 1 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Hexazinone | < 1 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Iodofenphos | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Iprodione | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Isofenphos | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Isopropylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Kelthane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Malathion | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Metalaxyl | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Metered Salinity | 5.5 | psu |
| 03/20/06 | 7:12 | WWR001 | A | Methacrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Methoprene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Methoxychlor | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Methyl isothiocyanate | < 2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Methyl parathion | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Methyl sulfide | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Methylene chloride | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Methylmethacrylate | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Metolachlor | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Metribuzin | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | m-Xylene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Naled (Dibrom) | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Naphthalene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Napropamide | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | n-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Nitrate & Nitrite | 0.627 | mg/l |
| 03/20/06 | 7:12 | WWR001 | A | n-Propane | < 2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | n-Propylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Ortho-Phosphate | 0.015 | mg/l |
| 03/20/06 | 7:12 | WWR001 | A | o-Xylene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Pendimethalin | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Pentachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Permethrin | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | pH | 7.5 | |
| 03/20/06 | 7:12 | WWR001 | A | Phenanthrene | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Piperonyl butoxide | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Prometon | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Prometryne | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|---------|------------|
| 03/20/06 | 7:12 | WWR001 | A | Propachlor | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Propiconazole (TILT) | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | p-Xylene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Pyrene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Resmethrin | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Ronstar | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Secchi | 2.5 | ft |
| 03/20/06 | 7:12 | WWR001 | A | Simazine | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Sumithrin | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Tebuthiuron | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Temperature | 3.7 | deg C |
| 03/20/06 | 7:12 | WWR001 | A | Terbacil | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Terbufos | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Tetrachloroethene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Tetrahydrofuran | < 20 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Toluene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Total Coliform | 500 | mpn/100 ml |
| 03/20/06 | 7:12 | WWR001 | A | Total Nitrogen | 1.000 | mg/l |
| 03/20/06 | 7:12 | WWR001 | A | Total Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 7:12 | WWR001 | A | Total Xylene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Triadimefon | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Trichloroethene | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Triclosan | < 0.2 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Trifluralin | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Vinclozolin | < 0.5 | ug/l |
| 03/20/06 | 7:12 | WWR001 | A | Vinyl chloride | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 03/20/06 | 7:33 | WWR005 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 4,4 DDD | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 4,4 DDE | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 4,4 DDT | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Acenaphthene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Acenaphthylene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Acetochlor | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Acrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Alachlor | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Aldrin | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Allethrin | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Allyl chloride | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Alpha - BHC | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Ammonia | 0.132 | mg/l |
| 03/20/06 | 7:33 | WWR005 | A | Anthracene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Atrazine | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Azoxystrobin | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Benfluralin | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Benzene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Benzophenone | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Beta - BHC | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Bisphenol A | < 2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Bloc | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Bromacil | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Bromobenzene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Bromochloromethane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Bromodichloromethane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Bromoform | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Bromomethane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Butachlor | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Caffeine | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Carbamazepine | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Carbazole | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Carbon disulfide | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Carbon tetrachloride | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|---------|-------|
| 03/20/06 | 7:33 | WWR005 | A | Carisoprodol | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Chlordane | < 1 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Chlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Chloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Chlorofenvinphos | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Chloroform | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Chloromethane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Chlorothalonil | < 1 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Chloroxylenol | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Chlorpyrifos | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Chrysene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Cyanazine | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Cyfluthrin | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Cypermethrin | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Dacthal | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Delta - BHC | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Deltamethrin | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Depth | 1.0 | ft |
| 03/20/06 | 7:33 | WWR005 | A | Diazinon | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Dibromomethane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Dibutyl phthalate | < 1 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Dichlobenil | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Dichlorvos | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Dieldrin | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Diethyl ether | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Diethyl phthalate | < 1 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Dimethyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Dinoseb | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Diocetyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Dissolved Nitrogen | 0.84 | mg/l |
| 03/20/06 | 7:33 | WWR005 | A | Dissolved Oxygen | 6.3 | mg/l |
| 03/20/06 | 7:33 | WWR005 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 7:33 | WWR005 | A | Disulfoton | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Disulfoton sulfone | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | d-Limonene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Endosulfan I | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Endosulfan II | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Endrin | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Endrin aldehyde | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | EPTC | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Ethofumesate | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Ethyl parathion | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Ethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Ethylmethacrylate | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|------------|
| 03/20/06 | 7:33 | WWR005 | A | Fecal Coliform | 80 | mpn/100 ml |
| 03/20/06 | 7:33 | WWR005 | A | Fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Fluorene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Freon 113 | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Gamma - BHC | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Heptachlor | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Hexachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Hexachlorobutadiene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Hexachloroethane | < 1 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Hexazinone | < 1 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Iodofenphos | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Iprodione | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Isofenphos | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Isopropylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Kelthane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Malathion | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Metalaxyl | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Metered Salinity | 4.3 | psu |
| 03/20/06 | 7:33 | WWR005 | A | Methacrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Methoprene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Methoxychlor | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Methyl isothiocyanate | < 2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Methyl parathion | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Methyl sulfide | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Methylene chloride | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Methylmethacrylate | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Metolachlor | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Metribuzin | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | m-Xylene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Naled (Dibrom) | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Naphthalene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Napropamide | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | n-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Nitrate & Nitrite | 0.781 | mg/l |
| 03/20/06 | 7:33 | WWR005 | A | n-Propane | < 2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | n-Propylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Ortho-Phosphate | 0.019 | mg/l |
| 03/20/06 | 7:33 | WWR005 | A | o-Xylene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Pendimethalin | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Pentachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Permethrin | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | pH | 7.1 | |
| 03/20/06 | 7:33 | WWR005 | A | Phenanthrene | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Piperonyl butoxide | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Prometon | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Prometryne | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|---------|------------|
| 03/20/06 | 7:33 | WWR005 | A | Propachlor | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Propiconazole (TILT) | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | p-Xylene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Pyrene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Resmethrin | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Ronstar | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Secchi | 1.0 | ft |
| 03/20/06 | 7:33 | WWR005 | A | Simazine | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Sumithrin | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Tebuthiuron | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Temperature | 3.9 | deg C |
| 03/20/06 | 7:33 | WWR005 | A | Terbacil | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Terbufos | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Tetrachloroethene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Tetrahydrofuran | < 20 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Toluene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Total Coliform | 260 | mpn/100 ml |
| 03/20/06 | 7:33 | WWR005 | A | Total Nitrogen | 0.900 | mg/l |
| 03/20/06 | 7:33 | WWR005 | A | Total Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 7:33 | WWR005 | A | Total Xylene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Triadimefon | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Trichloroethene | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Triclosan | < 0.2 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Trifluralin | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Vinclozolin | < 0.5 | ug/l |
| 03/20/06 | 7:33 | WWR005 | A | Vinyl chloride | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 03/20/06 | 7:50 | WWR002 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 4,4 DDD | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 4,4 DDE | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 4,4 DDT | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Acenaphthene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Acenaphthylene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Acetochlor | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Acrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Alachlor | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Aldrin | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Allethrin | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Allyl chloride | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Alpha - BHC | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Ammonia | 0.105 | mg/l |
| 03/20/06 | 7:50 | WWR002 | A | Anthracene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Atrazine | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Azoxystrobin | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Benfluralin | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Benzene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Benzophenone | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Beta - BHC | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Bisphenol A | < 2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Bloc | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Bromacil | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Bromobenzene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Bromochloromethane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Bromodichloromethane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Bromoform | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Bromomethane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Butachlor | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Caffeine | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Carbamazepine | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Carbazole | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Carbon disulfide | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Carbon tetrachloride | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|---------|-------|
| 03/20/06 | 7:50 | WWR002 | A | Carisoprodol | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Chlordane | < 1 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Chlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Chloroethane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Chlorofenvinphos | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Chloroform | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Chloromethane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Chlorothalonil | < 1 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Chloroxylenol | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Chlorpyrifos | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Chrysene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Cyanazine | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Cyfluthrin | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Cypermethrin | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Dacthal | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Delta - BHC | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Deltamethrin | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Depth | 1.5 | ft |
| 03/20/06 | 7:50 | WWR002 | A | Diazinon | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Dibromomethane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Dibutyl phthalate | < 1 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Dichlobenil | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Dichlorvos | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Dieldrin | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Diethyl ether | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Diethyl phthalate | < 1 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Dimethyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Dinoseb | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Diocetyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Dissolved Nitrogen | 1.30 | mg/l |
| 03/20/06 | 7:50 | WWR002 | A | Dissolved Oxygen | 8.2 | mg/l |
| 03/20/06 | 7:50 | WWR002 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 7:50 | WWR002 | A | Disulfoton | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Disulfoton sulfone | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | d-Limonene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Endosulfan I | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Endosulfan II | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Endrin | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Endrin aldehyde | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | EPTC | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Ethofumesate | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Ethyl parathion | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Ethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Ethylmethacrylate | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|------------|
| 03/20/06 | 7:50 | WWR002 | A | Fecal Coliform | 130 | mpn/100 ml |
| 03/20/06 | 7:50 | WWR002 | A | Fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Fluorene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Freon 113 | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Gamma - BHC | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Heptachlor | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Hexachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Hexachlorobutadiene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Hexachloroethane | < 1 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Hexazinone | < 1 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Iodofenphos | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Iprodione | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Isofenphos | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Isopropylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Kelthane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Malathion | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Metalaxyl | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Metered Salinity | 7.6 | psu |
| 03/20/06 | 7:50 | WWR002 | A | Methacrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Methoprene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Methoxychlor | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Methyl isothiocyanate | < 2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Methyl parathion | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Methyl sulfide | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Methylene chloride | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Methylmethacrylate | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Metolachlor | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Metribuzin | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | m-Xylene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Naled (Dibrom) | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Naphthalene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Napropamide | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | n-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Nitrate & Nitrite | 1.060 | mg/l |
| 03/20/06 | 7:50 | WWR002 | A | n-Propane | < 2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | n-Propylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Ortho-Phosphate | 0.008 | mg/l |
| 03/20/06 | 7:50 | WWR002 | A | o-Xylene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Pendimethalin | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Pentachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Permethrin | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | pH | 7.3 | |
| 03/20/06 | 7:50 | WWR002 | A | Phenanthrene | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Piperonyl butoxide | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Prometon | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Prometryne | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|---------|------------|
| 03/20/06 | 7:50 | WWR002 | A | Propachlor | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Propiconazole (TILT) | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | p-Xylene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Pyrene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Resmethrin | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Ronstar | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Secchi | 1.5 | ft |
| 03/20/06 | 7:50 | WWR002 | A | Simazine | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Sumithrin | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Tebuthiuron | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Temperature | 4.1 | deg C |
| 03/20/06 | 7:50 | WWR002 | A | Terbacil | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Terbufos | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Tetrachloroethene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Tetrahydrofuran | < 20 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Toluene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Total Coliform | 400 | mpn/100 ml |
| 03/20/06 | 7:50 | WWR002 | A | Total Nitrogen | 1.300 | mg/l |
| 03/20/06 | 7:50 | WWR002 | A | Total Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 7:50 | WWR002 | A | Total Xylene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Triadimefon | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Trichloroethene | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Triclosan | < 0.2 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Trifluralin | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Vinclozolin | < 0.5 | ug/l |
| 03/20/06 | 7:50 | WWR002 | A | Vinyl chloride | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 03/20/06 | 8:04 | WWR006 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 4,4 DDD | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 4,4 DDE | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 4,4 DDT | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Acenaphthene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Acenaphthylene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Acetochlor | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Acrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Alachlor | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Aldrin | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Allethrin | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Allyl chloride | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Alpha - BHC | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Ammonia | 0.141 | mg/l |
| 03/20/06 | 8:04 | WWR006 | A | Anthracene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Atrazine | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Azoxystrobin | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Benfluralin | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Benzene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Benzophenone | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Beta - BHC | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Bisphenol A | < 2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Bloc | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Bromacil | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Bromobenzene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Bromochloromethane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Bromodichloromethane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Bromoform | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Bromomethane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Butachlor | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Caffeine | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Carbamazepine | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Carbazole | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Carbon disulfide | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Carbon tetrachloride | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|---------|-------|
| 03/20/06 | 8:04 | WWR006 | A | Carisoprodol | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Chlordane | < 1 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Chlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Chloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Chlorofenvinphos | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Chloroform | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Chloromethane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Chlorothalonil | < 1 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Chloroxylenol | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Chlorpyrifos | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Chrysene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Cyanazine | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Cyfluthrin | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Cypermethrin | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Dacthal | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Delta - BHC | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Deltamethrin | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Depth | 1.0 | ft |
| 03/20/06 | 8:04 | WWR006 | A | Diazinon | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Dibromomethane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Dibutyl phthalate | < 1 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Dichlobenil | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Dichlorvos | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Dieldrin | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Diethyl ether | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Diethyl phthalate | < 1 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Dimethyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Dinoseb | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Diocetyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Dissolved Nitrogen | 1.40 | mg/l |
| 03/20/06 | 8:04 | WWR006 | A | Dissolved Oxygen | 6.2 | mg/l |
| 03/20/06 | 8:04 | WWR006 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 8:04 | WWR006 | A | Disulfoton | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Disulfoton sulfone | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | d-Limonene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Endosulfan I | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Endosulfan II | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Endrin | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Endrin aldehyde | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | EPTC | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Ethofumesate | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Ethyl parathion | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Ethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Ethylmethacrylate | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|------------|
| 03/20/06 | 8:04 | WWR006 | A | Fecal Coliform | 130 | mpn/100 ml |
| 03/20/06 | 8:04 | WWR006 | A | Fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Fluorene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Freon 113 | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Gamma - BHC | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Heptachlor | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Hexachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Hexachlorobutadiene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Hexachloroethane | < 1 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Hexazinone | < 1 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Iodofenphos | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Iprodione | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Isofenphos | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Isopropylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Kelthane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Malathion | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Metalaxyl | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Metered Salinity | 12.1 | psu |
| 03/20/06 | 8:04 | WWR006 | A | Methacrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Methoprene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Methoxychlor | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Methyl isothiocyanate | < 2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Methyl parathion | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Methyl sulfide | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Methylene chloride | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Methylmethacrylate | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Metolachlor | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Metribuzin | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | m-Xylene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Naled (Dibrom) | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Naphthalene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Napropamide | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | n-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Nitrate & Nitrite | 1.020 | mg/l |
| 03/20/06 | 8:04 | WWR006 | A | n-Propane | < 2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | n-Propylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Ortho-Phosphate | 0.006 | mg/l |
| 03/20/06 | 8:04 | WWR006 | A | o-Xylene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Pendimethalin | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Pentachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Permethrin | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | pH | 7.5 | |
| 03/20/06 | 8:04 | WWR006 | A | Phenanthrene | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Piperonyl butoxide | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Prometon | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Prometryne | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|---------|------------|
| 03/20/06 | 8:04 | WWR006 | A | Propachlor | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Propiconazole (TILT) | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | p-Xylene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Pyrene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Resmethrin | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Ronstar | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Secchi | 1.0 | ft |
| 03/20/06 | 8:04 | WWR006 | A | Simazine | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Sumithrin | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Tebuthiuron | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Temperature | 5.8 | deg C |
| 03/20/06 | 8:04 | WWR006 | A | Terbacil | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Terbufos | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Tetrachloroethene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Tetrahydrofuran | < 20 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Toluene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Total Coliform | 230 | mpn/100 ml |
| 03/20/06 | 8:04 | WWR006 | A | Total Nitrogen | 1.300 | mg/l |
| 03/20/06 | 8:04 | WWR006 | A | Total Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 8:04 | WWR006 | A | Total Xylene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Triadimefon | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Trichloroethene | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Triclosan | < 0.2 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Trifluralin | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Vinclozolin | < 0.5 | ug/l |
| 03/20/06 | 8:04 | WWR006 | A | Vinyl chloride | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 03/20/06 | 8:25 | WWR003 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 4,4 DDD | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 4,4 DDE | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 4,4 DDT | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Acenaphthene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Acenaphthylene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Acetochlor | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Acrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Alachlor | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Aldrin | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Allethrin | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Allyl chloride | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Alpha - BHC | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Ammonia | 0.124 | mg/l |
| 03/20/06 | 8:25 | WWR003 | A | Anthracene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Atrazine | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Azoxystrobin | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Benfluralin | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Benzene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Benzophenone | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Beta - BHC | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Bisphenol A | < 2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Bloc | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Bromacil | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Bromobenzene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Bromochloromethane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Bromodichloromethane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Bromoform | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Bromomethane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Butachlor | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Caffeine | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Carbamazepine | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Carbazole | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Carbon disulfide | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Carbon tetrachloride | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|---------|-------|
| 03/20/06 | 8:25 | WWR003 | A | Carisoprodol | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Chlordane | < 1 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Chlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Chloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Chlorofenvinphos | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Chloroform | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Chloromethane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Chlorothalonil | < 1 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Chloroxylenol | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Chlorpyrifos | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Chrysene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Cyanazine | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Cyfluthrin | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Cypermethrin | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Dacthal | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Delta - BHC | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Deltamethrin | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Depth | 1.0 | ft |
| 03/20/06 | 8:25 | WWR003 | A | Diazinon | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Dibromomethane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Dibutyl phthalate | < 1 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Dichlobenil | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Dichlorvos | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Dieldrin | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Diethyl ether | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Diethyl phthalate | < 1 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Dimethyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Dinoseb | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Diocetyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Dissolved Nitrogen | 0.92 | mg/l |
| 03/20/06 | 8:25 | WWR003 | A | Dissolved Oxygen | 9.4 | mg/l |
| 03/20/06 | 8:25 | WWR003 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 8:25 | WWR003 | A | Disulfoton | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Disulfoton sulfone | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | d-Limonene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Endosulfan I | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Endosulfan II | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Endrin | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Endrin aldehyde | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | EPTC | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Ethofumesate | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Ethyl parathion | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Ethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Ethylmethacrylate | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|------------|
| 03/20/06 | 8:25 | WWR003 | A | Fecal Coliform | 20 | mpn/100 ml |
| 03/20/06 | 8:25 | WWR003 | A | Fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Fluorene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Freon 113 | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Gamma - BHC | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Heptachlor | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Hexachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Hexachlorobutadiene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Hexachloroethane | < 1 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Hexazinone | < 1 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Iodofenphos | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Iprodione | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Isofenphos | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Isopropylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Kelthane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Malathion | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Metalaxyl | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Metered Salinity | 8.9 | psu |
| 03/20/06 | 8:25 | WWR003 | A | Methacrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Methoprene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Methoxychlor | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Methyl isothiocyanate | < 2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Methyl parathion | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Methyl sulfide | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Methylene chloride | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Methylmethacrylate | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Metolachlor | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Metribuzin | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | m-Xylene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Naled (Dibrom) | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Naphthalene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Napropamide | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | n-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Nitrate & Nitrite | 0.904 | mg/l |
| 03/20/06 | 8:25 | WWR003 | A | n-Propane | < 2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | n-Propylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Ortho-Phosphate | 0.012 | mg/l |
| 03/20/06 | 8:25 | WWR003 | A | o-Xylene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Pendimethalin | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Pentachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Permethrin | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | pH | 7.4 | |
| 03/20/06 | 8:25 | WWR003 | A | Phenanthrene | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Piperonyl butoxide | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Prometon | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Prometryne | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|---------|------------|
| 03/20/06 | 8:25 | WWR003 | A | Propachlor | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Propiconazole (TILT) | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | p-Xylene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Pyrene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Resmethrin | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Ronstar | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Secchi | 1.0 | ft |
| 03/20/06 | 8:25 | WWR003 | A | Simazine | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Sumithrin | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Tebuthiuron | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Temperature | 5.0 | deg C |
| 03/20/06 | 8:25 | WWR003 | A | Terbacil | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Terbufos | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Tetrachloroethene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Tetrahydrofuran | < 20 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Toluene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Total Coliform | 80 | mpn/100 ml |
| 03/20/06 | 8:25 | WWR003 | A | Total Nitrogen | 0.740 | mg/l |
| 03/20/06 | 8:25 | WWR003 | A | Total Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 8:25 | WWR003 | A | Total Xylene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Triadimefon | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Trichloroethene | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Triclosan | < 0.2 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Trifluralin | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Vinclozolin | < 0.5 | ug/l |
| 03/20/06 | 8:25 | WWR003 | A | Vinyl chloride | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1,4-Dichlorobutane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 03/20/06 | 8:42 | WWR004 | A | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 2-Butanone (MEK) | < 20 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 4,4 DDD | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 4,4 DDE | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 4,4 DDT | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Acenaphthene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Acenaphthylene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Acetochlor | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Acrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Alachlor | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Aldrin | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Allethrin | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Allyl chloride | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Alpha - BHC | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Ammonia | 0.080 | mg/l |
| 03/20/06 | 8:42 | WWR004 | A | Anthracene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Atrazine | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Azoxystrobin | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Benfluralin | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Benzene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Benzophenone | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Beta - BHC | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Bisphenol A | < 2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Bloc | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Bromacil | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Bromobenzene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Bromochloromethane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Bromodichloromethane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Bromoform | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Bromomethane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Butachlor | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Caffeine | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Carbamazepine | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Carbazole | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Carbon disulfide | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Carbon tetrachloride | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|---------|-------|
| 03/20/06 | 8:42 | WWR004 | A | Carisoprodol | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Chlordane | < 1 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Chlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Chlorodibromomethane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Chloroethane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Chlorofenvinphos | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Chloroform | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Chloromethane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Chlorothalonil | < 1 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Chloroxylenol | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Chlorpyrifos | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Chrysene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Cyanazine | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Cyfluthrin | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Cypermethrin | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Dacthal | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Delta - BHC | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Deltamethrin | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Depth | 1.0 | ft |
| 03/20/06 | 8:42 | WWR004 | A | Diazinon | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Dibromomethane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Dibutyl phthalate | < 1 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Dichlobenil | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Dichlorvos | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Dieldrin | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Diethyl ether | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Diethyl phthalate | < 1 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Dimethyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Dimethyldisulfide | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Dinoseb | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Diocetyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Dissolved Nitrogen | 1.20 | mg/l |
| 03/20/06 | 8:42 | WWR004 | A | Dissolved Oxygen | 9.6 | mg/l |
| 03/20/06 | 8:42 | WWR004 | A | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 8:42 | WWR004 | A | Disulfoton | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Disulfoton sulfone | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | d-Limonene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Endosulfan I | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Endosulfan II | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Endrin | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Endrin aldehyde | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | EPTC | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Ethofumesate | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Ethyl parathion | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Ethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Ethylmethacrylate | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|------------|
| 03/20/06 | 8:42 | WWR004 | A | Fecal Coliform | < 20 | mpn/100 ml |
| 03/20/06 | 8:42 | WWR004 | A | Fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Fluorene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Freon 113 | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Gamma - BHC | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Heptachlor | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Heptachlor epoxide | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Hexachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Hexachlorobutadiene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Hexachloroethane | < 1 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Hexazinone | < 1 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Iodofenphos | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Iprodione | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Isofenphos | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Isopropylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Kelthane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Malathion | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Metalaxyl | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Metered Salinity | 4.8 | psu |
| 03/20/06 | 8:42 | WWR004 | A | Methacrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Methoprene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Methoxychlor | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Methyl isothiocyanate | < 2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Methyl parathion | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Methyl sulfide | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Methylene chloride | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Methylmethacrylate | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Metolachlor | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Metribuzin | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | m-Xylene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Naled (Dibrom) | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Naphthalene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Napropamide | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | n-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Nitrate & Nitrite | 0.691 | mg/l |
| 03/20/06 | 8:42 | WWR004 | A | n-Propane | < 2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | n-Propylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Ortho-Phosphate | 0.010 | mg/l |
| 03/20/06 | 8:42 | WWR004 | A | o-Xylene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | p-Diethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Pendimethalin | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Pentachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Permethrin | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | pH | 7.6 | |
| 03/20/06 | 8:42 | WWR004 | A | Phenanthrene | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Piperonyl butoxide | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Prometon | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Prometryne | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|------------|
| 03/20/06 | 8:42 | WWR004 | A | Propachlor | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Propiconazole (TILT) | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | p-Xylene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Pyrene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Resmethrin | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Ronstar | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | sec-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Secchi | 1.0 | ft |
| 03/20/06 | 8:42 | WWR004 | A | Simazine | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Sumithrin | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Tebuthiuron | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Temperature | 5.4 | deg C |
| 03/20/06 | 8:42 | WWR004 | A | Terbacil | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Terbufos | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | tert-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Tetrachloroethene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Tetrahydrofuran | < 20 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Toluene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Total Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Total Coliform | 110 | mpn/100 ml |
| 03/20/06 | 8:42 | WWR004 | A | Total Nitrogen | 1.100 | mg/l |
| 03/20/06 | 8:42 | WWR004 | A | Total Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 8:42 | WWR004 | A | Total Xylene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Triadimefon | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Trichloroethene | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Triclosan | < 0.2 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Trifluralin | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Vinclozolin | < 0.5 | ug/l |
| 03/20/06 | 8:42 | WWR004 | A | Vinyl chloride | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 03/20/06 | 13:04 | WWR001 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 4,4 DDD | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 4,4 DDE | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 4,4 DDT | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Acenaphthene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Acenaphthylene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Acetochlor | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Acrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Alachlor | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Aldrin | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Allethrin | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Allyl chloride | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Alpha - BHC | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Ammonia | 0.102 | mg/l |
| 03/20/06 | 13:04 | WWR001 | P | Anthracene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Atrazine | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Azoxystrobin | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Benfluralin | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Benzene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Benzophenone | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Beta - BHC | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Bisphenol A | < 2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Bloc | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Bromacil | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Bromobenzene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Bromochloromethane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Bromodichloromethane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Bromoform | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Bromomethane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Butachlor | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Caffeine | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Carbamazepine | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Carbazole | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Carbon disulfide | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Carbon tetrachloride | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|--------------------------|---------|-------|
| 03/20/06 | 13:04 | WWR001 | P | Carisoprodol | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Chlordane | < 1 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Chlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Chloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Chloroform | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Chloromethane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Chlorothalonil | < 1 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Chloroxylenol | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Chlorpyrifos | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Chrysene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Cyanazine | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Cyfluthrin | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Cypermethrin | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Dacthal | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Delta - BHC | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Deltamethrin | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Depth | 3.5 | ft |
| 03/20/06 | 13:04 | WWR001 | P | Diazinon | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Dibromomethane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Dibutyl phthalate | < 1 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Dichlobenil | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Dichlorvos | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Dieldrin | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Diethyl ether | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Diethyl phthalate | < 1 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Dinoseb | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Dissolved Nitrogen | 0.92 | mg/l |
| 03/20/06 | 13:04 | WWR001 | P | Dissolved Oxygen | 12.0 | mg/l |
| 03/20/06 | 13:04 | WWR001 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 13:04 | WWR001 | P | Disulfoton | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | d-Limonene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Endosulfan I | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Endosulfan II | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Endrin | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Endrin aldehyde | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | EPTC | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Ethofumesate | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Ethyl parathion | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Ethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Ethylmethacrylate | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|------------|
| 03/20/06 | 13:04 | WWR001 | P | Fecal Coliform | < 20 | mpn/100 ml |
| 03/20/06 | 13:04 | WWR001 | P | Fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Fluorene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Freon 113 | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Gamma - BHC | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Heptachlor | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Hexachlorobutadiene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Hexachloroethane | < 1 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Hexazinone | < 1 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Iodofenphos | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Iprodione | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Isofenphos | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Isopropylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Kelthane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Malathion | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Metalaxyl | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Metered Salinity | 12.3 | psu |
| 03/20/06 | 13:04 | WWR001 | P | Methacrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Methoprene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Methoxychlor | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Methyl isothiocyanate | < 2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Methyl parathion | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Methyl sulfide | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Methylene chloride | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Methylmethacrylate | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Metolachlor | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Metribuzin | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | m-Xylene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Naphthalene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Napropamide | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | n-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Nitrate & Nitrite | 0.423 | mg/l |
| 03/20/06 | 13:04 | WWR001 | P | n-Propane | < 2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | n-Propylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Ortho-Phosphate | 0.011 | mg/l |
| 03/20/06 | 13:04 | WWR001 | P | o-Xylene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Pendimethalin | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Permethrin | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | pH | 7.7 | |
| 03/20/06 | 13:04 | WWR001 | P | Phenanthrene | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Prometon | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Prometryne | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|------------|
| 03/20/06 | 13:04 | WWR001 | P | Propachlor | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Propiconazole (TILT) | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | p-Xylene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Pyrene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Resmethrin | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Ronstar | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Secchi | 3.5 | ft |
| 03/20/06 | 13:04 | WWR001 | P | Simazine | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Sumithrin | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Tebuthiuron | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Temperature | 5.6 | deg C |
| 03/20/06 | 13:04 | WWR001 | P | Terbacil | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Terbufos | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Tetrachloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Tetrahydrofuran | < 20 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Toluene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Total Coliform | 80 | mpn/100 ml |
| 03/20/06 | 13:04 | WWR001 | P | Total Nitrogen | 1.100 | mg/l |
| 03/20/06 | 13:04 | WWR001 | P | Total Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 13:04 | WWR001 | P | Total Xylene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Triadimefon | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Trichloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Triclosan | < 0.2 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Trifluralin | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Vinclozolin | < 0.5 | ug/l |
| 03/20/06 | 13:04 | WWR001 | P | Vinyl chloride | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 03/20/06 | 13:18 | WWR005 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 4,4 DDD | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 4,4 DDE | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 4,4 DDT | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Acenaphthene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Acenaphthylene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Acetochlor | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Acrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Alachlor | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Aldrin | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Allethrin | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Allyl chloride | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Alpha - BHC | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Ammonia | 0.146 | mg/l |
| 03/20/06 | 13:18 | WWR005 | P | Anthracene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Atrazine | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Azoxystrobin | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Benfluralin | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Benzene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Benzophenone | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Beta - BHC | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Bisphenol A | < 2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Bloc | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Bromacil | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Bromobenzene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Bromochloromethane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Bromodichloromethane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Bromoform | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Bromomethane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Butachlor | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Caffeine | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Carbamazepine | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Carbazole | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Carbon disulfide | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Carbon tetrachloride | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|--------------------------|---------|-------|
| 03/20/06 | 13:18 | WWR005 | P | Carisoprodol | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Chlordane | < 1 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Chlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Chloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Chloroform | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Chloromethane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Chlorothalonil | < 1 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Chloroxylenol | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Chlorpyrifos | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Chrysene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Cyanazine | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Cyfluthrin | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Cypermethrin | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Dacthal | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Delta - BHC | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Deltamethrin | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Depth | 2.0 | ft |
| 03/20/06 | 13:18 | WWR005 | P | Diazinon | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Dibromomethane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Dibutyl phthalate | < 1 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Dichlobenil | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Dichlorvos | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Dieldrin | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Diethyl ether | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Diethyl phthalate | < 1 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Dinoseb | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Dissolved Nitrogen | 0.91 | mg/l |
| 03/20/06 | 13:18 | WWR005 | P | Dissolved Oxygen | 9.7 | mg/l |
| 03/20/06 | 13:18 | WWR005 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 13:18 | WWR005 | P | Disulfoton | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | d-Limonene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Endosulfan I | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Endosulfan II | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Endrin | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Endrin aldehyde | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | EPTC | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Ethofumesate | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Ethyl parathion | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Ethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Ethylmethacrylate | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|------------|
| 03/20/06 | 13:18 | WWR005 | P | Fecal Coliform | 20 | mpn/100 ml |
| 03/20/06 | 13:18 | WWR005 | P | Fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Fluorene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Freon 113 | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Gamma - BHC | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Heptachlor | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Hexachlorobutadiene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Hexachloroethane | < 1 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Hexazinone | < 1 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Iodofenphos | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Iprodione | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Isofenphos | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Isopropylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Kelthane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Malathion | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Metalaxyl | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Metered Salinity | 5.4 | psu |
| 03/20/06 | 13:18 | WWR005 | P | Methacrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Methoprene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Methoxychlor | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Methyl isothiocyanate | < 2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Methyl parathion | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Methyl sulfide | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Methylene chloride | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Methylmethacrylate | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Metolachlor | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Metribuzin | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | m-Xylene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Naphthalene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Napropamide | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | n-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Nitrate & Nitrite | 0.533 | mg/l |
| 03/20/06 | 13:18 | WWR005 | P | n-Propane | < 2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | n-Propylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Ortho-Phosphate | 0.013 | mg/l |
| 03/20/06 | 13:18 | WWR005 | P | o-Xylene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Pendimethalin | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Permethrin | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | pH | 7.4 | |
| 03/20/06 | 13:18 | WWR005 | P | Phenanthrene | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Prometon | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Prometryne | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|------------|
| 03/20/06 | 13:18 | WWR005 | P | Propachlor | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Propiconazole (TILT) | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | p-Xylene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Pyrene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Resmethrin | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Ronstar | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Secchi | 2.0 | ft |
| 03/20/06 | 13:18 | WWR005 | P | Simazine | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Sumithrin | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Tebuthiuron | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Temperature | 7.5 | deg C |
| 03/20/06 | 13:18 | WWR005 | P | Terbacil | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Terbufos | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Tetrachloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Tetrahydrofuran | < 20 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Toluene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Total Coliform | 170 | mpn/100 ml |
| 03/20/06 | 13:18 | WWR005 | P | Total Nitrogen | 0.790 | mg/l |
| 03/20/06 | 13:18 | WWR005 | P | Total Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 13:18 | WWR005 | P | Total Xylene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Triadimefon | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Trichloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Triclosan | < 0.2 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Trifluralin | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Vinclozolin | < 0.5 | ug/l |
| 03/20/06 | 13:18 | WWR005 | P | Vinyl chloride | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 03/20/06 | 13:42 | WWR002 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 4,4 DDD | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 4,4 DDE | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 4,4 DDT | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Acenaphthene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Acenaphthylene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Acetochlor | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Acrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Alachlor | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Aldrin | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Allethrin | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Allyl chloride | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Alpha - BHC | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Ammonia | 0.136 | mg/l |
| 03/20/06 | 13:42 | WWR002 | P | Anthracene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Atrazine | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Azoxystrobin | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Benfluralin | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Benzene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Benzophenone | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Beta - BHC | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Bisphenol A | < 2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Bloc | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Bromacil | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Bromobenzene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Bromochloromethane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Bromodichloromethane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Bromoform | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Bromomethane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Butachlor | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Caffeine | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Carbamazepine | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Carbazole | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Carbon disulfide | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Carbon tetrachloride | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|--------------------------|---------|-------|
| 03/20/06 | 13:42 | WWR002 | P | Carisoprodol | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Chlordane | < 1 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Chlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Chloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Chloroform | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Chloromethane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Chlorothalonil | < 1 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Chloroxylenol | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Chlorpyrifos | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Chrysene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Cyanazine | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Cyfluthrin | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Cypermethrin | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Dacthal | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Delta - BHC | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Deltamethrin | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Depth | 2.0 | ft |
| 03/20/06 | 13:42 | WWR002 | P | Diazinon | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Dibromomethane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Dibutyl phthalate | < 1 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Dichlobenil | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Dichlorvos | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Dieldrin | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Diethyl ether | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Diethyl phthalate | < 1 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Dinoseb | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Dissolved Nitrogen | 0.42 | mg/l |
| 03/20/06 | 13:42 | WWR002 | P | Dissolved Oxygen | 10.6 | mg/l |
| 03/20/06 | 13:42 | WWR002 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 13:42 | WWR002 | P | Disulfoton | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | d-Limonene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Endosulfan I | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Endosulfan II | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Endrin | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Endrin aldehyde | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | EPTC | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Ethofumesate | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Ethyl parathion | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Ethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Ethylmethacrylate | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|------------|
| 03/20/06 | 13:42 | WWR002 | P | Fecal Coliform | 20 | mpn/100 ml |
| 03/20/06 | 13:42 | WWR002 | P | Fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Fluorene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Freon 113 | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Gamma - BHC | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Heptachlor | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Hexachlorobutadiene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Hexachloroethane | < 1 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Hexazinone | < 1 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Iodofenphos | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Iprodione | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Isofenphos | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Isopropylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Kelthane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Malathion | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Metalaxyl | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Metered Salinity | 18.5 | psu |
| 03/20/06 | 13:42 | WWR002 | P | Methacrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Methoprene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Methoxychlor | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Methyl isothiocyanate | < 2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Methyl parathion | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Methyl sulfide | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Methylene chloride | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Methylmethacrylate | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Metolachlor | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Metribuzin | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | m-Xylene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Naphthalene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Napropamide | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | n-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Nitrate & Nitrite | 0.459 | mg/l |
| 03/20/06 | 13:42 | WWR002 | P | n-Propane | < 2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | n-Propylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Ortho-Phosphate | 0.005 | mg/l |
| 03/20/06 | 13:42 | WWR002 | P | o-Xylene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Pendimethalin | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Permethrin | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | pH | 7.9 | |
| 03/20/06 | 13:42 | WWR002 | P | Phenanthrene | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Prometon | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Prometryne | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|------------|
| 03/20/06 | 13:42 | WWR002 | P | Propachlor | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Propiconazole (TILT) | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | p-Xylene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Pyrene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Resmethrin | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Ronstar | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Secchi | 2.0 | ft |
| 03/20/06 | 13:42 | WWR002 | P | Simazine | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Sumithrin | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Tebuthiuron | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Temperature | 6.7 | deg C |
| 03/20/06 | 13:42 | WWR002 | P | Terbacil | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Terbufos | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Tetrachloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Tetrahydrofuran | < 20 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Toluene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Total Coliform | 40 | mpn/100 ml |
| 03/20/06 | 13:42 | WWR002 | P | Total Nitrogen | 0.720 | mg/l |
| 03/20/06 | 13:42 | WWR002 | P | Total Phosphorous | 0.035 | mg/l |
| 03/20/06 | 13:42 | WWR002 | P | Total Xylene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Triadimefon | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Trichloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Triclosan | < 0.2 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Trifluralin | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Vinclozolin | < 0.5 | ug/l |
| 03/20/06 | 13:42 | WWR002 | P | Vinyl chloride | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 03/20/06 | 13:55 | WWR006 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 4,4 DDD | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 4,4 DDE | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 4,4 DDT | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Acenaphthene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Acenaphthylene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Acetochlor | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Acrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Alachlor | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Aldrin | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Allethrin | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Allyl chloride | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Alpha - BHC | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Ammonia | 0.122 | mg/l |
| 03/20/06 | 13:55 | WWR006 | P | Anthracene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Atrazine | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Azoxystrobin | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Benfluralin | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Benzene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Benzophenone | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Beta - BHC | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Bisphenol A | < 2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Bloc | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Bromacil | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Bromobenzene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Bromochloromethane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Bromodichloromethane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Bromoform | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Bromomethane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Butachlor | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Caffeine | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Carbamazepine | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Carbazole | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Carbon disulfide | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Carbon tetrachloride | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|--------------------------|---------|-------|
| 03/20/06 | 13:55 | WWR006 | P | Carisoprodol | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Chlordane | < 1 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Chlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Chloroethane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Chloroform | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Chloromethane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Chlorothalonil | < 1 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Chloroxylenol | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Chlorpyrifos | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Chrysene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Cyanazine | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Cyfluthrin | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Cypermethrin | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Dacthal | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Delta - BHC | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Deltamethrin | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Depth | 2.0 | ft |
| 03/20/06 | 13:55 | WWR006 | P | Diazinon | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Dibromomethane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Dibutyl phthalate | < 1 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Dichlobenil | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Dichlorvos | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Dieldrin | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Diethyl ether | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Diethyl phthalate | < 1 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Dinoseb | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Dissolved Nitrogen | 0.75 | mg/l |
| 03/20/06 | 13:55 | WWR006 | P | Dissolved Oxygen | 10.3 | mg/l |
| 03/20/06 | 13:55 | WWR006 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 13:55 | WWR006 | P | Disulfoton | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | d-Limonene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Endosulfan I | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Endosulfan II | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Endrin | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Endrin aldehyde | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | EPTC | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Ethofumesate | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Ethyl parathion | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Ethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Ethylmethacrylate | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|------------|
| 03/20/06 | 13:55 | WWR006 | P | Fecal Coliform | 40 | mpn/100 ml |
| 03/20/06 | 13:55 | WWR006 | P | Fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Fluorene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Freon 113 | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Gamma - BHC | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Heptachlor | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Hexachlorobutadiene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Hexachloroethane | < 1 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Hexazinone | < 1 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Iodofenphos | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Iprodione | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Isofenphos | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Isopropylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Kelthane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Malathion | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Metalaxyl | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Metered Salinity | 10.3 | psu |
| 03/20/06 | 13:55 | WWR006 | P | Methacrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Methoprene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Methoxychlor | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Methyl isothiocyanate | < 2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Methyl parathion | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Methyl sulfide | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Methylene chloride | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Methylmethacrylate | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Metolachlor | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Metribuzin | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | m-Xylene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Naphthalene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Napropamide | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | n-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Nitrate & Nitrite | 0.632 | mg/l |
| 03/20/06 | 13:55 | WWR006 | P | n-Propane | < 2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | n-Propylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Ortho-Phosphate | < 0.005 | mg/l |
| 03/20/06 | 13:55 | WWR006 | P | o-Xylene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Pendimethalin | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Permethrin | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | pH | 7.6 | |
| 03/20/06 | 13:55 | WWR006 | P | Phenanthrene | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Prometon | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Prometryne | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|------------|
| 03/20/06 | 13:55 | WWR006 | P | Propachlor | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Propiconazole (TILT) | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | p-Xylene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Pyrene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Resmethrin | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Ronstar | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Secchi | 2.0 | ft |
| 03/20/06 | 13:55 | WWR006 | P | Simazine | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Sumithrin | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Tebuthiuron | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Temperature | 8.4 | deg C |
| 03/20/06 | 13:55 | WWR006 | P | Terbacil | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Terbufos | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Tetrachloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Tetrahydrofuran | < 20 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Toluene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Total Coliform | 130 | mpn/100 ml |
| 03/20/06 | 13:55 | WWR006 | P | Total Nitrogen | 1.100 | mg/l |
| 03/20/06 | 13:55 | WWR006 | P | Total Phosphorous | 0.026 | mg/l |
| 03/20/06 | 13:55 | WWR006 | P | Total Xylene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Triadimefon | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Trichloroethene | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Triclosan | < 0.2 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Trifluralin | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Vinclozolin | < 0.5 | ug/l |
| 03/20/06 | 13:55 | WWR006 | P | Vinyl chloride | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 03/20/06 | 14:21 | WWR003 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 4,4 DDD | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 4,4 DDE | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 4,4 DDT | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Acenaphthene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Acenaphthylene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Acetochlor | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Acrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Alachlor | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Aldrin | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Allethrin | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Allyl chloride | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Alpha - BHC | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Ammonia | 0.104 | mg/l |
| 03/20/06 | 14:21 | WWR003 | P | Anthracene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Atrazine | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Azoxystrobin | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Benfluralin | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Benzene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Benzophenone | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Beta - BHC | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Bisphenol A | < 2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Bloc | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Bromacil | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Bromobenzene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Bromochloromethane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Bromodichloromethane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Bromoform | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Bromomethane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Butachlor | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Caffeine | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Carbamazepine | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Carbazole | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Carbon disulfide | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Carbon tetrachloride | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|--------------------------|---------|-------|
| 03/20/06 | 14:21 | WWR003 | P | Carisoprodol | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Chlordane | < 1 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Chlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Chloroethane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Chloroform | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Chloromethane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Chlorothalonil | < 1 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Chloroxylenol | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Chlorpyrifos | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Chrysene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Cyanazine | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Cyfluthrin | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Cypermethrin | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Dacthal | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Delta - BHC | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Deltamethrin | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Depth | 2.0 | ft |
| 03/20/06 | 14:21 | WWR003 | P | Diazinon | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Dibromomethane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Dibutyl phthalate | < 1 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Dichlobenil | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Dichlorvos | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Dieldrin | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Diethyl ether | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Diethyl phthalate | < 1 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Dinoseb | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Dissolved Nitrogen | 0.88 | mg/l |
| 03/20/06 | 14:21 | WWR003 | P | Dissolved Oxygen | 10.7 | mg/l |
| 03/20/06 | 14:21 | WWR003 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 14:21 | WWR003 | P | Disulfoton | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | d-Limonene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Endosulfan I | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Endosulfan II | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Endrin | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Endrin aldehyde | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | EPTC | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Ethofumesate | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Ethyl parathion | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Ethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Ethylmethacrylate | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|------------|
| 03/20/06 | 14:21 | WWR003 | P | Fecal Coliform | 40 | mpn/100 ml |
| 03/20/06 | 14:21 | WWR003 | P | Fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Fluorene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Freon 113 | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Gamma - BHC | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Heptachlor | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Hexachlorobutadiene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Hexachloroethane | < 1 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Hexazinone | < 1 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Iodofenphos | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Iprodione | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Isofenphos | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Isopropylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Kelthane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Malathion | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Metalaxyl | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Metered Salinity | 14.2 | psu |
| 03/20/06 | 14:21 | WWR003 | P | Methacrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Methoprene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Methoxychlor | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Methyl isothiocyanate | < 2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Methyl parathion | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Methyl sulfide | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Methylene chloride | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Methylmethacrylate | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Metolachlor | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Metribuzin | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | m-Xylene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Naphthalene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Napropamide | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | n-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Nitrate & Nitrite | 0.678 | mg/l |
| 03/20/06 | 14:21 | WWR003 | P | n-Propane | < 2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | n-Propylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Ortho-Phosphate | 0.008 | mg/l |
| 03/20/06 | 14:21 | WWR003 | P | o-Xylene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Pendimethalin | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Permethrin | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | pH | 7.7 | |
| 03/20/06 | 14:21 | WWR003 | P | Phenanthrene | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Prometon | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Prometryne | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|------------|
| 03/20/06 | 14:21 | WWR003 | P | Propachlor | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Propiconazole (TILT) | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | p-Xylene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Pyrene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Resmethrin | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Ronstar | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Secchi | 2.0 | ft |
| 03/20/06 | 14:21 | WWR003 | P | Simazine | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Sumithrin | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Tebuthiuron | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Temperature | 7.2 | deg C |
| 03/20/06 | 14:21 | WWR003 | P | Terbacil | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Terbufos | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Tetrachloroethene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Tetrahydrofuran | < 20 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Toluene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Total Coliform | 40 | mpn/100 ml |
| 03/20/06 | 14:21 | WWR003 | P | Total Nitrogen | 0.900 | mg/l |
| 03/20/06 | 14:21 | WWR003 | P | Total Phosphorous | 0.029 | mg/l |
| 03/20/06 | 14:21 | WWR003 | P | Total Xylene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Triadimefon | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Trichloroethene | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Triclosan | < 0.2 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Trifluralin | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Vinclozolin | < 0.5 | ug/l |
| 03/20/06 | 14:21 | WWR003 | P | Vinyl chloride | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,1-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,1-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,1-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,2-dibromoethane | < 0.02 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,2-Dichloroethane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,3-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1,4-Dichlorobutane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|-------|
| 03/20/06 | 14:37 | WWR004 | P | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 1-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 2,2-Dichloropropane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 2,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 2-Butanone (MEK) | < 20 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 2-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 2-Methylnaphthalene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 3-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 4,4 DDD | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 4,4 DDE | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 4,4 DDT | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | 4-Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Acenaphthene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Acenaphthylene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Acetochlor | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Acrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Alachlor | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Aldrin | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Allethrin | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Allyl chloride | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Alpha - BHC | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Ammonia | 0.124 | mg/l |
| 03/20/06 | 14:37 | WWR004 | P | Anthracene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Atrazine | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Azoxystrobin | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Benfluralin | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Benzene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Benzo(a)anthracene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Benzo(ghi)perylene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Benzo-a-pyrene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Benzophenone | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Benzyl butyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Beta - BHC | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Bisphenol A | < 2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Bloc | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Bromacil | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Bromobenzene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Bromochloromethane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Bromodichloromethane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Bromoform | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Bromomethane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Butachlor | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Caffeine | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Carbamazepine | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Carbazole | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Carbon disulfide | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Carbon tetrachloride | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|--------------------------|---------|-------|
| 03/20/06 | 14:37 | WWR004 | P | Carisoprodol | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Chlordane | < 1 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Chlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Chlorodibromomethane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Chlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Chloroethane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Chlorofenvinphos | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Chloroform | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Chloromethane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Chlorothalonil | < 1 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Chloroxylenol | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Chlorpyrifos | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Chrysene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Cyanazine | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Cyfluthrin | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Cypermethrin | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Dacthal | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Delta - BHC | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Deltamethrin | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Depth | 2.0 | ft |
| 03/20/06 | 14:37 | WWR004 | P | Diazinon | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Dibromomethane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Dibutyl phthalate | < 1 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Dichlobenil | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Dichlorodifluoromethane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Dichlorvos | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Dieldrin | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Diethyl ether | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Diethyl phthalate | < 1 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Dimethyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Dimethyldisulfide | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Dinoseb | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Diocetyl phthalate | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Dissolved Nitrogen | 0.92 | mg/l |
| 03/20/06 | 14:37 | WWR004 | P | Dissolved Oxygen | 10.8 | mg/l |
| 03/20/06 | 14:37 | WWR004 | P | Dissolved Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 14:37 | WWR004 | P | Disulfoton | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Disulfoton sulfone | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | d-Limonene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Endosulfan I | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Endosulfan II | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Endosulfan Sulfate | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Endrin | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Endrin aldehyde | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | EPTC | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Ethofumesate | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Ethyl parathion | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Ethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Ethylmethacrylate | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|--------|------------|
| 03/20/06 | 14:37 | WWR004 | P | Fecal Coliform | < 20 | mpn/100 ml |
| 03/20/06 | 14:37 | WWR004 | P | Fluoranthene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Fluorene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Freon 113 | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Gamma - BHC | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Heptachlor | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Heptachlor epoxide | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Hexachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Hexachlorobutadiene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Hexachlorocyclopentadiene | < 1 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Hexachloroethane | < 1 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Hexazinone | < 1 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Iodofenphos | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Iprodione | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Isofenphos | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Isopropylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Kelthane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Malathion | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Metalaxyl | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Metered Salinity | 9.1 | psu |
| 03/20/06 | 14:37 | WWR004 | P | Methacrylonitrile | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Methoprene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Methoxychlor | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Methyl isothiocyanate | < 2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Methyl parathion | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Methyl sulfide | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Methylene chloride | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Methylmethacrylate | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Metolachlor | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Metribuzin | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | m-Xylene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Naled (Dibrom) | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Naphthalene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Napropamide | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | n-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Nitrate & Nitrite | 0.625 | mg/l |
| 03/20/06 | 14:37 | WWR004 | P | n-Propane | < 2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | n-Propylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Ortho-Phosphate | 0.009 | mg/l |
| 03/20/06 | 14:37 | WWR004 | P | o-Xylene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | p-Diethylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Pendimethalin | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Pentachlorobenzene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Pentachloronitrobenzene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Permethrin | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | pH | 7.7 | |
| 03/20/06 | 14:37 | WWR004 | P | Phenanthrene | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Piperonyl butoxide | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | p-Isopropyltoluene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Prometon | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Prometryne | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|-------|------------|---------|-----------------------------|---------|------------|
| 03/20/06 | 14:37 | WWR004 | P | Propachlor | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Propiconazole (TILT) | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | p-Xylene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Pyrene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Resmethrin | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Ronstar | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | sec-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Secchi | 2.0 | ft |
| 03/20/06 | 14:37 | WWR004 | P | Simazine | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Sumithrin | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Tebuthiuron | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Temperature | 7.3 | deg C |
| 03/20/06 | 14:37 | WWR004 | P | Terbacil | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Terbufos | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | tert-Butylbenzene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Tetrachloroethene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Tetrahydrofuran | < 20 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Toluene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Total Chlorotoluene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Total Coliform | 40 | mpn/100 ml |
| 03/20/06 | 14:37 | WWR004 | P | Total Nitrogen | 1.100 | mg/l |
| 03/20/06 | 14:37 | WWR004 | P | Total Phosphorous | < 0.025 | mg/l |
| 03/20/06 | 14:37 | WWR004 | P | Total Xylene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Triadimefon | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Trichloroethene | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Trichlorofluoromethane | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Triclosan | < 0.2 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Trifluralin | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Vinclozolin | < 0.5 | ug/l |
| 03/20/06 | 14:37 | WWR004 | P | Vinyl chloride | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,2-Dichloropropane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1,4-Dichlorobutane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/21/06 | 6:40 | WWR001 | | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 1-Methylnaphthalene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 2,2-Dichloropropane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 2,3-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 2-Butanone (MEK) | < 20 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 2-Methylnaphthalene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 4,4 DDD | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 4,4 DDE | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 4,4 DDT | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | 4-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Acenaphthene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Acenaphthylene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Acetochlor | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Acrylonitrile | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Alachlor | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Aldrin | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Allethrin | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Allyl chloride | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Alpha - BHC | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Ammonia | 0.159 | mg/l |
| 06/21/06 | 6:40 | WWR001 | | Anthracene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Atrazine | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Azoxystrobin | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Benfluralin | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Benzene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Benzo(a)anthracene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Benzo(ghi)perylene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Benzo-a-pyrene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Benzophenone | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Benzyl butyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Beta - BHC | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Bisphenol A | < 2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Bloc | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Bromacil | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Bromobenzene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Bromochloromethane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Bromodichloromethane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Bromoform | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Bromomethane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Butachlor | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Caffeine | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Carbamazepine | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Carbazole | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Carbon disulfide | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Carbon tetrachloride | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|--------|-------|
| 06/21/06 | 6:40 | WWR001 | | Carisoprodol | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Chlordane | < 1 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Chlorobenzene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Chlorodibromomethane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Chlorodifluoromethane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Chloroethane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Chlorofenvinphos | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Chloroform | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Chloromethane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Chlorothalonil | < 1 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Chloroxylenol | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Chlorpyrifos | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Chrysene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Cyanazine | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Cyfluthrin | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Cypermethrin | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Dacthal | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Delta - BHC | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Deltamethrin | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Depth | 4.0 | ft |
| 06/21/06 | 6:40 | WWR001 | | Diazinon | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Dibromomethane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Dibutyl phthalate | < 1 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Dichlobenil | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Dichlorvos | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Dieldrin | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Diethyl ether | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Diethyl phthalate | < 1 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Diethyltoluamide (DEET) | 0.40 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Dimethyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Dimethyldisulfide | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Dinoseb | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Diethyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Dissolved Nitrogen | 1.10 | mg/l |
| 06/21/06 | 6:40 | WWR001 | | Dissolved Oxygen | 2.0 | mg/l |
| 06/21/06 | 6:40 | WWR001 | | Dissolved Phosphorous | 0.055 | mg/l |
| 06/21/06 | 6:40 | WWR001 | | Disulfoton | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Disulfoton sulfone | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | d-Limonene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Endosulfan I | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Endosulfan II | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Endosulfan sulfate | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Endrin | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Endrin aldehyde | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | EPTC | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Ethofumesate | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Ethyl parathion | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Ethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Ethylmethacrylate | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|------------|
| 06/21/06 | 6:40 | WWR001 | | Fecal Coliform | 1300 | mpn/100 ml |
| 06/21/06 | 6:40 | WWR001 | | Fluoranthene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Fluorene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Freon 113 | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Gamma - BHC | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Heptachlor | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Heptachlor epoxide | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Hexachlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Hexachlorobutadiene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Hexachlorocyclopentadiene | < 1 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Hexachloroethane | < 1 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Hexazinone | < 1 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Iodofenphos | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Iprodione | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Isofenphos | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Isopropylbenzene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Kelthane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Malathion | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Metalaxyl | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Metered Salinity | 19.6 | psu |
| 06/21/06 | 6:40 | WWR001 | | Methacrylonitrile | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Methoprene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Methoxychlor | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Methyl isothiocyanate | < 2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Methyl parathion | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Methyl sulfide | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Methylene chloride | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Methylmethacrylate | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Methyl-tertiary-butyl-ether | 0.800 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Metolachlor | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Metribuzin | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | m-Xylene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Naled (Dibrom) | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Naphthalene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Napropamide | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | n-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Nitrate & Nitrite | 0.452 | mg/l |
| 06/21/06 | 6:40 | WWR001 | | n-Propane | < 2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | n-Propylbenzene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Ortho-Phosphate | 0.017 | mg/l |
| 06/21/06 | 6:40 | WWR001 | | o-Xylene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | p-Diethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Pendimethalin | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Pentachlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Pentachloronitrobenzene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Permethrin | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | pH | 6.8 | |
| 06/21/06 | 6:40 | WWR001 | | Phenanthrene | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Piperonyl butoxide | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Prometon | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Prometryne | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|------------|
| 06/21/06 | 6:40 | WWR001 | | Propachlor | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Propiconazole (TILT) | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | p-Xylene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Pyrene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Resmethrin | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Ronstar | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | sec-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Simazine | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Sumithrin | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Tebuthiuron | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Temperature | 24.1 | deg C |
| 06/21/06 | 6:40 | WWR001 | | Terbacil | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Terbufos | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | tert-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Tetrachloroethene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Tetrahydrofuran | < 20 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Toluene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Total Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Total Coliform | 2800 | mpn/100 ml |
| 06/21/06 | 6:40 | WWR001 | | Total Nitrogen | 1.100 | mg/l |
| 06/21/06 | 6:40 | WWR001 | | Total Phosphorous | 0.062 | mg/l |
| 06/21/06 | 6:40 | WWR001 | | Total Xylene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Triadimefon | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Trichloroethene | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Triclosan | < 0.2 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Trifluralin | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Vinclozolin | < 0.5 | ug/l |
| 06/21/06 | 6:40 | WWR001 | | Vinyl chloride | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,2-Dichloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 1-Bromo-2-chloroethane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/21/06 | 7:00 | WWR005 | | 1-Methylnaphthalene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 2,2-Dichloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 2,3-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 2-Butanone (MEK) | < 20 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 2-Methylnaphthalene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 4,4 DDD | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 4,4 DDE | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 4,4 DDT | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | 4-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Acenaphthene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Acenaphthylene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Acetochlor | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Acrylonitrile | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Alachlor | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Aldrin | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Allethrin | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Allyl chloride | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Alpha - BHC | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Ammonia | < 0.02 | mg/l |
| 06/21/06 | 7:00 | WWR005 | | Anthracene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Atrazine | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Azoxystrobin | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Benfluralin | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Benzene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Benzo(a)anthracene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Benzo(ghi)perylene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Benzo-a-pyrene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Benzophenone | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Benzyl butyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Beta - BHC | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Bisphenol A | < 2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Bloc | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Bromacil | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Bromobenzene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Bromochloromethane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Bromodichloromethane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Bromoform | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Bromomethane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Butachlor | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Caffeine | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Carbamazepine | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Carbazole | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Carbon disulfide | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Carbon tetrachloride | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Carisoprodol | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|--------|------------|
| 06/21/06 | 7:00 | WWR005 | | Chlordane | < 1 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Chlorobenzene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Chlorodibromomethane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Chlorodifluoromethane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Chloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Chlorofenvinphos | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Chloroform | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Chloromethane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Chlorothalonil | < 1 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Chloroxylenol | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Chlorpyrifos | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Chrysene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Cyanazine | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Cyfluthrin | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Cypermethrin | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Dacthal | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Delta - BHC | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Deltamethrin | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Depth | 3.0 | ft |
| 06/21/06 | 7:00 | WWR005 | | Diazinon | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Dibromomethane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Dibutyl phthalate | < 1 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Dichlobenil | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Dichlorvos | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Dieldrin | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Diethyl ether | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Diethyl phthalate | < 1 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Diethyltoluamide (DEET) | 0.70 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Dimethyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Dimethyldisulfide | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Dinoseb | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Diethyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Dissolved Nitrogen | 0.50 | mg/l |
| 06/21/06 | 7:00 | WWR005 | | Dissolved Oxygen | 0.2 | mg/l |
| 06/21/06 | 7:00 | WWR005 | | Dissolved Phosphorous | 0.048 | mg/l |
| 06/21/06 | 7:00 | WWR005 | | Disulfoton | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Disulfoton sulfone | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | d-Limonene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Endosulfan I | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Endosulfan II | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Endosulfan Sulfate | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Endrin | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Endrin aldehyde | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | EPTC | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Ethofumesate | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Ethyl parathion | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Ethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Ethylmethacrylate | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Fecal Coliform | 700 | mpn/100 ml |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/21/06 | 7:00 | WWR005 | | Fluoranthene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Fluorene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Freon 113 | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Gamma - BHC | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Heptachlor | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Heptachlor epoxide | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Hexachlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Hexachlorobutadiene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Hexachlorocyclopentadiene | < 1 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Hexachloroethane | < 1 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Hexazinone | < 1 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Iodofenphos | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Iprodione | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Isofenphos | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Isopropylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Kelthane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Malathion | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Metalaxyl | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Metered Salinity | 14.4 | psu |
| 06/21/06 | 7:00 | WWR005 | | Methacrylonitrile | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Methoprene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Methoxychlor | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Methyl isothiocyanate | < 2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Methyl parathion | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Methyl sulfide | 1.100 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Methylene chloride | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Methylmethacrylate | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Metolachlor | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Metribuzin | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | m-Xylene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Naled (Dibrom) | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Naphthalene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Napropamide | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | n-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Nitrate & Nitrite | 0.105 | mg/l |
| 06/21/06 | 7:00 | WWR005 | | n-Propane | < 2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | n-Propylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Ortho-Phosphate | < 0.01 | mg/l |
| 06/21/06 | 7:00 | WWR005 | | o-Xylene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | p-Diethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Pendimethalin | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Pentachlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Pentachloronitrobenzene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Permethrin | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | pH | 6.9 | |
| 06/21/06 | 7:00 | WWR005 | | Phenanthrene | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Piperonyl butoxide | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Prometon | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Prometryne | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Propachlor | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|------------|
| 06/21/06 | 7:00 | WWR005 | | Propiconazole (TILT) | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | p-Xylene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Pyrene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Resmethrin | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Ronstar | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | sec-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Simazine | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Sumithrin | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Tebuthiuron | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Temperature | 23.9 | deg C |
| 06/21/06 | 7:00 | WWR005 | | Terbacil | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Terbufos | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | tert-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Tetrachloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Tetrahydrofuran | < 20 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Toluene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Total Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Total Coliform | 1111 | mpn/100 ml |
| 06/21/06 | 7:00 | WWR005 | | Total Nitrogen | 0.520 | mg/l |
| 06/21/06 | 7:00 | WWR005 | | Total Phosphorous | 0.076 | mg/l |
| 06/21/06 | 7:00 | WWR005 | | Total Xylene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Triadimefon | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Trichloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Triclosan | < 0.2 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Trifluralin | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Vinclozolin | < 0.5 | ug/l |
| 06/21/06 | 7:00 | WWR005 | | Vinyl chloride | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,2-Dichloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 1-Methylnaphthalene | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/21/06 | 7:15 | WWR002 | | 2,2-Dichloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 2,3-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 2-Butanone (MEK) | < 20 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 2-Methylnaphthalene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 4,4 DDD | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 4,4 DDE | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 4,4 DDT | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | 4-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Acenaphthene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Acenaphthylene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Acetochlor | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Acrylonitrile | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Alachlor | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Aldrin | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Allethrin | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Allyl chloride | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Alpha - BHC | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Ammonia | < 0.02 | mg/l |
| 06/21/06 | 7:15 | WWR002 | | Anthracene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Atrazine | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Azoxystrobin | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Benfluralin | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Benzene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Benzo(a)anthracene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Benzo(ghi)perylene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Benzo-a-pyrene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Benzophenone | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Benzyl butyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Beta - BHC | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Bisphenol A | < 2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Bloc | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Bromacil | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Bromobenzene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Bromochloromethane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Bromodichloromethane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Bromoform | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Bromomethane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Butachlor | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Caffeine | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Carbamazepine | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Carbazole | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Carbon disulfide | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Carbon tetrachloride | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Carisoprodol | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Chlordane | < 1 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|--------|------------|
| 06/21/06 | 7:15 | WWR002 | | Chlorobenzene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Chlorodibromomethane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Chlorodifluoromethane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Chloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Chlorofenvinphos | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Chloroform | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Chloromethane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Chlorothalonil | < 1 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Chloroxylenol | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Chlorpyrifos | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Chrysene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Cyanazine | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Cyfluthrin | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Cypermethrin | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Dacthal | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Delta - BHC | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Deltamethrin | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Depth | 3.0 | ft |
| 06/21/06 | 7:15 | WWR002 | | Diazinon | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Dibromomethane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Dibutyl phthalate | < 1 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Dichlobenil | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Dichlorvos | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Dieldrin | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Diethyl ether | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Diethyl phthalate | < 1 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Diethyltoluamide (DEET) | 3.30 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Dimethyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Dimethyldisulfide | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Dinoseb | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Diethyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Dissolved Nitrogen | 0.63 | mg/l |
| 06/21/06 | 7:15 | WWR002 | | Dissolved Oxygen | 3.8 | mg/l |
| 06/21/06 | 7:15 | WWR002 | | Dissolved Phosphorous | 0.062 | mg/l |
| 06/21/06 | 7:15 | WWR002 | | Disulfoton | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Disulfoton sulfone | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | d-Limonene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Endosulfan I | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Endosulfan II | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Endosulfan sulfate | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Endrin | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Endrin aldehyde | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | EPTC | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Ethofumesate | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Ethyl parathion | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Ethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Ethylmethacrylate | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Fecal Coliform | 3000 | mpn/100 ml |
| 06/21/06 | 7:15 | WWR002 | | Fluoranthene | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/21/06 | 7:15 | WWR002 | | Fluorene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Freon 113 | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Gamma - BHC | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Heptachlor | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Heptachlor epoxide | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Hexachlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Hexachlorobutadiene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Hexachlorocyclopentadiene | < 1 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Hexachloroethane | < 1 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Hexazinone | < 1 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Iodofenphos | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Iprodione | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Isofenphos | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Isopropylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Kelthane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Malathion | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Metalaxyl | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Metered Salinity | 18.1 | psu |
| 06/21/06 | 7:15 | WWR002 | | Methacrylonitrile | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Methoprene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Methoxychlor | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Methyl isothiocyanate | < 2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Methyl parathion | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Methyl sulfide | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Methylene chloride | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Methylmethacrylate | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Metolachlor | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Metribuzin | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | m-Xylene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Naled (Dibrom) | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Naphthalene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Napropamide | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | n-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Nitrate & Nitrite | 0.025 | mg/l |
| 06/21/06 | 7:15 | WWR002 | | n-Propane | < 2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | n-Propylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Ortho-Phosphate | 0.018 | mg/l |
| 06/21/06 | 7:15 | WWR002 | | o-Xylene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | p-Diethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Pendimethalin | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Pentachlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Pentachloronitrobenzene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Permethrin | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | pH | 7.0 | |
| 06/21/06 | 7:15 | WWR002 | | Phenanthrene | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Piperonyl butoxide | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Prometon | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Prometryne | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Propachlor | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Propiconazole (TILT) | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|------------|
| 06/21/06 | 7:15 | WWR002 | | p-Xylene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Pyrene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Resmethrin | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Ronstar | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | sec-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Simazine | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Sumithrin | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Tebuthiuron | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Temperature | 24.1 | deg C |
| 06/21/06 | 7:15 | WWR002 | | Terbacil | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Terbufos | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | tert-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Tetrachloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Tetrahydrofuran | < 20 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Toluene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Total Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Total Coliform | 3000 | mpn/100 ml |
| 06/21/06 | 7:15 | WWR002 | | Total Nitrogen | 0.840 | mg/l |
| 06/21/06 | 7:15 | WWR002 | | Total Phosphorous | 0.102 | mg/l |
| 06/21/06 | 7:15 | WWR002 | | Total Xylene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Triadimefon | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Trichloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Triclosan | < 0.2 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Trifluralin | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Vinclozolin | < 0.5 | ug/l |
| 06/21/06 | 7:15 | WWR002 | | Vinyl chloride | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,2-Dichloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 1-Methylnaphthalene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 2,2-Dichloropropane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/21/06 | 7:40 | WWR006 | | 2,3-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 2-Butanone (MEK) | < 20 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 2-Methylnaphthalene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 4,4 DDD | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 4,4 DDE | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 4,4 DDT | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | 4-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Acenaphthene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Acenaphthylene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Acetochlor | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Acrylonitrile | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Alachlor | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Aldrin | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Allethrin | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Allyl chloride | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Alpha - BHC | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Ammonia | < 0.02 | mg/l |
| 06/21/06 | 7:40 | WWR006 | | Anthracene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Atrazine | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Azoxystrobin | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Benfluralin | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Benzene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Benzo(a)anthracene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Benzo(ghi)perylene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Benzo-a-pyrene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Benzophenone | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Benzyl butyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Beta - BHC | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Bisphenol A | < 2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Bloc | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Bromacil | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Bromobenzene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Bromochloromethane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Bromodichloromethane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Bromoform | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Bromomethane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Butachlor | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Caffeine | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Carbamazepine | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Carbazole | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Carbon disulfide | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Carbon tetrachloride | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Carisoprodol | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Chlordane | < 1 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Chlorobenzene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|--------|------------|
| 06/21/06 | 7:40 | WWR006 | | Chlorodibromomethane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Chlorodifluoromethane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Chloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Chlorofenvinphos | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Chloroform | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Chloromethane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Chlorothalonil | < 1 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Chloroxylenol | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Chlorpyrifos | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Chrysene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Cyanazine | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Cyfluthrin | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Cypermethrin | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Dacthal | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Delta - BHC | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Deltamethrin | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Depth | 2.0 | ft |
| 06/21/06 | 7:40 | WWR006 | | Diazinon | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Dibromomethane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Dibutyl phthalate | < 1 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Dichlobenil | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Dichlorvos | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Dieldrin | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Diethyl ether | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Diethyl phthalate | < 1 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Diethyltoluamide (DEET) | 5.90 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Dimethyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Dimethyldisulfide | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Dinoseb | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Diocetyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Dissolved Nitrogen | 1.00 | mg/l |
| 06/21/06 | 7:40 | WWR006 | | Dissolved Oxygen | 2.0 | mg/l |
| 06/21/06 | 7:40 | WWR006 | | Dissolved Phosphorous | 0.055 | mg/l |
| 06/21/06 | 7:40 | WWR006 | | Disulfoton | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Disulfoton sulfone | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | d-Limonene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Endosulfan I | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Endosulfan II | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Endosulfan sulfate | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Endrin | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Endrin aldehyde | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | EPTC | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Ethofumesate | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Ethyl parathion | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Ethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Ethylmethacrylate | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Fecal Coliform | 1600 | mpn/100 ml |
| 06/21/06 | 7:40 | WWR006 | | Fluoranthene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Fluorene | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/21/06 | 7:40 | WWR006 | | Freon 113 | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Gamma - BHC | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Heptachlor | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Heptachlor epoxide | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Hexachlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Hexachlorobutadiene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Hexachlorocyclopentadiene | < 1 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Hexachloroethane | < 1 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Hexazinone | < 1 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Iodofenphos | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Iprodione | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Isofenphos | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Isopropylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Kelthane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Malathion | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Metalaxyl | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Metered Salinity | 4.0 | psu |
| 06/21/06 | 7:40 | WWR006 | | Methacrylonitrile | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Methoprene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Methoxychlor | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Methyl isothiocyanate | < 2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Methyl parathion | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Methyl sulfide | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Methylene chloride | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Methylmethacrylate | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Metolachlor | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Metribuzin | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | m-Xylene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Naled (Dibrom) | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Naphthalene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Napropamide | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | n-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Nitrate & Nitrite | 0.379 | mg/l |
| 06/21/06 | 7:40 | WWR006 | | n-Propane | < 2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | n-Propylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Ortho-Phosphate | < 0.01 | mg/l |
| 06/21/06 | 7:40 | WWR006 | | o-Xylene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | p-Diethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Pendimethalin | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Pentachlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Pentachloronitrobenzene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Permethrin | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | pH | 7.0 | |
| 06/21/06 | 7:40 | WWR006 | | Phenanthrene | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Piperonyl butoxide | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Prometon | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Prometryne | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Propachlor | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Propiconazole (TILT) | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | p-Xylene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|------------|
| 06/21/06 | 7:40 | WWR006 | | Pyrene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Resmethrin | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Ronstar | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | sec-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Simazine | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Sumithrin | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Tebuthiuron | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Temperature | 24.0 | deg C |
| 06/21/06 | 7:40 | WWR006 | | Terbacil | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Terbufos | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | tert-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Tetrachloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Tetrahydrofuran | < 20 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Toluene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Total Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Total Coliform | 16000 | mpn/100 ml |
| 06/21/06 | 7:40 | WWR006 | | Total Nitrogen | 1.015 | mg/l |
| 06/21/06 | 7:40 | WWR006 | | Total Phosphorous | 0.064 | mg/l |
| 06/21/06 | 7:40 | WWR006 | | Total Xylene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Triadimefon | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Trichloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Triclosan | < 0.2 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Trifluralin | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Vinclozolin | < 0.5 | ug/l |
| 06/21/06 | 7:40 | WWR006 | | Vinyl chloride | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,2-Dichloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 1-Methylnaphthalene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 2,2-Dichloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 2,3-Dichloropropene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/21/06 | 7:50 | WWR003 | | 2-Bromo-1-chloropropane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 2-Butanone (MEK) | < 20 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 2-Methylnaphthalene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 4,4 DDD | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 4,4 DDE | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 4,4 DDT | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | 4-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Acenaphthene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Acenaphthylene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Acetochlor | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Acrylonitrile | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Alachlor | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Aldrin | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Allethrin | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Allyl chloride | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Alpha - BHC | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Ammonia | 0.075 | mg/l |
| 06/21/06 | 7:50 | WWR003 | | Anthracene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Atrazine | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Azoxystrobin | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Benfluralin | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Benzene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Benzo(a)anthracene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Benzo(ghi)perylene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Benzo-a-pyrene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Benzophenone | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Benzyl butyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Beta - BHC | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Bisphenol A | < 2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Bloc | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Bromacil | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Bromobenzene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Bromochloromethane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Bromodichloromethane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Bromoform | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Bromomethane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Butachlor | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Caffeine | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Carbamazepine | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Carbazole | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Carbon disulfide | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Carbon tetrachloride | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Carisoprodol | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Chlordane | < 1 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Chlorobenzene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Chlorodibromomethane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|--------|------------|
| 06/21/06 | 7:50 | WWR003 | | Chlorodifluoromethane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Chloroethane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Chlorofenvinphos | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Chloroform | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Chloromethane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Chlorothalonil | < 1 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Chloroxyleneol | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Chlorpyrifos | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Chrysene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Cyanazine | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Cyfluthrin | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Cypermethrin | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Dacthal | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Delta - BHC | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Deltamethrin | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Depth | 2.0 | ft |
| 06/21/06 | 7:50 | WWR003 | | Diazinon | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Dibromomethane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Dibutyl phthalate | < 1 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Dichlobenil | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Dichlorvos | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Dieldrin | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Diethyl ether | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Diethyl phthalate | < 1 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Diethyltoluamide (DEET) | 0.20 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Dimethyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Dimethyldisulfide | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Dinoseb | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Diocetyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Dissolved Nitrogen | 0.92 | mg/l |
| 06/21/06 | 7:50 | WWR003 | | Dissolved Oxygen | 3.1 | mg/l |
| 06/21/06 | 7:50 | WWR003 | | Dissolved Phosphorous | 0.028 | mg/l |
| 06/21/06 | 7:50 | WWR003 | | Disulfoton | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Disulfoton sulfone | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | d-Limonene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Endosulfan I | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Endosulfan II | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Endosulfan Sulfate | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Endrin | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Endrin aldehyde | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | EPTC | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Ethofumesate | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Ethyl parathion | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Ethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Ethylmethacrylate | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Fecal Coliform | 1700 | mpn/100 ml |
| 06/21/06 | 7:50 | WWR003 | | Fluoranthene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Fluorene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Freon 113 | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/21/06 | 7:50 | WWR003 | | Gamma - BHC | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Heptachlor | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Heptachlor epoxide | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Hexachlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Hexachlorobutadiene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Hexachlorocyclopentadiene | < 1 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Hexachloroethane | < 1 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Hexazinone | < 1 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Iodofenphos | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Iprodione | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Isofenphos | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Isopropylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Kelthane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Malathion | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Metalaxyl | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Metered Salinity | 3.3 | psu |
| 06/21/06 | 7:50 | WWR003 | | Methacrylonitrile | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Methoprene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Methoxychlor | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Methyl isothiocyanate | < 2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Methyl parathion | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Methyl sulfide | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Methylene chloride | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Methylmethacrylate | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Metolachlor | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Metribuzin | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | m-Xylene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Naled (Dibrom) | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Naphthalene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Napropamide | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | n-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Nitrate & Nitrite | 0.544 | mg/l |
| 06/21/06 | 7:50 | WWR003 | | n-Propane | < 2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | n-Propylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Ortho-Phosphate | < 0.01 | mg/l |
| 06/21/06 | 7:50 | WWR003 | | o-Xylene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | p-Diethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Pendimethalin | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Pentachlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Pentachloronitrobenzene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Permethrin | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | pH | 6.9 | |
| 06/21/06 | 7:50 | WWR003 | | Phenanthrene | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Piperonyl butoxide | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Prometon | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Prometryne | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Propachlor | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Propiconazole (TILT) | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | p-Xylene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Pyrene | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|------------|
| 06/21/06 | 7:50 | WWR003 | | Resmethrin | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Ronstar | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | sec-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Simazine | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Sumithrin | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Tebuthiuron | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Temperature | 24.4 | deg C |
| 06/21/06 | 7:50 | WWR003 | | Terbacil | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Terbufos | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | tert-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Tetrachloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Tetrahydrofuran | < 20 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Toluene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Total Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Total Coliform | 9000 | mpn/100 ml |
| 06/21/06 | 7:50 | WWR003 | | Total Nitrogen | 0.940 | mg/l |
| 06/21/06 | 7:50 | WWR003 | | Total Phosphorous | 0.033 | mg/l |
| 06/21/06 | 7:50 | WWR003 | | Total Xylene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Triadimefon | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Trichloroethene | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Triclosan | < 0.2 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Trifluralin | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Vinclozolin | < 0.5 | ug/l |
| 06/21/06 | 7:50 | WWR003 | | Vinyl chloride | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,1,1,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,1,1-Trichloroethane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,1,2,2-Tetrachloroethane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,1,2-Trichloroethane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,1-Dichloroethane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,1-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,1-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,2,3-Trichlorobenzene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,2,3-Trichloropropane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,2,4,5-Tetramethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,2,4-Trichlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,2,4-Trimethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,2-dibromo-3-chloropropane | < 0.02 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,2-dibromoethane | < 0.02 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,2-Dichlorobenzene (o) | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,2-Dichloroethane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,2-Dichloropropane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,3,5-Trimethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,3-Dichloropropane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1,4-Dichlorobutane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1-Bromo-2-chloroethane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 1-Methylnaphthalene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 2,2-Dichloropropane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 2,3-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 2-Bromo-1-chloropropane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/21/06 | 8:00 | WWR004 | | 2-Butanone (MEK) | < 20 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 2-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 2-Methylnaphthalene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 3-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 4,4 DDD | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 4,4 DDE | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 4,4 DDT | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | 4-Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Acenaphthene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Acenaphthylene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Acetochlor | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Acrylonitrile | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Alachlor | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Aldrin | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Allethrin | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Allyl chloride | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Alpha - BHC | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Ammonia | 0.112 | mg/l |
| 06/21/06 | 8:00 | WWR004 | | Anthracene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Atrazine | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Azoxystrobin | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Benfluralin | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Benzene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Benzo(a)anthracene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Benzo(b)fluoranthene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Benzo(ghi)perylene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Benzo(k)fluoranthene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Benzo-a-pyrene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Benzophenone | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Benzyl butyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Beta - BHC | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | bis(2-ethylhexyl) adipate | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | bis(2-ethylhexyl) phthalate | < 2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Bisphenol A | < 2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Bloc | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Bromacil | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Bromobenzene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Bromochloromethane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Bromodichloromethane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Bromoform | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Bromomethane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Butachlor | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Butylated Hydroxyanisole | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Butylated Hydroxytoluene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Caffeine | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Carbamazepine | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Carbazole | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Carbon disulfide | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Carbon tetrachloride | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Carisoprodol | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Chlordane | < 1 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Chlorobenzene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Chlorodibromomethane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Chlorodifluoromethane | < 0.5 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|--------------------------|--------|------------|
| 06/21/06 | 8:00 | WWR004 | | Chloroethane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Chlorofenvinphos | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Chloroform | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Chloromethane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Chlorothalonil | < 1 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Chloroxilenol | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Chlorpyrifos | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Chrysene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | cis-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | cis-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Cyanazine | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Cyfluthrin | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Cypermethrin | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Dacthal | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Delta - BHC | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Deltamethrin | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Depth | 1.0 | ft |
| 06/21/06 | 8:00 | WWR004 | | Diazinon | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Dibenzo(a,h)anthracene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Dibromomethane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Dibutyl phthalate | < 1 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Dichlobenil | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Dichlorodifluoromethane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Dichlorvos | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Dieldrin | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Diethyl ether | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Diethyl phthalate | < 1 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Diethyltoluamide (DEET) | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Dimethyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Dimethyldisulfide | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Dinoseb | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Diocetyl phthalate | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Dissolved Nitrogen | 1.10 | mg/l |
| 06/21/06 | 8:00 | WWR004 | | Dissolved Oxygen | 4.4 | mg/l |
| 06/21/06 | 8:00 | WWR004 | | Dissolved Phosphorous | 0.061 | mg/l |
| 06/21/06 | 8:00 | WWR004 | | Disulfoton | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Disulfoton sulfone | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | d-Limonene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Endosulfan I | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Endosulfan II | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Endosulfan sulfate | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Endrin | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Endrin aldehyde | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | EPTC | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Ethenylbenzene (Styrene) | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Ethofumesate | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Ethyl parathion | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Ethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Ethylmethacrylate | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Fecal Coliform | 1300 | mpn/100 ml |
| 06/21/06 | 8:00 | WWR004 | | Fluoranthene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Fluorene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Freon 113 | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Gamma - BHC | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|-----------------------------|--------|-------|
| 06/21/06 | 8:00 | WWR004 | | Heptachlor | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Heptachlor epoxide | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Hexachlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Hexachlorobutadiene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Hexachlorocyclopentadiene | < 1 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Hexachloroethane | < 1 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Hexazinone | < 1 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Indeno(1,2,3-cd)pyrene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Iodofenphos | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Iprodione | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Isofenphos | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Isopropylbenzene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Kelthane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | m,p-Dichlorobenzene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Malathion | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Metalaxyl | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Metered Salinity | 1.0 | psu |
| 06/21/06 | 8:00 | WWR004 | | Methacrylonitrile | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Methoprene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Methoxychlor | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Methyl isothiocyanate | < 2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Methyl parathion | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Methyl sulfide | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Methylene chloride | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Methylmethacrylate | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Methyl-tertiary-butyl-ether | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Metolachlor | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Metribuzin | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | m-Xylene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Naled (Dibrom) | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Naphthalene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Napropamide | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | n-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Nitrate & Nitrite | 0.755 | mg/l |
| 06/21/06 | 8:00 | WWR004 | | n-Propane | < 2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | n-Propylbenzene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Ortho-Phosphate | 0.012 | mg/l |
| 06/21/06 | 8:00 | WWR004 | | o-Xylene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | p-Diethylbenzene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Pendimethalin | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Pentachlorobenzene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Pentachloronitrobenzene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Permethrin | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | pH | 7.0 | |
| 06/21/06 | 8:00 | WWR004 | | Phenanthrene | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Piperonyl butoxide | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | p-Isopropyltoluene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Prometon | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Prometryne | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Propachlor | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Propiconazole (TILT) | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | p-Xylene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Pyrene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Resmethrin | < 0.2 | ug/l |

Wertheim NWR Water Management Demonstration Project Data Report
SCDHS Wertheim Water Monitoring Results
(2003-2006)

| Date | Time | BayStation | Diurnal | Analyte | Result | Units |
|----------|------|------------|---------|---------------------------|--------|------------|
| 06/21/06 | 8:00 | WWR004 | | Ronstar | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | sec-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Simazine | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Sumithrin | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Tebuthiuron | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Temperature | 22.1 | deg C |
| 06/21/06 | 8:00 | WWR004 | | Terbacil | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Terbufos | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | tert-Amyl-Methyl-Ether | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | tert-Butylbenzene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | tert-Butyl-Ethyl-Ether | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Tetrachloroethene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Tetrahydrofuran | < 20 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Toluene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Total Chlorotoluene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Total Coliform | 1700 | mpn/100 ml |
| 06/21/06 | 8:00 | WWR004 | | Total Nitrogen | 1.200 | mg/l |
| 06/21/06 | 8:00 | WWR004 | | Total Phosphorous | 0.077 | mg/l |
| 06/21/06 | 8:00 | WWR004 | | Total Xylene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | trans-1,2-Dichloroethene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | trans-1,3-Dichloropropene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Triadimefon | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Trichloroethene | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Trichlorofluoromethane | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Triclosan | < 0.2 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Trifluralin | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Vinclozolin | < 0.5 | ug/l |
| 06/21/06 | 8:00 | WWR004 | | Vinyl chloride | < 0.5 | ug/l |