

Wertheim NWR Water Management Demonstration Project Data Report
Vegetation Invertebrate Results
2003-2007

| Date | Area | Station | Vegetation | Class | Order | Family | Quantity | | |
|-----------------|-------------------|-------------------|------------|-------------|-----------------|------------------------|------------|-------------|----|
| AREA 1 | | | | | | | | | |
| 10/2003 | 1 | 1-2-40 | High marsh | Gastropoda | | Melampodidae | 1 | | |
| | | | | | Stylommatophora | Succineidae | 17 | | |
| | | | | Crustacea | Isopoda | Oniscidae | 33 | | |
| | | | | | Amphipoda | Talitridae | 5 | | |
| | | | | Arachnida | Araneae | Lycosidae | 7 | | |
| | | | | | | Clubionidae | 1 | | |
| | | | | | | Micryphantidae | 1 | | |
| Insecta | Hemiptera | Hebridae | 1 | | | | | | |
| 10/2003 | 1 | 1-3-160 | High marsh | Crustacea | Isopoda | Oniscidae | 12 | | |
| | | | | | Amphipoda | Talitridae | 18 | | |
| | | | | Arachnida | Araneae | Lycosidae | 4 | | |
| | | | | | | Clubionidae | 2 | | |
| | | | | Insecta | Hemiptera | Hebridae | 1 | | |
| Diptera | Tabinidae (larva) | 1 | | | | | | | |
| 10/2003 | 1 | 1-5-40 | High marsh | Gastropoda | Stylommatophora | Succineidae | 5 | | |
| | | | | | Crustacea | Isopoda | Oniscidae | 66 | |
| | | | | Crustacea | Amphipoda | Talitridae | 24 | | |
| | | | | | | Arachnida | Araneae | Lycosidae | 24 |
| | | | | | | | | Clubionidae | 9 |
| | | | | Salticidae | 1 | | | | |
| | | | | Insecta | Hemiptera | Hebridae | 6 | | |
| | | | | | | Coleoptera | Anthicidae | 2 | |
| | | | | | Coleoptera | Chrysomelidae | 1 | | |
| | | | | | | Heteroceridae (larva) | 1 | | |
| | | | | | Lepidoptera | Pyralidae (larva) | 1 | | |
| 10/2003 | 1 | 1-1-80 | Low marsh | Gastropoda | | Melampodidae | 14 | | |
| | | | | | Stylommatophora | Succineidae | 23 | | |
| | | | | Crustacea | Isopoda | Oniscidae | 62 | | |
| | | | | | | Amphipoda | Talitridae | 71 | |
| | | | | Crustacea | Amphipoda | Nematoda | 2 | | |
| | | | | | | Arachnida | Araneae | Lycosidae | 17 |
| | | | | Clubionidae | 10 | | | | |
| | | | | Insecta | Hemiptera | Hebridae | 2 | | |
| | | | | | | Hymenoptera | Formicidae | 8 | |
| | | | | | Diptera | Tabanidae (larva) | 2 | | |
| | | | | | | Dolichopodidae (larva) | 1 | | |
| | | | | | Coleoptera | Chrysomelidae (larva) | 1 | | |
| | | | | 10/2003 | 1 | 1-4-160 | Low marsh | Gastropoda | |
| Stylommatophora | Succineidae | 7 | | | | | | | |
| Crustacea | Isopoda | Oniscidae | 64 | | | | | | |
| | | Amphipoda | Talitridae | | | | | 13 | |
| Arachnida | Araneae | Lycosidae | 11 | | | | | | |
| | | Clubionidae | 2 | | | | | | |
| Insecta | Hemiptera | Hebridae | 1 | | | | | | |
| 10/2003 | 1 | 1-1-120 | Low marsh | Gastropoda | Stylommatophora | Succineidae | 3 | | |
| | | | | | Crustacea | Isopoda | Oniscidae | 16 | |
| | | | | Crustacea | Amphipoda | Talitridae | 4 | | |
| | | | | | | Arachnida | Araneae | Lycosidae | 3 |
| | | | | Clubionidae | 1 | | | | |
| Insecta | Diptera | Tabanidae (larva) | 1 | | | | | | |
| 10/2003 | 1 | 1-3-200 | Phragmites | Crustacea | Isopoda | Oniscidae | 24 | | |
| | | | | | Amphipoda | Talitridae | 24 | | |
| | | | | Gastropoda | | Melampodidae | 2 | | |
| | | | | | Stylommatophora | Succineidae | 1 | | |
| 10/2003 | 1 | 1-4-00 | Phragmites | Crustacea | Isopoda | Oniscidae | 3 | | |
| | | | | | Amphipoda | Talitridae | 1 | | |
| | | | | Arachnida | Araneae | Clubionidae | 1 | | |
| | | | | | | Micryphantidae | 2 | | |
| | | | | Insecta | Lepidoptera | Pyralidae (larva) | 1 | | |
| | | | | | Diptera | Sciomyzidae | 1 | | |

Wertheim NWR Water Management Demonstration Project Data Report
Vegetation Invertebrate Results
2003-2007

| | | | | | | | | |
|--------------|-------------------|---------------|-----------------|-------------|------------------|-------------------|-------------------|---|
| 8/2004 | 1 | 1-1-80 | High marsh | Gastropoda | Stylommatophora | Succineidae | 8 | |
| | | | | Crustacea | Isopoda | Oniscidae | 5 | |
| | | | | | Amphipoda | Talitridae | 6 | |
| | | | | Insecta | Hemiptera | Reduviidae | 1 | |
| 8/2004 | 1 | 1-2-40 | High marsh | Crustacea | Isopoda | Oniscidae | 1 | |
| | | | | | Amphipoda | Talitridae | 9 | |
| | | | | Arachnida | Araneae | Lycosidae | 2 | |
| | | | | | | Micryphantidae | 8 | |
| | | | | | | Clubionidae | 3 | |
| Insecta | Collembola | Sminthuridae | 1 | | | | | |
| 8/2004 | 1 | 1-3-160 | High marsh | Gastropoda | Stylommatophora | Succineidae | 8 | |
| | | | | Crustacea | Isopoda | Oniscidae | 45 | |
| | | | | | Amphipoda | Talitridae | 22 | |
| | | | | Arachnida | Araneae | Lycosidae | 9 | |
| | | | | | | Clubionidae | 1 | |
| | | | | Insecta | Hemiptera | Hebridae | 1 | |
| Diptera | Tabanidae (larva) | 1 | | | | | | |
| 8/2004 | 1 | 1-1-120 | Low marsh | Gastropoda | Archaeopylmonata | Melampodidae | 1 | |
| | | | | | Stylommatophora | Succineidae | 1 | |
| | | | | Crustacea | Isopoda | Oniscidae | 5 | |
| | | | | | Amphipoda | Talitridae | 7 | |
| | | | | Insecta | Diptera | Tabanidae (larva) | 1 | |
| | | | | | Coleoptera | Carabidae | 1 | |
| 8/2004 | 1 | 1-4-160 | Low marsh | Gastropoda | Stylommatophora | Succineidae | 28 | |
| | | | | Crustacea | Isopoda | Oniscidae | 17 | |
| | | | | | Amphipoda | Talitridae | 5 | |
| | | | | Insecta | Hemiptera | Pentatomidae | 1 | |
| | | | | | Arachnida | Araneae | Lycosidae | 4 |
| | | | | Clubionidae | 1 | | | |
| 8/2004 | 1 | 1-5-40 | Low marsh | Gastropoda | Stylommatophora | Succineidae | 8 | |
| | | | | Crustacea | Isopoda | Oniscidae | 18 | |
| | | | | | Amphipoda | Talitridae | 19 | |
| | | | | Arachnida | Araneae | Lycosidae | 13 | |
| | | | | | | Clubionidae | 3 | |
| | | | | | | Micryphantidae | 7 | |
| | | | | Insecta | Coleoptera | Staphylinidae | 4 | |
| Sminthuridae | 1 | | | | | | | |
| Hemiptera | Hebridae | 2 | | | | | | |
| Homoptera | Delphacidae | 1 | | | | | | |
| 8/2004 | 1 | 1-3-200 | Phragmites | Crustacea | Isopoda | Oniscidae | 12 | |
| | | | | | Amphipoda | Talitridae | 20 | |
| | | | | Insecta | Diptera | Tabanidae (larva) | 1 | |
| | | | | | Gastropoda | Stylommatophora | Succineidae | 1 |
| 8/2004 | 1 | 1-4-00 | Phragmites | Crustacea | Isopoda | Oniscidae | 2 | |
| | | | | | Amphipoda | Talitridae | 16 | |
| | | | | Arachnida | Araneae | Lycosidae | 1 | |
| | | | | | | Clubionidae | 1 | |
| | | | | | | Micryphantidae | 1 | |
| Insecta | Coleoptera | Staphylinidae | 2 | | | | | |
| 8/2005 | 1 | 1-1-80 | High marsh | Crustacea | Amphipoda | Talitridae | 9 | |
| | | | | | Isopoda | Oniscidae | 18 | |
| | | | | Arachnida | Araneae | Lycosidae | 5 | |
| | | | | | | Clubionidae | 2 | |
| Insecta | Coleoptera | Chrysomelidae | 4 | | | | | |
| | | Gastropoda | Stylommatophora | Succineidae | 1 | | | |
| 8/2005 | 1 | 1-2-40 | High marsh | Crustacea | Isopoda | Oniscidae | 4 | |
| | | | | | Amphipoda | Talitridae | 7 | |
| | | | | Insecta | Hemiptera | Anthocoridae | 1 | |
| 8/2005 | 1 | 1-3-160 | High marsh | Crustacea | Amphipoda | Talitridae | 5 | |
| | | | | | Isopoda | Oniscidae | 14 | |
| | | | | Arachnida | Araneae | Lycosidae | 1 | |
| | | | | | | Delphacidae | 1 | |
| | | | | Insecta | Homoptera | Cicadellidae | 1 | |
| | | | | | | Hemiptera | Reduviidae | 1 |
| | | | | | | Diptera | Tabanidae (larva) | 1 |
| Coleoptera | Chrysomelidae | 1 | | | | | | |

Wertheim NWR Water Management Demonstration Project Data Report
Vegetation Invertebrate Results
2003-2007

| | | | | | | | |
|-------------------|-------------------|---------|------------|------------|------------------|---------------------|-------------|
| 8/2005 | 1 | 1-1-120 | Low marsh | Gastropoda | Archaeopulmonata | Melampodidae | 2 |
| | | | | Crustacea | Amphipoda | Talitridae | 6 |
| | | | | | Isopoda | Oniscidae | 7 |
| | | | | Arachnida | Araneae | Lycosidae | 7 |
| | | | | | | Clubionidae | 2 |
| | | | | Insecta | Hemiptera | Miridae | 1 |
| Coleoptera | Chrysomelidae | 1 | | | | | |
| 8/2005 | 1 | 1-4-160 | Low marsh | Gastropoda | Archaeopulmonata | Melampodidae | 1 |
| | | | | Arachnida | Araneae | Lycosidae | 2 |
| | | | | | | Clubionidae | 1 |
| | | | | Insecta | Diptera | Simuliidae (larva) | 1 |
| Coleoptera | Chrysomelidae | 1 | | | | | |
| 8/2005 | 1 | 1-5-40 | Low marsh | Crustacea | Amphipoda | Talitridae | 1 |
| | | | | Arachnida | Araneae | Lycosidae | 10 |
| | | | | | | Insecta | Diptera |
| | | | | | Hymenoptera | Chalcidae | 1 |
| | | | | | Homoptera | Delphacidae | 1 |
| | | | | | Coleoptera | Straphylinidae | 1 |
| 8/2005 | 1 | 1-3-200 | Phragmites | Crustacea | Isopoda | Oniscidae | 5 |
| | | | | | Amphipoda | Talitridae | 2 |
| | | | | | Arachnida | Araneae | Clubionidae |
| | | | | | Tetragnathidae | | 2 |
| | | | | Insecta | Hymenoptera | Formicidae | 1 |
| | | | | | Coleoptera | Carabidae | 1 |
| 8/2005 | 1 | 1-4-00 | Phragmites | Crustacea | Amphipoda | Talitridae | 2 |
| | | | | Insecta | Diptera | Tabanidae (larvae) | 2 |
| | | | | | Coleoptera | Carabidae | 1 |
| | | | | | | Heteroceridae | 1 |
| 8/2006 | 1 | 1-1-80 | Low marsh | Gastropoda | Archaeopulmonata | Melampodidae | 2 |
| | | | | Crustacea | Amphipoda | Talitridae | 15 |
| | | | | | Isopoda | Oniscidae | 6 |
| | | | | Arachnida | Araneae | Tetragnathidae | 2 |
| | | | | Insecta | Homoptera | Delphacidae | 1 |
| | | | | | Coleoptera | Chrysomelidae | 2 |
| 8/2006 | 1 | 1-2-40 | High marsh | Gastropoda | Stylommatophora | Succineidae | 1 |
| | | | | Crustacea | Isopoda | Oniscidae | 48 |
| | | | | | Amphipoda | Talitridae | 18 |
| | | | | Arachnida | Acarina | Halacaridae | 1 |
| | | | | | Araneae | Lycosidae | 13 |
| | | | | | | Clubionidae | 2 |
| | | | | Insecta | Coleoptera | Micryphantidae | 3 |
| | | | | | | Chrysomelidae | 1 |
| Carabidae (larva) | 1 | | | | | | |
| Diptera | Tabanidae (larva) | 1 | | | | | |
| 8/2006 | 1 | 1-3-160 | High marsh | Crustacea | Amphipoda | Talitridae | 3 |
| | | | | | Isopoda | Oniscidae | 6 |
| | | | | | Arachnida | Araneae | Lycosidae |
| | | | | | Clubionidae | | 5 |
| | | | | | Micryphantidae | | 5 |
| | | | | | Tetragnathidae | | 1 |
| | | | | | Acarina | | sub order |
| | | | | | Trombidiformes | | |
| | | | | Insecta | Hemiptera | Miridae | 1 |
| | | | | | | Hebridae | 1 |
| | | | | | Homoptera | Cercopidae | 1 |
| Delphacidae | 1 | | | | | | |
| Cicadellidae | 1 | | | | | | |
| Diptera | Tabanidae (larva) | 1 | | | | | |
| 8/2006 | 1 | 1-1-120 | Phragmites | Gastropoda | Archaeopulmonata | Melampodidae | 1 |
| | | | | Crustacea | Amphipoda | Talitridae | 9 |
| | | | | | Isopoda | Oniscidae | 21 |
| | | | | Arachnida | Araneae | Lycosidae | 14 |
| | | | | | | Clubionidae | 2 |
| | | | | | | Tetragnathidae | 1 |
| | | | | Insecta | Hemiptera | Miridae | 1 |
| | | | | | Coleoptera | Carabidae (1 larva) | 2 |

**Wertheim NWR Water Management Demonstration Project Data Report
Vegetation Invertebrate Results
2003-2007**

| | | | | | | | |
|---------|-------------------|-----------------------|------------|------------|-----------------|----------------|----|
| 8/2006 | 1 | 1-4-160 | Low marsh | Crustacea | Isopoda | Oniscidae | 1 |
| | | | | Arachnida | Araneae | Lycosidae | 2 |
| | | | | | | Clubionidae | 1 |
| | | | | Insecta | Hemiptera | Reduviidae | 1 |
| 8/2006 | 1 | 1-5-40 | High marsh | Gastropoda | Stylommatophora | Succineidae | 67 |
| | | | | Crustacea | Amphipoda | Talitridae | 6 |
| | | | | | Isopoda | Oniscidae | 2 |
| | | | | Arachnida | Araneae | Lycosidae | 11 |
| | | | | | | Tetragnathidae | 3 |
| | | | | Insecta | Homoptera | Delphacidae | 1 |
| | | | | | | Cercopidae | 1 |
| | | | | | Hemiptera | Hebridae | 1 |
| Diptera | Tabanidae (larva) | 1 | | | | | |
| | Coleoptera | Heteroceridae (larva) | 1 | | | | |
| 8/2006 | 1 | 1-3-200 | Phragmites | Gastropoda | Stylommatophora | Succineidae | 1 |
| | | | | Crustacea | Amphipoda | Talitridae | 7 |
| | | | | | Isopoda | Oniscidae | 8 |
| | | | | Arachnida | Araneae | Lycosidae | 11 |
| | | | | | | Tetragnathidae | 1 |
| Insecta | Diptera | Tabanidae (larva) | 1 | | | | |
| 8/2006 | 1 | 1-4-00 | Phragmites | Crustacea | Amphipoda | Talitridae | 9 |
| | | | | | Isopoda | Oniscidae | 1 |
| | | | | Arachnida | Araneae | Tetragnathidae | 2 |
| | | | | Insecta | Coleoptera | Chrysomelidae | 1 |

2007

| | | | | | | | |
|-----------|------------|-------------|------------|--------------|------------------|----------------|----|
| 8/2007 | 1 | 1-1-80 | LM | Oligochaeta | Haplotaxia | Naididae | 1 |
| | | | | Malacostraca | Amphipoda | Gammaridae | 4 |
| | | | | Insecta | Diptera | Tabanidae | 4 |
| | | | | | | Ephydriidae | 1 |
| | | | | | Orthoptera | Gryllidae | 2 |
| | | | | | | Tettigoniidae | 5 |
| | | | | | Hemiptera | Gerridae | 1 |
| Arachnida | Araneae | Theridiidae | 1 | | | | |
| 8/2007 | 1 | 1-2-40 | HM | Malacostraca | Amphipoda | Aoridae | 4 |
| | | | | | | Gammaridae | 3 |
| | | | | | Isopoda | Oniscidae | 4 |
| | | | | Arachnida | Araneae | Lycosidae | 9 |
| | | | | Crustacea | Isopoda | Idoteidae | 1 |
| | | | | Gastropoda | Archaeopulmonata | Melampodidae | 1 |
| | Pulmonata | Succineidae | 2 | | | | |
| 8/2007 | 1 | 1-3-160 | HM | Malacostraca | Amphipoda | Aoridae | 6 |
| | | | | | | Gammaridae | 9 |
| | | | | Gastropoda | Pulmonata | Succineidae | 2 |
| | | | | Arachnida | Araneae | Thomisidae | 1 |
| Insecta | Orthoptera | Gryllidae | 1 | | | | |
| 8/2007 | 1 | 1-1-120 | HM | Malacostraca | Amphipoda | Aoridae | 2 |
| | | | | | | Gammaridae | 7 |
| | | | | | Isopoda | Oniscidae | 8 |
| | | | | Arachnida | Araneae | Lycosidae | 5 |
| | | | | Gastropoda | Pulmonata | Succineidae | 5 |
| | | | | Insecta | Orthoptera | Gryllidae | 3 |
| | | | | | Mantodea | Mantidae | 2 |
| 8/2007 | 1 | 1-4-160 | LM | Malacostraca | Amphipoda | Talitridae | 1 |
| | | | | | | Gammaridae | 1 |
| | | | | Arachnida | Araneae | Lycosidae | 3 |
| | | | | | | Theridiidae | 1 |
| | | | | Insecta | Orthoptera | Tettigohidae | 1 |
| | | | | | Diptera | Tabanidae | 1 |
| 8/2007 | 1 | 1-5-40 | HM | Malacostraca | Amphipoda | Aoridae | 7 |
| | | | | Arachnida | Araneae | Lycosidae | 10 |
| | | | | | | Clubionidae | 3 |
| | | | | Gastropoda | Pulmonata | Succineidae | 4 |
| | | | | Crustacea | Isopoda | Idoteidae | 2 |
| | | | | Insecta | Coleoptera | Hydrophilidae | 2 |
| | | | | | Plecoptera | Chloroperlidae | 1 |
| 8/2007 | 1 | 1-3-200 | Phragmites | Malacostraca | Amphipoda | Talitridae | 1 |
| | | | | | | Gammaridae | 2 |
| | | | | Insecta | Coleoptera | Carabidae | 2 |

Wertheim NWR Water Management Demonstration Project Data Report
Vegetation Invertebrate Results
2003-2007

| | | | | | | | |
|--------|---|--------|------------|--------------|-----------|------------|---|
| | | | | Hymenoptera | Sphecidae | 1 | |
| | | | | Diptera | Tabanidae | 1 | |
| 8/2007 | 1 | 1-4-00 | Phragmites | Arachnida | Araenae | Lycosidae | 1 |
| | | | | Malacostraca | Amphipoda | Talitridae | 3 |
| | | | | Arachnida | Araenae | Thomisidae | 1 |

AREA 2

| Date | Area | Station | Vegetation | Class | Order | Family | Quantity |
|----------------|-------------------|------------------------|------------|------------|------------------|-------------------|-------------|
| 10/2003 | 2 | 2-2-40 | High marsh | Crustacea | Isopoda | Oniscidae | 2 |
| | | | | Arachnida | Araneae | Lycosidae | 6 |
| | | | | | | Clubionidae | 3 |
| | | | | Insecta | Hemiptera | Hebridae | 2 |
| | | | | | Diptera | Tabanidae (larva) | 1 |
| 10/2003 | 2 | 2-3-40 | High marsh | Gastropoda | Stylommatophora | Succineidae | 9 |
| | | | | Crustacea | Isopoda | Oniscidae | 4 |
| | | | | | Amphipoda | Talitridae | 7 |
| | | | | Arachnida | Araneae | Lycosidae | 9 |
| | | | | | | Clubionidae | 1 |
| | | | | | | Tetragnathidae | 1 |
| | | | | Insecta | Hemiptera | Hebridae | 5 |
| 10/2003 | 2 | 2-4-80 | Low marsh | Crustacea | Isopoda | Oniscidae | 1 |
| | | | | | Amphipoda | Talitridae | 7 |
| | | | | Arachnida | Araneae | Lycosidae | 8 |
| | | | | | | Micryphantidae | 2 |
| | | | | | | Salticidae | 1 |
| 10/2003 | 2 | 2-3-120 | Low marsh | Crustacea | Isopoda | Oniscidae | 25 |
| | | | | | Amphipoda | Talitridae | 26 |
| | | | | Arachnida | Araneae | Lycosidae | 3 |
| | | | | | | Clubionidae | 1 |
| | | | | | | Micryphantidae | 1 |
| | | | | Insecta | Coleoptera | Staphylinidae | 4 |
| | | | | | Hymenoptera | Formicidae | 1 |
| Coleoptera | Cantharidae | 1 | | | | | |
| Diptera | Tabanidae (larva) | 1 | | | | | |
| 10/2003 | 2 | 2-1-80 | Phragmites | Gastropoda | | Melampodidae | 1 |
| | | | | | | Stylommatophora | Succineidae |
| | | | | Crustacea | Isopoda | Oniscidae | 1 |
| | | | | | Amphipoda | Talitridae | 4 |
| | | | | Arachnida | Araneae | Lycosidae | 1 |
| | | | | | | Clubionidae | 1 |
| 8/2004 | 2 | 2-3-40 | High marsh | Crustacea | Amphipoda | Talitridae | 6 |
| | | | | Arachnida | Araneae | Lycosidae | 9 |
| | | | | Gastropoda | Stylommatophora | Succineidae | 2 |
| | | | | Crustacea | Amphipoda | Talitridae | 29 |
| | | | | | | Arachnida | Araneae |
| | | Clubionidae | 2 | | | | |
| 8/2004 | 2 | 2-3-160 | Low marsh | Gastropoda | Archaeopulmonata | Melampodidae | 2 |
| | | | | | | Stylommatophora | Succineidae |
| | | | | Crustacea | Isopoda | Oniscidae | 20 |
| | | | | | Amphipoda | Talitridae | 18 |
| | | | | Arachnida | Araneae | Lycosidae | 4 |
| | | | | | | Clubionidae | 1 |
| | | | | | | Salticidae | 1 |
| Micryphantidae | 1 | | | | | | |
| Insecta | Diptera | Tabanidae (larva) | 1 | | | | |
| | | Dolichopodidae (larva) | 1 | | | | |
| | Hemiptera | Pentatomidae | 1 | | | | |
| | | Reduviidae | 1 | | | | |
| | Coleoptera | Carabidae | 1 | | | | |
| Collembola | Sminthuridae | 1 | | | | | |
| 8/2004 | 2 | 2-4-40 | Low marsh | Crustacea | Isopoda | Oniscidae | 4 |
| | | | | | Amphipoda | Talitridae | 12 |
| | | | | Arachnida | Araneae | Lycosidae | 2 |
| | | | | | | Clubionidae | 1 |
| | | | | Insecta | Hemiptera | Pentatomidae | 1 |
| | Diptera | Tabanidae (larva) | 1 | | | | |

Wertheim NWR Water Management Demonstration Project Data Report
Vegetation Invertebrate Results
2003-2007

| | | | | | | | |
|--------|---|---------|------------|--------------|------------------|----------------------|----|
| | | | | | Coleoptera | Carabidae (larva) | 1 |
| | | | | | | Chrysomelidae | 2 |
| 8/2004 | 2 | 2-1-00 | Phragmites | Crustacea | Isopoda | Oniscidae | 5 |
| | | | | Arachnida | Araneae | Lycosidae | 1 |
| 8/2005 | 2 | 2-3-40 | High marsh | Crustacea | Amphipoda | Talitridae | 8 |
| | | | | | Isopoda | Oniscidae | 4 |
| | | | | Arachnida | Araneae | Lycosidae | 11 |
| | | | | | | Clubionidae | 1 |
| | | | | Insecta | Hemiptera | Pentatomidae | 1 |
| | | | | | Homoptera | Cercopidae | 1 |
| 8/2005 | 2 | 2-2-40 | High marsh | Crustacea | Amphipoda | Talitridae | 31 |
| | | | | Insecta | Hemiptera | Saldidae | 1 |
| | | | | | Coleoptera | Chrysomelidae | 9 |
| | | | | | | Hydrophilidae | 1 |
| | | | | | Odonata | Libellulidae (larva) | 1 |
| 8/2005 | 2 | 2-3-160 | Low marsh | Gastropoda | Stylommatophora | Succineidae | 3 |
| | | | | Crustacea | Amphipoda | Talitridae | 21 |
| | | | | | Isopoda | Oniscidae | 17 |
| | | | | Arachnida | Araneae | Lycosidae | 4 |
| | | | | | | Clubionidae | 3 |
| | | | | | | Thomisidae | 1 |
| | | | | | | Tetragnathidae | 2 |
| | | | | | | Micryphantidae | 5 |
| | | | | | Acarina | Hydracarina | 1 |
| | | | | Insecta | Diptera | Tabanidae (larvae) | 3 |
| | | | | | Hemiptera | Gerridae | 1 |
| 8/2005 | 2 | 2-4-40 | Low marsh | Gastropoda | Archaeopulmonata | Melampodidae | 1 |
| | | | | | Stylommatophora | Succineidae | 1 |
| | | | | Crustacea | Amphipoda | Talitridae | 10 |
| | | | | | Isopoda | Oniscidae | 3 |
| | | | | Arachnida | Araneae | Lycosidae | 9 |
| | | | | | | Clubionidae | 2 |
| | | | | Insecta | Diptera | Tabanidae (larva) | 1 |
| | | | | | Homoptera | Delphacidae | 5 |
| | | | | | Hemiptera | Reduviidae | 1 |
| 8/2005 | 2 | 2-1-00 | Phragmites | Gastropoda | Stylommatophora | Succineidae | 1 |
| | | | | Crustacea | Amphipoda | Talitridae | 8 |
| | | | | Arachnida | Araneae | Lycosidae | 1 |
| | | | | Insecta | Diptera | Tabanidae (larva) | 1 |
| | | | | | | Ephydriidae (larvae) | 3 |
| 8/2006 | 2 | 2-3-40 | High marsh | Crustacea | Amphipoda | Talitridae | 1 |
| | | | | | Isopoda | Oniscidae | 1 |
| | | | | Arachnida | Araneae | Lycosidae | 5 |
| | | | | | | Tetragnathidae | 1 |
| | | | | | | Micryphantidae | 1 |
| | | | | Insecta | Homoptera | Delphacidae | 1 |
| | | | | | Coleoptera | Carabidae | 1 |
| 8/2006 | 2 | 2-2-40 | High marsh | Insecta | Hemiptera | Miridae | 2 |
| 8/2006 | 2 | 2-3-160 | Low marsh | Crustacea | Isopoda | Oniscidae | 1 |
| | | | | Arachnida | Araneae | Clubionidae | 1 |
| | | | | | | Micryphantidae | 1 |
| | | | | Insecta | Hemiptera | Miridae | 1 |
| 8/2006 | 2 | 2-4-40 | Low marsh | Arachnida | Araneae | Lycosidae | 2 |
| | | | | Insecta | Diptera | Tabanidae (larva) | 1 |
| 8/2006 | 2 | 2-1-00 | Phragmites | None | | | |
| 8/2007 | 2 | 2-3-40 | HM | Malacostraca | Isopoda | Oniscidae | 5 |
| | | | | Arachnida | Araneae | Lycosidae | 11 |
| | | | | Hexapoda | Hymenoptera | Formicidae | 1 |
| | | | | Insecta | Coleoptera | Hydrophilidae | 4 |
| | | | | | Diptera | Ephydriidae | 3 |
| | | | | | Orthoptera | Gryllidae | 1 |
| 8/2007 | 2 | 2-2-40 | HM | Gastropoda | Pulmonata | Succineidae | 6 |
| | | | | Arachnida | Araneae | Thomisidae | 1 |
| | | | | | | Lycosidae | 2 |
| | | | | Insecta | Orthoptera | Gryllidae | 5 |
| 8/2007 | 2 | 2-3-160 | LM | Arachnida | Araneae | Lycosidae | 2 |
| | | | | | | Thomisidae | 4 |

Wertheim NWR Water Management Demonstration Project Data Report
Vegetation Invertebrate Results
2003-2007

| | | | | | | | |
|--------|---|--------|------------|--------------|------------------|----------------|---|
| | | | | Insecta | Diptera | Culicidae | 1 |
| | | | | | | Tabanidae | 1 |
| | | | | | Hemiptera | Scutelleridae | 3 |
| | | | | | Mantodea | | 1 |
| | | | | | Dictyoptera | Mantidae | 1 |
| 8/2007 | 2 | 2-4-40 | LM | Malacostraca | Amphipoda | Aoridae | 3 |
| | | | | Insecta | Coleoptera | Hydrophilidae | 6 |
| | | | | Arachnida | Araneae | Lycosidae | 6 |
| | | | | | | Tetragnathidae | 1 |
| 8/2007 | 2 | 2-1-00 | Phragmites | Malacostraca | Amphipoda | Aoridae | 6 |
| | | | | | | Gammaridae | 5 |
| | | | | Arachnida | Araneae | Lycosidae | 3 |
| | | | | Gastropoda | Archaeopulmonata | Melampodidae | 1 |
| | | | | Insecta | Diptera | Tabanidae | 1 |
| | | | | | | Tipulidae | 1 |
| | | | | | | Ephydriidae | 1 |

AREA 3

| Date | Area | Station | Vegetation | Class | Order | Family | Quantity |
|---------|------|---------|------------|------------|-------------------|------------------------|----------|
| 10/2003 | 3 | 3-3-40 | High marsh | Gastropoda | Stylommatophora | Succineidae | 6 |
| | | | | Crustacea | Isopoda | Oniscidae | 3 |
| | | | | | Amphipoda | Talitridae | 9 |
| | | | | Arachnida | Araneae | Lycosidae | 22 |
| | | | | | | Clubionidae | 2 |
| | | | | | | Tetragnathidae | 1 |
| | | | | Insecta | Diptera | Tabanidae (larva) | 2 |
| 10/2003 | 3 | 3-3-120 | High marsh | Crustacea | Isopoda | Oniscidae | 4 |
| | | | | | Amphipoda | Talitridae | 11 |
| | | | | Arachnida | Araneae | Lycosidae | 5 |
| | | | | Insecta | Diptera | Tabanidae (larvae) | 2 |
| | | | | | Coleoptera | Carabidae | 1 |
| | | | | | | Heteroceridae (larva) | 1 |
| 10/2003 | 3 | 3-3-160 | Low marsh | Gastropoda | | Melampodidae | 3 |
| | | | | Crustacea | Isopoda | Oniscidae | 24 |
| | | | | | Amphipoda | Talitridae | 9 |
| | | | | Arachnida | Araneae | Lycosidae | 17 |
| | | | | | | Clubionidae | 2 |
| | | | | Insecta | Hemiptera | Hebridae | 4 |
| | | | | | Diptera | Tabanidae (larva) | 1 |
| | | | | | Lepidoptera | Pyralidae (larva) | 1 |
| | | | | | Diptera | Dolichopodidae (larva) | 1 |
| 10/2003 | 3 | 3-4-40 | Low marsh | Gastropoda | | Melampodidae | 1 |
| | | | | Crustacea | Isopoda | Oniscidae | 2 |
| | | | | Arachnida | Araneae | Lycosidae | 4 |
| | | | | | | Clubionidae | 1 |
| | | | | Insecta | Hemiptera | Hebridae | 5 |
| 10/2003 | 3 | 3-5-80 | Phragmites | Crustacea | Isopoda | Oniscidae | 4 |
| | | | | Arachnida | Araneae | Micryphantidae | 1 |
| 8/2004 | 3 | 3-2-40 | High marsh | Gastropoda | Stylommatophora | Succineidae | 8 |
| | | | | Crustacea | Isopoda | Oniscidae | 28 |
| | | | | | Amphipoda | Talitridae | 53 |
| | | | | Arachnida | Araneae | Lycosidae | 9 |
| | | | | | | Tetragnathidae | 6 |
| | | | | | | Clubionidae | 2 |
| | | | | | | Thomisidae | 1 |
| | | | | Insecta | Collembola | Sminthuridae | 1 |
| | | | | | Hemiptera | Anthocoridae | 1 |
| | | | | | | Hebridae | 1 |
| | | | | | | Pentatomidae | 1 |
| | | | | | Coleoptera | Heteroceridae (larva) | 1 |
| 8/2004 | 3 | 3-3-40 | High marsh | Crustacea | Isopoda | Oniscidae | 50 |
| | | | | | Amphipoda | Talitridae | 26 |
| | | | | Arachnida | Pseudoscorpionida | Chernetidae | 1 |
| | | | | | Araneae | Lycosidae | 18 |
| | | | | | | Tetragnathidae | 20 |
| | | | | | | Micryphantidae | 1 |
| | | | | | | Thomisidae | 1 |
| | | | | Insecta | Diptera | Tabanidae (larvae) | 5 |
| | | | | | Hemiptera | Pentatomidae | 1 |

Wertheim NWR Water Management Demonstration Project Data Report
Vegetation Invertebrate Results
2003-2007

| | | | | | | | |
|--------|---|---------|------------|------------|-------------------|-----------------------|----|
| | | | | | | Miridae | 1 |
| | | | | | Homoptera | Aphididae | 1 |
| | | | | | Collembola | Entombridae | 2 |
| 8/2004 | 3 | 3-2-200 | Low marsh | Gastropoda | Stylommatophora | Succineidae | 2 |
| | | | | Crustacea | Isopoda | Oniscidae | 24 |
| | | | | | Amphipoda | Talitridae | 20 |
| | | | | Arachnida | Araneae | Lycosidae | 7 |
| | | | | | | Micryphantidae | 4 |
| | | | | | | Tetragnathidae | 2 |
| | | | | | | Thomisidae | 1 |
| | | | | Insecta | Diptera | Tabanidae (larvae) | 2 |
| | | | | | Hemiptera | Reduviidae | 1 |
| | | | | | | Hebridae | 2 |
| | | | | | Orthoptera | Gryllidae | 1 |
| 8/2004 | 3 | 3-4-80 | Low marsh | Gastropoda | Stylommatophora | Succineidae | 1 |
| | | | | Crustacea | Isopoda | Oniscidae | 10 |
| | | | | | Amphipoda | Talitridae | 26 |
| | | | | Arachnida | Araneae | Lycosidae | 7 |
| | | | | | | Clubionidae | 1 |
| | | | | | | Thomisidae | 3 |
| | | | | | | Micryphantidae | 4 |
| | | | | Insecta | Hemiptera | Scutelleridae | 1 |
| | | | | | | Nabidae | 1 |
| 8/2004 | 3 | 3-3-120 | Phragmites | Crustacea | Isopoda | Oniscidae | 66 |
| | | | | | Amphipoda | Talitridae | 35 |
| | | | | Arachnida | Araneae | Lycosidae | 3 |
| | | | | | | Tetragnathidae | 7 |
| | | | | | | Salticidae | 1 |
| | | | | | Pseudoscorpionida | Chernetidae | 1 |
| | | | | Insecta | Diptera | Tabanidae (larva) | 1 |
| | | | | | Hemiptera | Hebridae | 2 |
| | | | | | | Lygaeidae | 1 |
| | | | | | Coleoptera | Chrysomelidae (larva) | 1 |
| | | | | | | Anthicidae | 2 |
| | | | | | | Pselaphidae | 1 |
| | | | | | Hymenoptera | Formicidae | 1 |
| 8/2005 | 3 | 3-2-40 | High marsh | Gastropoda | Stylommatophora | Succineidae | 15 |
| | | | | Crustacea | Amphipoda | Talitridae | 35 |
| | | | | | Isopoda | Oniscidae | 31 |
| | | | | Arachnida | Araneae | Lycosidae | 15 |
| | | | | | | Clubionidae | 4 |
| | | | | | | Micryphantidae | 1 |
| | | | | Insecta | Diptera | Tabanidae (larva) | 1 |
| | | | | | Hymenoptera | Formicidae | 1 |
| | | | | | Hemiptera | Reduviidae | 1 |
| | | | | | | Saldidae | 1 |
| | | | | | | Herbidae | 1 |
| | | | | | Coleoptera | Chrysomelidae | 2 |
| 8/2005 | 3 | 3-3-40 | High marsh | Gastropoda | Archaeopulmonata | Melampodidae | 1 |
| | | | | Crustacea | Amphipoda | Talitridae | 49 |
| | | | | | Isopoda | Oniscidae | 87 |
| | | | | Arachnida | Araneae | Lycosidae | 7 |
| | | | | | | Tetragnathidae | 3 |
| | | | | | | Micryphantidae | 1 |
| | | | | Insecta | Diptera | Tabanidae (larvae) | 3 |
| | | | | | Hemiptera | Reduviidae | 1 |
| 8/2005 | 3 | 3-2-200 | Low marsh | Gastropoda | Archaeopulmonata | Melampodidae | 1 |
| | | | | Crustacea | Amphipoda | Talitridae | 31 |
| | | | | | Isopoda | Oniscidae | 15 |
| | | | | Arachnida | Araneae | Lycosidae | 1 |
| | | | | Insecta | Diptera | Tabanidae (larvae) | 3 |
| | | | | | Hemiptera | Reduviidae | 1 |
| 8/2005 | 3 | 3-4-80 | Low marsh | Crustacea | Amphipoda | Talitridae | 10 |
| | | | | | Isopoda | Oniscidae | 1 |
| | | | | Arachnida | Araneae | Clubionidae | 1 |
| | | | | | | Lycosidae | 1 |
| | | | | Insecta | Diptera | Simuliidae (larva) | 1 |
| | | | | | Homoptera | Delphacidae | 4 |

Wertheim NWR Water Management Demonstration Project Data Report
Vegetation Invertebrate Results
2003-2007

| | | | | | | | | | | | |
|---------------|----------------|----------------|------------|----------------|-------------------|----------------|-----------|--------------|-----------|------------|---|
| 8/2005 | 3 | 3-3-120 | Phragmites | Gastropoda | Stylommatophora | Succineidae | 1 | | | | |
| | | | | Crustacea | Amphipoda | Talitridae | 10 | | | | |
| | | | | | Isopoda | Oniscidae | 7 | | | | |
| | | | | | Arachnida | Araneae | Lycosidae | 14 | | | |
| | | | | Clubionidae | | | 1 | | | | |
| | | | | Tetragnathidae | | | 1 | | | | |
| | | | | Insecta | Homoptera | Delphacidae | 2 | | | | |
| | | | | | Coleoptera | Anthicidae | 1 | | | | |
| Chrysomelidae | 1 | | | | | | | | | | |
| 8/2006 | 3 | 3-2-40 | High marsh | Gastropoda | Stylommatophora | Succineidae | 11 | | | | |
| | | | | Arachnida | Araneae | Lycosidae | 4 | | | | |
| | | | | | | Clubionidae | 5 | | | | |
| | | | | | | Insecta | Hemiptera | Miridae | 1 | | |
| | | | | Homoptera | Cercopidae | | 1 | | | | |
| | | | | Coleoptera | Carabidae (larva) | | 1 | | | | |
| | | | | | Hydrophilidae | 2 | | | | | |
| | | | | | Staphylinidae | 1 | | | | | |
| 8/2006 | 3 | 3-3-40 | High marsh | Gastropoda | Stylommatophora | Succineidae | 4 | | | | |
| | | | | Crustacea | Amphipoda | Talitridae | 17 | | | | |
| | | | | | Isopoda | Oniscidae | 16 | | | | |
| | | | | | Arachnida | Araneae | Lycosidae | 13 | | | |
| | | | | Clubionidae | | | 4 | | | | |
| | | | | Micryphantidae | | | 2 | | | | |
| | | | | Tetragnathidae | | | 1 | | | | |
| | | | | Insecta | Hemiptera | Reduviidae | 2 | | | | |
| | | | | | Homoptera | Cicadellidae | 5 | | | | |
| | | | | | Hymenoptera | Chalcidae | 1 | | | | |
| | | | | | Diptera | Tabanidae | 1 | | | | |
| | | | | | Coleoptera | Staphylinidae | 1 | | | | |
| 8/2006 | 3 | 3-2-200 | Low marsh | Crustacea | Amphipoda | Talitridae | 1 | | | | |
| | | | | Arachnida | Araneae | Lycosidae | 7 | | | | |
| | | | | | | Salticidae | 1 | | | | |
| | | | | | | Tetragnathidae | 3 | | | | |
| | | | | | | Clubionidae | 3 | | | | |
| | | | | Insecta | Homoptera | Delphacidae | 2 | | | | |
| | | | | | Hemiptera | Hydrometridae | 1 | | | | |
| | | | | | Amphipoda | Talitridae | 3 | | | | |
| 8/2006 | 3 | 3-4-80 | Low marsh | Insecta | Diptera | Tabanidae | 1 | | | | |
| | | | | | Coleoptera | Cantharidae | 1 | | | | |
| | | | | | Chrysomelidae | 1 | | | | | |
| | | | | Crustacea | Amphipoda | Talitridae | 3 | | | | |
| 8/2006 | 3 | 3-3-120 | Phragmites | Crustacea | Amphipoda | Talitridae | 3 | | | | |
| | | | | Isopoda | Oniscidae | 1 | | | | | |
| | | | | | Arachnida | Araneae | Lycosidae | 1 | | | |
| | | | | Clubionidae | 1 | | | | | | |
| | | | | | Insecta | Diptera | Tabanidae | 1 | | | |
| | | | | | | Crustacea | Amphipoda | Talitridae | 2 | | |
| | | | | 8/2007 | 3 | 3-2-40 | HM | Malacostraca | Amphipoda | Gammaridae | 2 |
| | | | | | | | | | Aoridae | 13 | |
| Isopoda | Oniscidae | 19 | | | | | | | | | |
| Hexapoda | Hymenoptera | Formicidae | 4 | | | | | | | | |
| Arachnida | Araneae | Thomisidae | 1 | | | | | | | | |
| | | Lycosidae | 14 | | | | | | | | |
| | | Tetragnathidae | 1 | | | | | | | | |
| Gastropoda | Achaepulmonata | Melampodidae | 2 | | | | | | | | |
| | Pulmonata | Succinidae | 28 | | | | | | | | |
| Insecta | Diptera | Tipulidae | 7 | | | | | | | | |
| | | Tabanidae | 5 | | | | | | | | |
| | | Culicidae | 1 | | | | | | | | |
| | Coleoptera | Hydrophilidae | 2 | | | | | | | | |
| | Orthoptera | Gryllidae | 1 | | | | | | | | |
| 8/2007 | 3 | 3-3-40 | HM | Arachnida | Araneae | Lycosidae | 6 | | | | |
| | | | | | | Salticidae | 1 | | | | |
| | | | | | | Micryphantidae | 1 | | | | |
| | | | | | | Thomisidae | 1 | | | | |
| | | | | | | Clubionidae | 8 | | | | |
| | | | | Insecta | Orthoptera | Gryllidae | 17 | | | | |
| | | | | | Diptera | Tipulidae | 4 | | | | |
| | | | | | Crustacea | Isopoda | Idoteidae | 3 | | | |
| | | | | Malacostraca | Amphipoda | Aoridae | 24 | | | | |

**Wertheim NWR Water Management Demonstration Project Data Report
Vegetation Invertebrate Results
2003-2007**

| | | | | | | | |
|--------|---|---------|------------|--------------|-----------------|----------------|----|
| | | | | | Isopoda | Oniscidae | 30 |
| 8/2007 | 3 | 3-2-200 | LM | Hexapoda | Hymenoptera | Formicidae | 1 |
| | | | | Arachnida | Araneae | Lycosidae | 7 |
| | | | | | | Thomisidae | 3 |
| | | | | Insecta | Coleoptera | Hydrophilidae | 2 |
| 8/2007 | 3 | 3-4-80 | LM | Malacostraca | Amphipoda | Aoridae | 6 |
| | | | | Insecta | Coleoptera | Hydrophilidae | 6 |
| | | | | Arachnida | Araneae | Lycosidae | 1 |
| | | | | | | Clubionidae | 7 |
| 8/2007 | 3 | 3-3-120 | Phragmites | Malacostraca | Amphipoda | Gammaridae | 5 |
| | | | | | | Aoridae | 1 |
| | | | | | Isopoda | Oniscidae | 12 |
| | | | | Hexapoda | Hymenoptera | Formicidae | 2 |
| | | | | Gastropoda | Pulmonata | Succinidae | 1 |
| | | | | | Archeapulmonata | Melampodidae | 1 |
| | | | | Arachnida | Araneae | Micryphantidae | 1 |
| | | | | Insecta | Diptera | Tipulidae | 1 |
| | | | | | Orthoptera | Gryllidae | 7 |
| | | | | | Hemiptera | Herbidae | 1 |

AREA 4

| Date | Area | Station | Vegetation | Class | Order | Family | Quantity |
|---------|------|---------|------------|------------|-----------------|--------------------------|----------|
| 10/2003 | 4 | 4-4-80 | High marsh | Gastropoda | | Melampodidae | 1 |
| | | | | | Stylommatophora | Succineidae | 20 |
| | | | | Crustacea | Isopoda | Oniscidae | 43 |
| | | | | | Amphipoda | Talitridae | 6 |
| | | | | Arachnida | Araneae | Lycosidae | 10 |
| | | | | | | Clubionidae | 3 |
| | | | | | | Tetragnathidae | 1 |
| | | | | Insecta | Hemiptera | Hebridae | 1 |
| | | | | | Diptera | Tabanidae (larva) | 1 |
| | | | | | Coleoptera | Heteroceridae (larva) | 1 |
| | | | | | Hymenoptera | Formicidae | 1 |
| 10/2003 | 4 | 4-3-80 | High marsh | Gastropoda | Stylommatophora | Succineidae | 16 |
| | | | | Crustacea | Isopoda | Oniscidae | 2 |
| | | | | | Amphipoda | Talitridae | 1 |
| | | | | Arachnida | Araneae | Lycosidae | 6 |
| | | | | | | Micryphantidae | 1 |
| | | | | Insecta | Coleoptera | Chrysomelidae | 2 |
| | | | | | Hymenoptera | Formicidae | 1 |
| 10/2003 | 4 | 4-3-00 | High marsh | Gastropoda | Stylommatophora | Succineidae | 2 |
| | | | | Crustacea | Isopoda | Oniscidae | 16 |
| | | | | | Amphipoda | Talitridae | 37 |
| | | | | Arachnida | Acarina | Suborder Trombidiformes | 1 |
| | | | | | Araneae | Lycosidae | 4 |
| | | | | | | Tetragnathidae | 1 |
| 10/2003 | 4 | 4-1-120 | Low marsh | Gastropoda | | Melampodidae | 3 |
| | | | | | Stylommatophora | Succineidae | 4 |
| | | | | Crustacea | Isopoda | Oniscidae | 29 |
| | | | | | Amphipoda | Talitridae | 4 |
| | | | | Arachnida | Acarina | Sub order Trombidiformes | 1 |
| | | | | | Araneae | Lycosidae | 6 |
| | | | | | | Clubionidae | 5 |
| | | | | Insecta | Coleoptera | Chrysomelidae | 1 |
| | | | | | Diptera | Tabanidae (larva) | 1 |
| | | | | | Coleoptera | Curculionidae | 1 |
| 10/2003 | 4 | 4-2-00 | Low marsh | Gastropoda | | Melampodidae | 9 |
| | | | | | Stylommatophora | Succineidae | 2 |
| | | | | Crustacea | Isopoda | Oniscidae | 172 |
| | | | | | Amphipoda | Talitridae | 8 |
| | | | | Arachnida | Acarina | Suborder Trombidiformes | 2 |
| | | | | | Araneae | Lycosidae | 14 |
| | | | | | | Clubionidae | 5 |
| | | | | | | Micryphantidae | 4 |
| | | | | | | Tetragnathidae | 2 |
| | | | | Insecta | Hemiptera | Hebridae | 3 |
| | | | | | Coleoptera | Chrysomelidae | 1 |
| | | | | | | Heteroceridae (larva) | 1 |
| 10/2003 | 4 | 4-1-160 | Low marsh | Gastropoda | | Melampodidae | 8 |

Wertheim NWR Water Management Demonstration Project Data Report
Vegetation Invertebrate Results
2003-2007

| | | | | | | | |
|---------|---|---------|------------|------------|-------------------|------------------------|----|
| | | | | | Stylommatophora | Succineidae | 3 |
| | | | | Crustacea | Amphipoda | Talitridae | 5 |
| | | | | Arachnida | Araneae | Lycosidae | 7 |
| | | | | | | Clubionidae | 5 |
| 10/2003 | 4 | 4-2-120 | Phragmites | Gastropoda | | Melampodidae | 1 |
| | | | | Crustacea | Isopoda | Oniscidae | 33 |
| | | | | | Amphipoda | Talitridae | 8 |
| | | | | Arachnida | Araneae | Lycosidae | 4 |
| | | | | | | Clubionidae | 4 |
| | | | | | | Micryphantidae | 1 |
| | | | | Insecta | Diptera | Tabanidae (larvae) | 3 |
| 10/2003 | 4 | 4-4-00 | Phragmites | Crustacea | Amphipoda | Talitridae | 1 |
| | | | | Insecta | Coleoptera | Chrysomelidae | 1 |
| 8/2004 | 4 | 4-3-00 | High marsh | Crustacea | Isopoda | Oniscidae | 32 |
| | | | | | Amphipoda | Talitridae | 33 |
| | | | | Arachnida | Araneae | Lycosidae | 6 |
| | | | | | | Clubionidae | 2 |
| | | | | | | Tetragnathidae | 2 |
| | | | | | | Micryphantidae | 1 |
| | | | | Insecta | Diptera | Tabanidae (larva) | 1 |
| | | | | | Psocoptera | unknown | 3 |
| 8/2004 | 4 | 4-3-80 | High marsh | Gastropoda | Archaeopulmonata | Melampodidae | 1 |
| | | | | | Stylommatophora | Succineidae | 28 |
| | | | | Crustacea | Isopoda | Oniscidae | 24 |
| | | | | | Amphipoda | Talitridae | 52 |
| | | | | Arachnida | Araneae | Lycosidae | 2 |
| | | | | | | Clubionidae | 3 |
| | | | | | | Tetragnathidae | 2 |
| | | | | | | Micryphantidae | 1 |
| | | | | | Pseudoscorpionida | Chernetidae | 1 |
| | | | | Insecta | Hemiptera | Lygidae | 1 |
| 8/2004 | 4 | 4-4-80 | High marsh | Gastropoda | Stylommatophora | Succineidae | 7 |
| | | | | Crustacea | Isopoda | Oniscidae | 1 |
| | | | | | Amphipoda | Talitridae | 15 |
| | | | | Arachnida | Araneae | Lycosidae | 10 |
| | | | | | | Clubionidae | 1 |
| | | | | Insecta | Diptera | Tabanidae | 1 |
| | | | | | Orthoptera | Gryllidae | 1 |
| | | | | | Coleoptera | Chrysomelidae | 1 |
| | | | | | Hemiptera | Miridae | 2 |
| 8/2004 | 4 | 4-1-120 | Low marsh | Gastropoda | Archaeopulmonata | Melampodidae | 2 |
| | | | | | Stylommatophora | Succineidae | 6 |
| | | | | Crustacea | Isopoda | Oniscidae | 29 |
| | | | | | Amphipoda | Talitridae | 28 |
| | | | | Arachnida | Araneae | Lycosidae | 3 |
| | | | | | | Clubionidae | 4 |
| | | | | | | Micryphantidae | 6 |
| | | | | Insecta | Diptera | Tabanidae (larvae) | 2 |
| | | | | | Hemiptera | pentatomidae | 1 |
| | | | | | Collembola | Sminthuridae | 1 |
| | | | | | Orthoptera | Gryllidae | 1 |
| 8/2004 | 4 | 4-1-160 | Low marsh | Gastropoda | Stylommatophora | Succineidae | 7 |
| | | | | Crustacea | Isopoda | Oniscidae | 31 |
| | | | | | Amphipoda | Talitridae | 35 |
| | | | | Arachnida | Araneae | Lycosidae | 4 |
| | | | | | | Clubionidae | 2 |
| | | | | | | Tetragnathidae | 4 |
| | | | | | Pseudoscorpionida | Chernetidae | 1 |
| | | | | Insecta | Diptera | Tabanidae (larva) | 1 |
| | | | | | Hemiptera | Phymatidae | 1 |
| | | | | | Coleoptera | Heteroceridae (larvae) | 3 |
| | | | | | | Pselaphidae | 1 |
| | | | | | | Staphylinidae | 2 |
| | | | | | | Staphylinidae (larva) | 1 |
| 8/2004 | 4 | 4-3-40 | Low marsh | Crustacea | Isopoda | Oniscidae | 19 |
| | | | | | Amphipoda | Talitridae | 26 |
| | | | | Arachnida | Araneae | Lycosidae | 7 |
| | | | | | | Clubionidae | 2 |

Wertheim NWR Water Management Demonstration Project Data Report
Vegetation Invertebrate Results
2003-2007

| | | | | | | | |
|--------|---|---------|------------|------------|-------------------|------------------------|----|
| | | | | | | Micryphantidae | 4 |
| | | | | | Pseudoscorpionida | Chernetidae | 1 |
| | | | | | Acariformes | unknown | 1 |
| | | | | Insecta | Diptera | Tabanidae (larva) | 1 |
| | | | | | Collembola | Sminthuridae | 1 |
| | | | | | Homoptera | Delphacidae | 1 |
| | | | | | Coleoptera | Chrysomelidae | 1 |
| | | | | | | Carabidae (larvae) | 3 |
| | | | | | Hemiptera | Miridae | 1 |
| 8/2004 | 4 | 4-2-120 | Phragmites | Gastropoda | Archaeopulmonata | Melampodidae | 3 |
| | | | | Crustacea | Isopoda | Oniscidae | 8 |
| | | | | | Amphipoda | Talitridae | 22 |
| | | | | Insecta | Diptera | Muscidae (larva) | 1 |
| | | | | | Collembola | Entomobryidae | 1 |
| | | | | | Coleoptera | Chrysomelidae | 1 |
| | | | | | | Carabidae (larva) | 1 |
| | | | | | | Staphylinidae | 1 |
| 8/2004 | 4 | 4-4-00 | Phragmites | Gastropoda | Stylommatophora | Succineidae | 7 |
| | | | | Crustacea | Isopoda | Oniscidae | 2 |
| | | | | | Amphipoda | Talitridae | 21 |
| | | | | Arachnida | Araneae | Lycosidae | 3 |
| | | | | | | Micryphantidae | 1 |
| | | | | | Acariformes | unknown | 1 |
| | | | | Insecta | Diptera | Tabanidae (larva) | 1 |
| | | | | | Hymenoptera | Formicidae | 1 |
| | | | | | Collembola | Entomobryidae | 4 |
| | | | | | Orthoptera | Gryllidae | 4 |
| | | | | | Coleoptera | Chrysomelidae | 1 |
| | | | | | | Carabidae (larva) | 1 |
| | | | | | | Heteroceridae (larvae) | 2 |
| 8/2005 | 4 | 4-3-00 | High marsh | Crustacea | Amphipoda | Talitridae | 29 |
| | | | | | Isopoda | Oniscidae | 15 |
| | | | | Arachnida | Araneae | Lycosidae | 5 |
| | | | | | | Clubionidae | 1 |
| 8/2005 | 4 | 4-3-80 | High marsh | Crustacea | Amphipoda | Talitridae | 29 |
| | | | | | Isopoda | Oniscidae | 6 |
| | | | | Arachnida | Araneae | Lycosidae | 2 |
| | | | | | | Clubionidae | 1 |
| | | | | | | Micryphantidae | 1 |
| | | | | Insecta | Coleoptera | Chrysomelidae | 1 |
| 8/2005 | 4 | 4-4-80 | High marsh | Gastropoda | Archaeopulmonata | Melampodidae | 1 |
| | | | | Crustacea | Amphipoda | Talitridae | 37 |
| | | | | | Isopoda | Oniscidae | 34 |
| | | | | Arachnida | Araneae | Lycosidae | 10 |
| | | | | | | Clubionidae | 1 |
| | | | | Insecta | Homoptera | Cicadellidae | 1 |
| | | | | | | Cercopidae | 1 |
| | | | | | Hemiptera | Miridae | 1 |
| 8/2005 | 4 | 4-1-120 | Low marsh | Crustacea | Amphipoda | Talitridae | 10 |
| | | | | | Isopoda | Oniscidae | 7 |
| | | | | Arachnida | Araneae | Lycosidae | 2 |
| | | | | | | Clubionidae | 5 |
| | | | | | | Micryphantidae | 1 |
| | | | | Insecta | Homoptera | Delphacidae | 22 |
| | | | | | | Cicadellidae | 1 |
| | | | | | Hemiptera | Pentatomidae | 2 |
| | | | | | Coleoptera | Carabidae (larva) | 1 |
| 8/2005 | 4 | 4-1-160 | Low marsh | Gastropoda | Archaeopulmonata | Melampodidae | 2 |
| | | | | Crustacea | Amphipoda | Talitridae | 2 |
| | | | | Arachnida | Araneae | Lycosidae | 3 |
| | | | | | | Clubionidae | 1 |
| | | | | Insecta | Homoptera | Delphacidae | 27 |
| | | | | | Hemiptera | Miridae | 3 |
| | | | | | Coleoptera | unknown (larva) | 7 |

Wertheim NWR Water Management Demonstration Project Data Report
Vegetation Invertebrate Results
2003-2007

| | | | | | | | | | | | |
|------------|-------------------|-------------------|------------|------------|------------------|---------------------------|--------------------------|------------|------------------|--------------|----|
| 8/2005 | 4 | 4-3-40 | Low marsh | Crustacea | Amphipoda | Talitridae | 20 | | | | |
| | | | | | Isopoda | Oniscidae | 9 | | | | |
| | | | | Arachnida | Araneae | Lycosidae | 3 | | | | |
| | | | | | | Clubionidae | 1 | | | | |
| | | | | Insecta | Homoptera | Delphacidae | 2 | | | | |
| Coleoptera | Chrysomelidae | 2 | | | | | | | | | |
| 8/2005 | 4 | 4-2-120 | Phragmites | Crustacea | Amphipoda | Talitridae | 10 | | | | |
| | | | | | Isopoda | Oniscidae | 7 | | | | |
| | | | | Arachnida | Araneae | Lycosidae | 2 | | | | |
| | | | | | | Clubionidae | 5 | | | | |
| | | | | | | Micryphantidae | 1 | | | | |
| | | | | Insecta | Homoptera | Delphacidae | 22 | | | | |
| | | | | | | Cicadellidae | 1 | | | | |
| | | | | | Hemiptera | Pentatomidae | 2 | | | | |
| | Coleoptera | Carabidae (larva) | 1 | | | | | | | | |
| 8/2005 | 4 | 4-4-00 | Phragmites | Crustacea | Amphipoda | Talitridae | 6 | | | | |
| 8/2006 | 4 | 4-3-00 | High marsh | Gastropoda | Archaeopulmonata | Melampodidae | 1 | | | | |
| | | | | | Stylommatophora | Succineidae | 4 | | | | |
| | | | | Crustacea | Amphipoda | Talitridae | 13 | | | | |
| | | | | | Isopoda | Oniscidae | 6 | | | | |
| | | | | Arachnida | Araneae | Lycosidae | 18 | | | | |
| | | | | | | Clubionidae | 4 | | | | |
| | | | | | | Tetragnathidae | 3 | | | | |
| | | | | | | Micryphantidae | 2 | | | | |
| | | | | Insecta | Homoptera | Delphacidae | 2 | | | | |
| | | | | | Coleptera | Chrysomelidae | 3 | | | | |
| | | | | | | Staphylinidae (larva) | 1 | | | | |
| Diptera | Tabanidae (larva) | 1 | | | | | | | | | |
| 8/2006 | 4 | 4-3-80 | High marsh | Gastropoda | Stylommatophora | Succineidae | 4 | | | | |
| 8/2006 | 4 | 4-4-80 | High marsh | Crustacea | Amphipoda | Talitridae | 29 | | | | |
| | | | | | Isopoda | Oniscidae | 6 | | | | |
| | | | | Arachnida | Acarina | Sub order: Trombidiformes | 1 | | | | |
| | | | | | | Araneae | Lycosidae | 12 | | | |
| | | | | | | | Clubionidae | 6 | | | |
| | | | | | | | Micryphantidae | 6 | | | |
| | | | | | Tetragnathidae | 1 | | | | | |
| | | | | Insecta | Homoptera | Delphacidae | 6 | | | | |
| | | | | | Hemiptera | Miridae | 1 | | | | |
| | | | | | Coleoptera | Chrysomelidae | 3 | | | | |
| | | | | | | Carabidae (larva) | 2 | | | | |
| | | | | 8/2006 | 4 | 4-4-80 | High marsh | Gastropoda | Stylommatophora | Succineidae | 6 |
| | | | | 8/2006 | 4 | 4-1-120 | Low marsh | Crustacea | Amphipoda | Talitridae | 10 |
| Isopoda | Oniscidae | 6 | | | | | | | | | |
| Arachnida | Araneae | Lycosidae | 26 | | | | | | | | |
| | | Clubionidae | 4 | | | | | | | | |
| | | Micryphantidae | 2 | | | | | | | | |
| Insecta | Homoptera | Delphacidae | 3 | | | | | | | | |
| | Coleoptera | Chrysomelidae | 1 | | | | | | | | |
| 8/2006 | 4 | 4-1-120 | Low marsh | | | | | Gastropoda | Archaeopulmonata | Melampodidae | 4 |
| 8/2006 | 4 | 4-1-160 | Low marsh | Crustacea | Stylommatophora | Succineidae | 11 | | | | |
| | | | | | Amphipoda | Talitridae | 5 | | | | |
| | | | | Arachnida | Araneae | Lycosidae | 5 | | | | |
| | | | | | | Clubionidae | 3 | | | | |
| | | | | | | Tetragnathidae | 1 | | | | |
| 8/2006 | 4 | 4-1-160 | Low marsh | Gastropoda | Stylommatophora | Succineidae | 43 | | | | |
| 8/2006 | 4 | 4-1-160 | Low marsh | Crustacea | Isopoda | Oniscidae | 5 | | | | |
| | | | | | Arachnida | Acarina | Suborder: Trombidiformes | 8 | | | |
| | | | | Araneae | | Lycosidae | 7 | | | | |
| | | | | | | Clubionidae | 10 | | | | |
| | | | | Insecta | | Micryphantidae | 9 | | | | |
| | | | | | Homoptera | Tetragnathidae | 4 | | | | |
| | | | | | | Delphacidae | 2 | | | | |
| | | | | | Coleoptera | Cantharidae | 1 | | | | |

Wertheim NWR Water Management Demonstration Project Data Report
Vegetation Invertebrate Results
2003-2007

| | | | | | | | | |
|------------|--------------|---------------|-----------------|----------------|---------------------------|----------------|-------------------|------------|
| 8/2006 | 4 | 4-3-40 | Low marsh (mix) | Gastropoda | Stylommatophora | Succineidae | 6 | |
| | | | | Crustacea | Amphipoda | Talitridae | 69 | |
| | | | | | Isopoda | Oniscidae | 15 | |
| | | | | | Sub order: Trombidiformes | | 27 | |
| | | | | Arachnida | Araneae | Lycosidae | 13 | |
| | | | | | | Clubionidae | 8 | |
| | | | | | | Micryphantidae | 43 | |
| | | | | | | Tetragnathidae | 4 | |
| | | | | | | Chrysomelidae | | 2 |
| | | | | Insecta | Hemiptera | | Scutelleridae | 1 |
| Coleoptera | | Chrysomelidae | 2 | | | | | |
| 8/2006 | 4 | 4-2-120 | Phragmites | Gastropoda | Archaeopulmonata | Melampodidae | 5 | |
| | | | | Crustacea | Amphipoda | Talitridae | 21 | |
| | | | | | Isopoda | Oniscidae | 14 | |
| | | | | Arachnida | Suborder: Trombidiformes | | 1 | |
| | | | | | Pseudoscorpionida | Chernetidae | 1 | |
| | | | | | Araneae | Lycosidae | 4 | |
| | | | | Clubionidae | | 6 | | |
| | | | | Micryphantidae | | 2 | | |
| | | | | Insecta | Homoptera | | Delphacidae | 1 |
| | | | | | Coleoptera | | Carabidae | 1 |
| Orthoptera | | Tettigoniidae | 2 | | | | | |
| 8/2006 | 4 | 4-4-00 | Phragmites | Crustacea | Amphipoda | Talitridae | 24 | |
| | | | | | Isopoda | Oniscidae | 19 | |
| | | | | Gastropoda | Stylommatophora | Succineidae | 4 | |
| | | | | Arachnida | Araneae | Lycosidae | 1 | |
| | | | | Insecta | Homoptera | | Delphacidae | 1 |
| | | | | | Hemiptera | | Anthocoridae | 1 |
| | | | | | Diptera | | Tabanidae (larva) | 1 |
| 8/2007 | 4 | 4-3-00 | HM | Malacostraca | Amphipoda | Aoridae | 15 | |
| | | | | | Gammaridae | | 9 | |
| | | | | | Isopoda | Oniscidae | 2 | |
| | | | | Arachnida | Araneae | | Lycosidae | 15 |
| | | | | | Ostracoda | | 1 | |
| | | | | Gastropoda | Pulmonata | Succinidae | 2 | |
| | | | | | Archeopulmonata | Melampodidae | 1 | |
| | | | | Insecta | Orthoptera | | Gryllidae | 8 |
| | | | | | Diptera | | Tipulidae | 1 |
| | | | | | Hymenoptera | | Caphidae | 2 |
| 8/2007 | 4 | 4-3-80 | HM | Malacostraca | Amphipoda | Talitridae | 35 | |
| | | | | Gastropoda | Pulmonata | Succineidae | 20 | |
| | | | | Insecta | Diptera | | Tabanidae | 1 |
| | | | | | Hymenoptera | | Caphidae | 2 |
| | | | | Arachnida | Araneae | Lycosidae | 1 | |
| 8/2007 | 4 | 4-4-80 | HM | Malacostraca | Amphipoda | Talitridae | 4 | |
| | | | | Arachnida | Araneae | | Lycosidae | 2 |
| | | | | | Clubionidae | | 2 | |
| | | | | Gastropoda | Archaeopulmonata | Melampodidae | 4 | |
| 8/2007 | 4 | 4-1-120 | LM | Malacostraca | Amphipoda | Aoridae | 13 | |
| | | | | | Gammaridae | | 3 | |
| | | | | | Isopoda | Oniscidae | 8 | |
| | | | | Arachnida | Araneae | | Clubionidae | 7 |
| | | | | | Lycosidae | | 15 | |
| | | | | Insecta | Orthoptera | | Gryllidae | 1 |
| | | | | | Pulmonata | | Succinidae | 11 |
| | | | | Gastropoda | Archeopulmonata | | Melampodidae | 1 |
| | | | | | Amphipoda | | Talitridae | 6 |
| | | | | 8/2007 | 4 | 4-1-160 | LM | Gastropoda |
| Insecta | Diptera | | Tabanidae | | | | | 1 |
| | Araneae | | Lycosidae | | | | | 2 |
| Arachnida | Clubionidae | | 3 | | | | | |
| | Diptera | | Tabanidae | 5 | | | | |
| Insecta | Coleoptera | | Hydrophilidae | 1 | | | | |
| | Malacostraca | Amphipoda | Talitridae | 19 | | | | |
| Isopoda | | Oniscidae | 7 | | | | | |
| Araneae | | Therididae | 5 | | | | | |
| 8/2007 | 4 | 4-3-40 | LM (mix) | Insecta | Lycosidae | | 15 | |
| | | | | | Clubionidae | | 4 | |
| | | | | | Diptera | | Tabanidae | 1 |
| 8/2007 | 4 | 4-2-120 | Phragmites | Malacostraca | Amphipoda | Talitridae | 4 | |
| | | | | Insecta | Diptera | Tabanidae | 1 | |

**Wertheim NWR Water Management Demonstration Project Data Report
Vegetation Invertebrate Results
2003-2007**

| | | | | | | | |
|--------|---|--------|------------|--------------|------------|----------------|----|
| | | | | | Coleoptera | Carabidae | 3 |
| | | | | Arachnida | Araneae | Lycosidae | 2 |
| | | | | | | Micryphantidae | 1 |
| 8/2007 | 4 | 4-4-00 | Phragmites | Gastropoda | Pulmonata | Succinidae | 3 |
| | | | | Arachnida | Araneae | Lycosidae | 6 |
| | | | | | | Thomisidae | 2 |
| | | | | Malacostraca | Amphipoda | Aoridae | 8 |
| | | | | | | Gammaridae | 3 |
| | | | | | Isopoda | Oniscidae | 14 |
| | | | | Insecta | Coleoptera | Hydrophilidae | 2 |
| | | | | | Diptera | Tipulidae | 1 |